The Importance of ICD-11 to People with Pain

Kate Nicholson, J.D.



Kate Nicholson

My Story

- -Sudden onset of pain with neuropathic qualities
- -Three years to diagnosis

ICD-11

MG30.2 Chronic postsurgical pain

Extension Codes Pain intensity (severe), Pain-related distress (mild), Pain-related interference (moderate: significant disability but still worked).

Other pathways to treatment: MG30.5 Chronic neuropathic pain → MG30.50 Chronic central neuropathic pain (spinal cord injury)



Quána Madison

Quána's Story

- -preventive surgeries for cancer: hysterectomy, oophorectomy, double mastectomy
- -post-surgical complications: life-threatening vaginal cuff tear; necrosis
- -pain persisted after surgeries but was dismissed; wrongly cast as "drug seeking"

ICD-11

MG30.2 Chronic postsurgical pain

Other pathways to treatment: MG30.51 Chronic peripheral neuropathic pain

Poor access to rehabilitative services



Quána Madison

Ola Ojewumi

Ola's Story

- -heart and kidney transplants
- -nerve damage during transplant surgery
- -post-transplant lymphoproliferative disorder (PTLD)

ICD-11

MG30.10 Chronic cancer pain

Other pathways to treatment: MG30.2 Chronic postsurgical pain;

MG30.51 Chronic peripheral neuropathic pain

Poor access to rehabilitative services



Ola Ojewumi

ICD-11: Why it's better

- Holds the potential to destigmatize chronic pain and mitigate bias:
 - chronic primary pain chronic pain is a disease in its own right; pain whose origin is not well understood is made visible. Patients are less likely to be dismissed or told it's "in their heads."
 - chronic secondary pain increased accuracy of diagnosis; codes not available in ICD-10.
 - facilitates appropriate accounting for psycho-social factors in both.
- Facilitates pathways to treatment and reimbursement; improves access to care.
- Makes pain visible even outside the healthcare system (facilitates improved communication with family and friends, facilitates workplace accommodations or benefits, and potentially improves public understanding).
- Provides better accuracy in describing chronic pain to assist with research.
- Facilitates accurate data collection that assists in demonstrating the global burden of pain.