

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012



WORLD HEALTH ORGANIZATION

Update and Revision Committee

January 2013

CUMULATIVE OFFICIAL UPDATES TO ICD-10

The following pages include the corrigenda (pages 747-750 of Volume 3) and cumulative official changes to the tabular list, instruction manual and alphabetical index of ICD-10 from 1996 to 2012. These changes are approved at the Heads of Centres meetings in October of each year. The source and implementation date for each change has been identified. Date of approval has also been indicated for all changes except the corrigenda.

In 1999, the WHO ICD-10 Update Reference Committee (URC) was established. Modifications to the classification that have been recommended following the URC's inception are uniquely identified and further defined as a major or minor change.

Relevant changes in other language versions of ICD-10 and in related tools will also have to be made and disseminated by the appropriate authority.

(Note: Every effort has been made in the following pages to reproduce the content of the ICD-10 in the same format as the published volumes. Page references have not been used in all instances since these do not apply to electronic versions of the Classification. Additions/changes have been indicated through the use of instructions, underline and ~~strikeout~~).

This document is not issued to the general public, and all rights are reserved by the World Health Organization (WHO). The document may not be reviewed, abstracted, quoted, reproduced or translated, in part or in whole, without the prior written permission of WHO. No part of this document may be stored in a retrieval system or transmitted in any form or by any means – electronic, mechanical or other – without the prior written permission of WHO.

Volume 1	TABULAR LIST
-----------------	---------------------

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Page iii	Contents Tabular list of inclusions and four-character subcategories <u>XXII Codes for special purposes</u>	MRG 0204	October 2003	Major	October 2003
Revise code title, revise code title and add code to list	List of Three-Character Categories Bacterial, viral and other infectious agents (B95–B978) <u>B95</u> Streptococcus and staphylococcus as the cause of diseases classified to other chapters <u>B96</u> Other <u>specified</u> bacterial agents as the cause of diseases classified to other chapters <u>B97</u> Viral agents as the cause of diseases classified to other chapters <u>B98</u> <u>Other specified infectious agents as the cause of diseases classified to other chapters</u>	MbRG 1291	October 2008	Major	January 2010
Revise code title:	List of Three-Character Categories C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites	MRG 1066	October 2007	Major	January 2010
Revise code titles and add code to list	List of three-character categories <i>Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81-C96)</i> C81 Hodgkin's disease <u>lymphoma</u> C82 Follicular [nodular] non-Hodgkin's lymphoma C83 Diffuse non-Hodgkin's <u>Non-follicular</u> lymphoma C84 Peripheral and cutaneous <u>Mature T/NK-cell</u> lymphomas C85 Other and unspecified types of non-Hodgkin's lymphoma C86 <u>Other specified types of T/NK-cell lymphoma</u> C88 <u>Other B-cell lymphoma</u> [Malignant immunoproliferative diseases] D76 Certain <u>Other specified diseases involving with participation of lymphoreticular tissue and reticulohistiocytic system tissue</u>	Germany 1230	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise category title in list of three character categories	C88 Other B-cell lymphoma [Malignant immunoproliferative diseases]	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230 – missed in last year's updates)
Revise category titles in List of three character categories	Diabetes mellitus (E10-E14) E10 Insulin-dependent <u>Type 1</u> diabetes mellitus E11 Non-insulin-dependent <u>Type 2</u> diabetes mellitus	Japan 1873	October 2012	Minor	January 2014
Revise code range and add code to list	List of three-character categories Diseases of the nervous system (G00-G99) Systemic atrophies primarily affecting the central nervous system (G10- G13 G14) G10 Huntington's disease G11 Hereditary ataxia G12 Spinal muscular atrophy and related syndromes G13* Systemic atrophies primarily affecting central nervous system in diseases classified elsewhere G14 <u>Postpolio syndrome</u>	Brazil 1116	October 2008	Major	January 2010
Page 50 Modify category descriptor	List of Three-Character categories Cerebral palsy and other paralytic syndromes (G80-G83) G80 Infantile <u>Cerebral</u> palsy	Australia 0045	October 2002	Major	January 2006
Delete category from list of three-character category	Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (I80–I89) I83 Varicose veins of lower extremities I84 Haemorrhoids I85 Oesophageal varices	Sweden 1731	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add category	List of three- character categories Influenza and pneumonia (J09-J18) J09 Influenza due to <u>identified</u> avian influenza virus J10 Influenza due to <u>other</u> identified influenza virus	URC 0349	October 2008	Major	October 2008
Revise code title	List of three- character categories Chapter X Diseases of the respiratory system (J00-J99) Influenza and pneumonia (J09-J18) J09 Influenza due to <u>certain</u> identified avian influenza virus	WHO 1602	May 2009	Minor	May 2009
Revise code title	List of three-character categories Chapter XI Diseases of the digestive system (K00-K93) Diseases of oesophagus, stomach and duodenum (K20-K31) K30 Dyspepsia <u>Functional dyspepsia</u>	Japan 1333	October 2009	Major	January 2013
Add category to list of three-character categories	Other diseases of intestines (K55–K634) K63 Other diseases of intestine K64 <u>Haemorrhoids and perianal venous thrombosis</u>	Sweden 1731	October 2010	Major	January 2013
Revise code title:	List of Three-Character Categories Renal failure (N17–N19) N17 Acute renal failure N18 Chronic renal <u>kidney failure</u> <u>disease</u> N19 Unspecified renal failure	Australia 1241	October 2007	Major	January 2010
Revise code titles	List of three-character categories Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16)	Australia 1189	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>O11 Pre-existing hypertensive disorder with superimposed proteinuria <u>eclampsia</u></p> <p>O13 Gestational [pregnancy-induced] hypertension without significant proteinuria</p> <p>O14 Gestational [pregnancy-induced] hypertension with significant proteinuria <u>Pre-eclampsia</u></p>				
Revise list of three-character categories	<p>Other maternal disorders predominantly related to pregnancy (O20–O29)</p> <p>O22 Venous complications <u>and haemorrhoids</u> in pregnancy</p> <p>Complications predominantly related to the puerperium (O85–O92)</p> <p>O87 Venous complications <u>and haemorrhoids</u> in the puerperium</p>	Sweden 1731	October 2010	Major	January 2013
Page 71 Revise code Add category code and title	<p>List of Three-Character categories</p> <p>Other obstetric conditions, not elsewhere classified (O94–O99)</p> <p>O94 <u>Sequelae of complication of pregnancy, childbirth and the puerperium</u></p>	Australia 0112	October 2002	Major	January 2006
Page 63 Modify three-character code title	<p>List of Three-Character Categories</p> <p>Complications of labour and delivery (O60–O75)</p> <p>O60 Preterm delivery <u>labour</u></p>	Germany 0222	October 2004	Major	January 2006
Revise code title:	<p>List of Three-Character Categories</p> <p>Digestive system disorders of fetus and newborn (P75–P78)</p> <p>P75* Meconium ileus <u>in cystic fibrosis</u></p> <p>P76 Other intestinal obstruction of newborn</p> <p>P77 Necrotizing enterocolitis of fetus and newborn</p> <p>P78 Other perinatal digestive system disorders</p>	Germany 1162	October 2007	Major	January 2010
Revise category title in	<p>Injuries to the hip and thigh (S70–S79)</p> <p>.....</p> <p>S79 Other and <u>un</u>specified injuries of hip and thigh</p>	Canada 1941	October 2012	Minor	January 2014

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
List of Three-Character Categories					
Add block	Bacterial agents resistant to antibiotics (U80-U89)	Australia/NORDIC 0026	October 2002	Major	January 2006
Add category	U80 Agent resistant to penicillin and related antibiotics U81 Agent resistant to vancomycin and related antibiotics U88 Agent resistant to multiple antibiotics U89 Agent resistant to other and unspecified antibiotics				
Page 104	<u>Chapter XXII</u> <u>Codes for special purposes (U00-U99)</u> <u>Provisional assignment of new diseases of uncertain etiology (U00-U49)</u> <u>U04 Severe acute respiratory syndrome [SARS]</u>	MRG 0204	October 2003	Major	October 2003
Revise code titles	List of three-character categories Chapter XXII Codes for special purposes (U00-U99) Bacterial agents resistant to antibiotics (U80-U89) <u>Resistance to antimicrobial and antineoplastic drugs (U82-U85)</u> U80 Agent resistant to penicillin and related antibiotics U81 Agent resistant to vancomycin and related antibiotics U88 Agent resistant to multiple antibiotics U89 Agent resistant to other and unspecified antibiotics <u>U82 Resistance to betalactam antibiotics</u> <u>U83 Resistance to other antibiotics</u> <u>U84 Resistance to other antimicrobial drugs</u> <u>U85 Resistance to antineoplastic drugs</u>	Canada 1467	October 2009	Major	January 2013
Revise heading and add	Chapter XXII Codes for special purposes (U00-U99)	Canada 1749	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
categories to list of three-character categories	Provisional assignment of new diseases of uncertain etiology or emergency use (U00-U49) U04 Severe acute respiratory syndrome [SARS] U06 Emergency use of U06 U07 Emergency use of U07				
Revise excludes note	Certain infectious and parasitic diseases (A00-B99) Includes: diseases generally recognized as communicable or transmissible Excludes: carrier or suspected carrier of infectious disease (Z22.-) certain localized infections – see body system-related chapters infectious and parasitic diseases complicating pregnancy, childbirth and the puerperium [except obstetrical tetanus, and human immunodeficiency virus [HIV] disease] (O98.-) infectious and parasitic diseases specific to the perinatal period [except tetanus neonatorum, congenital syphilis, perinatal gonococcal infection and perinatal human immunodeficiency virus [HIV] disease] (P35-P39) influenza and other acute respiratory infections (J00-J22)	Canada 1187	October 2008	Major	January 2010
Revise code	Certain infectious and parasitic diseases (A00-B99) This chapter contains the following blocks: ... <u>B95-B978</u> Bacterial, viral and other infectious agents B99 Other infectious disease	MbRG (URC:1291)	October 2008	Major	January 2010
Revise Notes	Chapter I - Certain infectious and parasitic diseases (A00-B99) Use additional code (U82-U85) (U80-U89.-) , if desired, to identify the antibiotic to which a bacterial agent is resistant, resistance to antimicrobials and antineoplastic drugs	Canada 1467	October 2009	Major	January 2013
Revise note at chapter level	Chapter I - Certain infectious and parasitic diseases (A00-B99) Use additional code (U82- U85-U84), if desired, to identify resistance to antimicrobials and antineoplastic drugs	Canada 1729	October 2010	Minor	January 2012
Revise code	A02 Other salmonella infections A02.0 Salmonella enteritis	MbRG 1238	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
title	Salmonellosis A02.1 Salmonella septicaemia sepsis				
Delete dagger Add dagger Add dagger Add dagger Add dagger	A02.2 ‡ Localized salmonella infections Salmonella: . arthritis ‡ (M01.3*) . meningitis ‡ (G01*) . osteomyelitis ‡ (M90.2*) . pneumonia ‡ (J17.0*) . renal tubulo-interstitial disease ‡ (N16.0*)	Australia 0046	October 2001	Minor	January 2003
Modify excludes note Add inclusion term Modify title	A04 Other bacterial intestinal infections <i>Excludes:</i> foodborne intoxications, bacterial (A05-) elsewhere <u>classified</u> tuberculous enteritis (A18.3) A04.7 Enterocolitis due to <i>Clostridium difficile</i> <u>Foodborne intoxication by <i>Clostridium difficile</i></u> A05 Other bacterial foodborne intoxications, <u>not elsewhere classified</u>	MRG 0167	October 2003	Major	January 2006
Add inclusion term	A04.7 Enterocolitis due to <i>Clostridium difficile</i> <u>Pseudomembranous colitis</u>	MRG 0165	October 2003	Major	January 2006
Add excludes at category level	A05 Other bacterial foodborne intoxications, not elsewhere classified <i>Excludes:</i> <u><i>Clostridium difficile</i> foodborne intoxication and infection (A04.7)</u> <i>Escherichia coli</i> infection (A04.0-A04.4)	Canada 1745	October 2010	Minor	January 2012
Add code	A08 Viral and other specified intestinal infections <i>Excludes:</i> influenza with involvement of gastrointestinal tract (J09, J10.8, J11.8)	URC 0349	October 2005	Major	October 2005
Delete text and Add text	A09 <u>Other diarrhoea and gastroenteritis of presumed infectious and colitis of infectious and unspecified origin</u>	MRG 0317	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>Note: In countries where any term listed in A09 without further specification can be assumed to be of non-infectious origin, the condition should be classified to K52.9</p> <p>Catarrh, enteric or intestinal Colitis NOS Enteritis } haemorrhagic Gastroenteritis septic Diarrhoea: — NOS — dysenteric — epidemic — Infectious diarrhoeal disease NOS</p> <p><i>Excludes:</i> due to bacterial, protozoal, viral and other specified infectious agents (A00-A08) Noninfective (<u>see noninfectious</u>) diarrhoea (K52.9) - neonatal (P78.3)</p> <p>A09.0 Other and unspecified gastroenteritis and colitis of infectious origin</p> <p><u>Catarrh, enteric or intestinal</u> <u>Diarrhoea:</u> - <u>acute bloody</u> - <u>acute hemorrhagic</u> - <u>acute watery</u> - <u>dysenteric</u> - <u>epidemic</u> <u>Infectious or septic:</u> - <u>colitis</u> - <u>enteritis</u> } <u>NOS haemorrhagic</u> - <u>gastroenteritis</u> <u>Infectious diarrhoea NOS</u></p>				
Add code and inclusion terms					
Add code	<u>A09.9 Gastroenteritis and colitis of unspecified origin</u>				
Add excludes at block	<p>Tuberculosis (A15-A19) <i>Includes:</i> infections due <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium bovis</i> <i>Excludes:</i> congenital tuberculosis (P37.0)</p>	Netherlands 1194	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
level:	<u>human immunodeficiency [HIV] disease resulting in tuberculosis (B20.0)</u> pneumoconiosis associated with tuberculosis (J65) sequelae of tuberculosis (B90.-) silicotuberculosis (J65)				
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.1 †Tuberculosis of genitourinary system Tuberculosis of: .bladder † (N33.0*) .cervix † (N74.0*) .kidney † (N29.1*) .male genital organs † (N51.-*) .ureter † (N29.1*) Tuberculous female pelvic inflammatory disease † (N74.1*)	Australia 0046	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.5 †Tuberculosis of eye Tuberculous: .chorioretinitis † (H32.0*) .episcleritis † (H19.0*) .interstitial keratitis † (H19.2*) .iridocyclitis † (H22.0*) .keratoconjunctivitis (interstitial) (phlyctenular) † (H19.2*)	Australia 0046	October 2001	Minor	January 2003
Delete dagger Add dagger	A18.6 †Tuberculosis of ear Tuberculous otitis media † (H67.0*)	Australia 0046	October 2001	Minor	January 2003
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger Add dagger	A18.8 †Tuberculosis of other specified organs Tuberculosis of: .endocardium † (I39.8*) .myocardium † (I41.0*) .oesophagus † (K23.0*) .pericardium † (I32.0*) .thyroid gland † (E35.0*) Tuberculous cerebral arteritis † (I68.1*)	Australia 0046	October 2001	Minor	January 2003
Revise code title:	A22 Anthrax <i>Includes: infection due to <i>Bacillus anthracis</i></i> A22.7 Anthrax septicaemia-sepsis	MbRG 1238	October 2007	Major	January 2010
	A24 Glanders and melioidosis	Australia	October 2006	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusions	A24.0 Glanders Infection due to <i>Pseudomonas mallei</i> <u>Infection due to <i>Burkholderia mallei</i></u> Malleus A24.1 Acute and fulminating melioidosis Melioidosis: • pneumonia • sepsis • septicaemia A24.2 Subacute and chronic melioidosis A24.3 Other melioidosis A24.4 Melioidosis, unspecified Infection due to <i>Pseudomonas pseudomallei</i> NOS <u>Infection due to <i>Burkholderia pseudomallei</i> NOS</u> Whitmore's disease	1073			
Revise inclusions:	A24 Glanders and melioidosis A24.1 Acute and fulminating melioidosis Melioidosis: • pneumonia • septicaemia <u>sepsis</u>	MbRG 1238	October 2007	Major	January 2010
Revise code title:	A26 Erysipeloid A26.7 Erysipelothrix septicaemia <u>sepsis</u>	MbRG 1238	October 2007	Major	January 2010
Revise code title:	A32 Listeriosis A32.7 Listerial septicaemia <u>sepsis</u>	MbRG 1238	October 2007	Major	January 2010
Revise code titles:	A40 Streptococcal septicaemia <u>sepsis</u> <i>Excludes:</i> during labour (O75.3) following: • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2) neonatal (P36.0–P36.1) postprocedural (T81.4) puerperal (O85) A40.0 Septicaemia <u>Sepsis</u> due to streptococcus, group A	MbRG 1238	October 2007	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code titles and exclusion note:	A40.1 Septicaemia <u>Sepsis</u> due to streptococcus, group B				
	A40.2 Septicaemia <u>Sepsis</u> due to streptococcus, group D				
	A40.3 Septicaemia <u>Sepsis</u> due to Streptococcus pneumoniae Pneumococcal septicaemia <u>sepsis</u>				
	A40.8 Other streptococcal septicaemia <u>sepsis</u>				
	A40.9 Streptococcal septicaemia <u>sepsis</u> , unspecified				
	A41 Other septicaemia <u>sepsis</u> <i>Excludes:</i> bacteraemia NOS (A49.9) during labour (O75.3) following: • abortion or ectopic or molar pregnancy (O03–O07, O08.0) • immunisation (T88.0) • infusion, transfusion or therapeutic injection (T80.2) septicaemia <u>sepsis</u> (due to)(in): • actinomycotic (A42.7) • anthrax (A22.7) • candidal (B37.7) • Erysipelothrix (A26.7) • extraintestinal yersiniosis (A28.2) • gonococcal (A54.8) • herpesviral (B00.7) • listerial (A32.7) • meningococcal (A39.2–A39.4) • neonatal (P36.-) • postprocedural (T81.4) • puerperal (O85) • streptococcal (A40.-) • tularaemia (A21.7) septicaemia <u>septic</u> : • melioidosis (A24.1) • plague (A20.7) toxic shock syndrome (A48.3)				
	A41.0 Septicaemia <u>Sepsis</u> due to Staphylococcus aureus				
	A41.1 Septicaemia <u>Sepsis</u> due to other specified staphylococcus Septicaemia <u>Sepsis</u> due to coagulase-negative staphylococcus				
	A41.2 Septicaemia <u>Sepsis</u> due to unspecified staphylococcus				
	A41.3 Septicaemia <u>Sepsis</u> due to Haemophilus influenzae				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	A41.4 Septicaemia Sepsis due to anaerobes <i>Excludes:</i> gas gangrene (A48.0) A41.5 Septicaemia Sepsis due to other Gram-negative organisms Gram-negative septicaemia <u>sepsis</u> NOS A41.8 Other specified septicaemia <u>sepsis</u> A41.9 Septicaemia Sepsis, unspecified Septic shock Septicaemia				
Add notes at category level	A40 Streptococcal sepsis Use additional code (R57.2) if desired, to identify septic shock <i>Excludes:</i> during labour (O75.3) A41 Other sepsis Use additional code (R57.2) if desired, to identify septic shock <i>Excludes:</i> bacteraemia NOS (A49.9) during labour (O75.3) A41.9 Sepsis, unspecified Septicaemia Use additional code (R57.2) if desired, to identify septic shock	Germany 1739	October 2010	Minor	January 2012
Delete note at code level					
Add note and delete inclusion	A41.9 Sepsis, unspecified Septic shock Septicaemia Use additional code (R57.2) if desired, to identify septic shock	MbRG 1240	October 2008	Major	January 2010
Revise code title:	A42.7 Actinomycotic septicaemia <u>sepsis</u>	MbRG 1238	October 2007	Major	January 2010
Revise code title and exclusion:	A48.3 Toxic shock syndrome <i>Excludes:</i> endotoxic shock NOS (R57.8) septicaemia <u>sepsis</u> NOS (A41.9)	MbRG 1238	October 2007	Major	January 2010
	A49 Bacterial infection of unspecified site <i>Excludes:</i> bacterial agents as the cause of diseases classified to other chapters (B95-B96) chlamydial infection NOS (A74.9)	Australia 1042	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code titles	meningococcal infection NOS (A39.9) rickettsial infection NOS (A79.9) spirochaetal infection NOS (A69.9) A49.0 Staphylococcal infection, unspecified site A49.1 Streptococcal infection, unspecified site A49.2 Haemophilus influenzae infection, unspecified site A49.3 Mycoplasma infection, unspecified site A49.8 Other bacterial infections of unspecified site A49.9 Bacterial infection, unspecified Bacteraemia NOS				
Delete dagger Add dagger Add dagger Add dagger Add dagger	A54.2 ‡ Gonococcal pelviperitonitis and other gonococcal genitourinary infections Gonococcal: .epididymitis ‡ (N51.1*) .female pelvic inflammatory disease ‡ (N74.3*) .orchitis ‡ (N51.1*) .prostatitis ‡ (N51.0*)	Australia 0046	October 2001	Minor	January 2003
Revise inclusion:	A54.8 Other gonococcal infections Gonococcal: • brain abscess† (G07*) • endocarditis† (I39.8*) • meningitis† (G01*) • myocarditis† (I41.0*) • pericarditis† (I32.0*) • peritonitis† (K67.1*) • pneumonia† (J17.0*) • septicaemia <u>sepsis</u> • skin lesions	MbRG 1238	October 2007	Major	January 2010
Delete dagger Add dagger Add dagger Add dagger	A56.1 ‡ Chlamydial infection of pelviperitoneum and other genitourinary organs Chlamydial: .epididymitis ‡ (N51.1*) .female pelvic inflammatory disease ‡ (N74.4*) .orchitis ‡ (N51.1*)	Australia 0046	October 2001	Minor	January 2003
Modify title	A81 Atypical virus infections of central nervous system	NORDIC	October 1997		January 1999

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion note	<u>Includes:</u> prion diseases of the central nervous system				
Modify title	A81.8 Other atypical virus infections of central nervous system	NORDIC	October 1997		January 1999
Modify title	A81.9 Atypical virus infection of central nervous system, unspecified	NORDIC	October 1997		January 1999
Add inclusion term	<u>Prion disease of central nervous system NOS</u>				
Delete inclusion term	Slow virus infection NOS				
Modify code title and add inclusion	A92.3 West Nile Fever virus infection <u>West Nile fever</u>	North America 0320	October 2005	Minor	January 2007
Add inclusion term	A98.5 Haemorrhagic fever with renal syndrome <u>Hantavirus disease with renal manifestations</u>	Brazil 0042	October 2002	Major	January 2006
Add excludes notes	<u>Excludes:</u> hantavirus (cardio)-pulmonary syndrome (B33.4† J17.1*)				
Delete dagger	B00.5† Herpesviral ocular disease Herpesviral: .conjunctivitis † (H13.1*) .dermatitis of eyelid † (H03.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.1*) .keratconjunctivitis † (H19.1*) .uveitis, anterior † (H22.0*)	Australia 0046	October 2001	Minor	January 2003
Add dagger					
Add dagger					
Add dagger					
Add dagger					
Add dagger					
Add dagger					
Add dagger					
Revise inclusion:	B00.7 Disseminated herpesviral disease <u>Herpesviral septicaemia/sepsis</u>	MbRG 1238	October 2007	Major	January 2010
Add dagger and asterisk code	B00.8 Other forms of herpes viral infection Herpesviral: • hepatitis† (K77.0*) • whitlow† (L99.8*)	Australia 1566	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete dagger Add dagger Add dagger Add dagger Add dagger Add dagger Add dagger	B02.3† Zoster ocular disease Zoster: .blepharitis † (H03.1*) .conjunctivitis † (H13.1*) .iridocyclitis † (H22.0*) .iritis † (H22.0*) .keratitis † (H19.2*) .keratoconjunctivitis † (H19.2*) .scleritis † (H19.0*)	Australia 0046	October 2001	Minor	January 2003
Revise code	B07 Viral warts <i>Excludes:</i> papilloma of: . bladder (D41.4)	WHO Corrigenda			January 1995
Add note	Viral hepatitis (B15–B19) <i>Excludes:</i> cytomegaloviral hepatitis (B25.1) herpesviral [herpes simplex] hepatitis (B00.8) sequelae of viral hepatitis (B94.2) <i>Use additional code (Chapter XX), if desired, to identify drug, if post-transfusion hepatitis</i> B15 Acute hepatitis A B15.0 Hepatitis A with hepatic coma B15.9 Hepatitis A without hepatic coma Hepatitis A (acute)(viral) NOS	Australia 0307	October 2005	Major	January 2010
	B17 Other acute viral hepatitis B17.0 Acute delta-(super)infection of hepatitis B carrier B17.1 Acute hepatitis C B17.2 Acute hepatitis E	Germany 0281	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add new code and inclusion	B17.8 Other specified acute viral hepatitis Hepatitis non-A non-B (acute)(viral) NEC				
	<u>B17.9 Acute viral hepatitis, unspecified</u> <u>Acute hepatitis NOS</u>				
Modify code titles	B19 Unspecified viral hepatitis B19.0 Unspecified viral hepatitis with <u>hepatic</u> coma B19.9 Unspecified viral hepatitis without <u>hepatic</u> coma				
Add inclusion	B17.9 Acute viral hepatitis, unspecified Acute hepatitis NOS Acute infectious hepatitis NOS	Canada 1943	October 2012	Minor	January 2014
Delete note	Human immunodeficiency virus [HIV] disease (B20-B24) Note: The fourth character subcategories of B20-B23 are provided for optional use where it is not possible or not desired to use multiple coding to identify the specific conditions.	MRG 0202	October 2003	Minor	January 2005
Add excludes note	Human immunodeficiency virus [HIV] disease (B20-B24) <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) <u>complicating pregnancy, childbirth and the puerperium (O98.7)</u>	Canada 1187	October 2008	Major	January 2010
Add inclusion term	B20.6 HIV disease resulting in <u>Pneumocystis jirovecii pneumonia</u> <u>HIV disease resulting in <u>Pneumocystis carinii pneumonia</u></u>	Germany 1014	October 2006	Minor	January 2008
Revise spelling	B21.1 HIV disease resulting in <u>Burkitt's lymphoma</u> B21.2 HIV disease resulting in other types of non-Hodgkin's lymphoma	Germany 1230	October 2008	Major	January 2010
Add new code and description	B33 Other viral diseases, not elsewhere classified <u>B33.4† Hantavirus (cardio)-pulmonary syndrome [HPS] [HCPS] (J17.1*)</u> <u>Hantavirus disease with pulmonary manifestations</u>	Brazil 0042	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion terms Add instructional note Add excludes note	<p><u>Sin Nombre virus disease</u></p> <p><u>Use additional code (N17.9) , if desired, to identify any renal failure associated with HPS caused by the Andes, Bayou and Black Creek Canal hantavirus aetiologies.</u></p> <p><u>Excludes: haemorrhagic fever with renal manifestations (A98.5† N08.0*)</u></p>				
Revise code titles	<p>B34 Viral infection of unspecified site <i>Excludes:</i> cytomegaloviral disease NOS (B25.9) herpesvirus [herpes simplex] infection NOS (B00.9) retrovirus infection NOS (B33.3) viral agents as the cause of diseases classified to other chapters (B97.-) B34.0 Adenovirus infection, unspecified <u>site</u> B34.1 Enterovirus infection, unspecified <u>site</u> Coxsackievirus infection NOS Echovirus infection NOS B34.2 Coronavirus infection, unspecified <u>site</u> B34.3 Parvovirus infection, unspecified <u>site</u> B34.4 Papovavirus infection, unspecified <u>site</u> B34.8 Other viral infections of unspecified site Viraemia NOS</p>	Australia 1041	October 2006	Minor	January 2008
Add excludes note	<p>B34.2 Coronavirus infection, unspecified <u><i>Excludes:</i> severe acute respiratory syndrome [SARS] (U04.9)</u></p>	Roberto Becker 0204	October 2005	Minor	January 2006
Delete dagger Add dagger Add dagger	<p>B37.4 †Candidiasis of other urogenital sites Candidal: .balanitis † (N51.2*) .urethritis † (N37.0*)</p>	Australia 0046	October 2001	Minor	January 2003
Revise code title:	<p>B37.7 Candidal septicaemia <u>sepsis</u></p>	MbRG 1238	October 2007	Major	January 2010
Delete dagger &	<p>B57.2 †Chagas disease (chronic) with heart involvement (I41.2*, I98.1*) Chagas' disease (chronic) (with):</p>	Australia 0046	October 2001	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
manifestation codes Add dagger Add dagger	.NOS .cardiovascular involvement NEC ‡ (I98.1*) .myocarditis ‡ (I41.2*)				
Add dagger and manifestation code	B59† Pneumocystosis (J17.3*)	Australia 0087	October 2001	Minor	January 2003
Revise inclusions	B59† Pneumocystosis (J17.3*) Pneumonia due to <i>Pneumocystis carinii</i> Pneumonia due to: · <u><i>Pneumocystis carinii</i></u> · <u><i>Pneumocystis jirovecii</i></u>	Germany 1014	October 2006	Minor	January 2008
Add exclusion term	B60 Other protozoal diseases, not elsewhere classified <i>Excludes:</i> <u>intestinal microsporidiosis (A07.8)</u>	Australia	October 1997		January 1999
Add inclusion term	B67.4 <i>Echinococcus granulosus</i> infection, unspecified <u>Dog tapeworm (infection)</u>	Germany 0270	October 2005	Major	January 2010
Delete inclusion term	B71.1 Dipylidiasis Dog tapeworm (infection)	Germany 0270	October 2005	Major	January 2010
Add exclusion term Add inclusion terms:	B81 Other intestinal helminthiasis, not elsewhere classified Excludes: angiostrongyliasis due to <i>Parastrongylus cantonensis</i> (B83.2) <u>angiostrongyliasis due to <i>Angiostrongylus cantonensis</i> (B83.2)</u> B81.3 Intestinal angiostrongyliasis Angiostrongyliasis due to <i>Parastrongylus costaricensis</i> <u>Angiostrongyliasis due to <i>Angiostrongylus costaricensis</i></u>	Netherlands 1067	October 2006	Minor	January 2008
Add inclusion term	B81.8 Other specified intestinal helminthiasis Infection due to: - <i>Oesophagostomum</i> species [oesophagostomiasis] <u>-<i>Ternidens deminutus</i> [ternidensiasis]</u> <u>-<i>Ternidens diminutus</i> [ternidensiasis]</u>	Netherlands 1068	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term	B83.2: Angiostrongyliasis due to <i>Parastrongylus cantonensis</i> <u>Angiostrongyliasis due to <i>Angiostrongylus cantonensis</i></u> Eosinophilic meningoencephalitis† (G05.2*)	Netherlands 1067	October 2006	Minor	January 2008
Revise and add text	Sequelae of infectious and parasitic diseases (B90-B94) <i>Note:</i> These categories B90-B94 are to be used to indicate conditions in categories A00-B89 as the cause of sequelae, which are themselves classified elsewhere. The “sequelae” include conditions specified as such; they also include late effects of diseases classifiable to the above categories if there is evidence that the disease itself is no longer present. For use of these categories, reference should be made to the morbidity or mortality coding rules and guidelines in Volume 2. <u>Not to be used for chronic infections. Code current infections to chronic or active infectious disease as appropriate.</u>	MRG 1221	October 2007	Minor	January 2009
Add excludes note	B91 Sequelae of poliomyelitis <u>Excludes:</u> postpolio syndrome (G14)	Brazil 1116	October 2008	Major	January 2010
Revise category range and title, add new category and codes	Bacterial, viral and other infectious agents (B95–B978) <i>Note:</i> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the infectious agent(s) in diseases classified elsewhere. B96 Other specified bacterial agents as the cause of diseases classified to other chapters B98 Other specified infectious agents as the cause of diseases classified to other chapters B98.0 <i>Helicobacter pylori</i> [<i>H.pylori</i>] as the cause of diseases classified to other chapters B98.1 <i>Vibrio vulnificus</i> as the cause of diseases classified to other chapters	MbRG 1291	October 2008	Major	January 2010
Revise code title	B96.5 <i>Pseudomonas (aeruginosa)(mallei)(pseudomallei)</i> as the cause of diseases classified to other chapters	Australia 1073	October 2006	Major	January 2010
Add inclusion	B97.8 Other viral agents as the cause of diseases classified to other chapters <u>Human metapneumovirus</u>	Canada 1408	2008	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term					
Add code range	<p>Chapter II</p> <p>Neoplasms (C00-D48)</p> <p>This chapter contains the following broad groups of neoplasms:</p> <p><u>C00-C97 Malignant neoplasms</u></p> <p>C00-C75 Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue</p> <p>C00-C14 Lip, oral cavity and pharynx</p> <p>C15-C26 Digestive organs</p> <p>C30-C39 Respiratory and intrathoracic organs</p> <p>C40-D41 Bone and articular cartilage</p> <p>C43-C44 Skin</p> <p>C45-C49 Mesothelial and soft tissue</p> <p>C50 Breast</p> <p>C51-C58 Female genital organs</p> <p>C60-C63 Male genital organs</p> <p>C64-C68 Urinary tract</p> <p>C69-C72 Eye, brain and other parts of central nervous system</p> <p>C73-C75 Thyroid and other endocrine glands</p> <p>C76-C80 Malignant neoplasms of ill-defined, secondary and unspecified sites</p> <p>C81-C96 Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</p> <p>C97 Malignant neoplasms of independent (primary) multiple sites</p> <p>D00-D09 In situ neoplasms</p> <p>D10-D36 Benign neoplasms</p> <p>D37-D48 Neoplasms of uncertain or unknown behaviour [see note before D37]</p>	Germany 0218	October 2004	Minor	January 2006
Modify text	<p>Malignant neoplasms (C00-C97)</p> <p><u>Malignant neoplasms, stated or presumed to be primary, of specified sites, except of lymphoid, haematopoietic and related tissue (C00-C75)</u></p> <p>Malignant neoplasms of lip, oral cavity and pharynx</p>				

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add text	(C00–□C14)				
Revise spelling	Chapter II Neoplasms (C00-D48) ... 3. Morphology There are a number of major morphological (histological) groups of malignant neoplasms: carcinomas including squamous (cell) and adeno-carcinomas; sarcomas; other soft tissue tumours including mesotheliomas; lymphomas (Hodgkin's and non-Hodgkin's); leukaemia; other specified and site-specific types; and unspecified cancers. Cancer is a generic term and may be used for any of the above groups, although it is rarely applied to the malignant neoplasms of lymphatic, haematopoietic and related tissue. 'Carcinoma' is sometimes used incorrectly as a synonym for 'cancer'.	Germany 1230	October 2008	Major	January 2010
Add note at broad group heading	Malignant neoplasms (C00-C97) <u>Use additional code (U85), if desired, to identify resistance, non-responsiveness and refractive properties of the neoplasm to antineoplastic drugs</u>	Canada 1729	October 2010	Minor	January 2012
Delete code and title	C14.1 Laryngopharynx	WHO Corrigenda			January 1995
Add and revise exclusions	C26.1 Spleen <i>Excludes:</i> <u>diffuse non-Hodgkin lymphoma (C83.-)</u> <u>follicular lymphoma (C82.-)</u> Hodgkin's disease (C81.-) <u>mature T/NK-cell lymphomas (C84.-)</u> non-Hodgkin's lymphoma, <u>other and unspecified types (C82-C85.-)</u>	Germany 1230	2008	Major	January 2010
Revise excludes note	C26.1 Spleen <i>Excludes:</i> diffuse non-Hodgkin lymphoma <u>non-follicular lymphoma (C83.-)</u>	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Correction of typographical error	C26.1 Spleen <i>Excludes:</i> Hodgkin <u>lymphoma</u> disease (C81.-)	Japan 1754	October 2010	Minor	January 2012
Revise	C69.4 Ciliary body	Germany	October 2011	Minor	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusions	Eyeball C69.9 Eye, unspecified <u>Eyeball</u>	1843			
Delete inclusion term	C71.0 Cerebrum, except lobes and ventricles Corpus callosum	UK 0015	October 2002	Minor	January 2004
Revise excludes note:	C76 Malignant neoplasm of other and ill-defined sites <i>Excludes:</i> ... • unspecified site (C80.-)	MRG 1066	October 2007	Major	January 2010
Revise code	C77.- Secondary and unspecified malignant neoplasm of lymph nodes <i>Excl.:</i> malignant neoplasm of lymph nodes, specified as primary (C81- C87 <u>C86</u> , C96.-)	WHO 1889	October 2011	Minor	January 2013
Page add apostrophe s Wrong on platform.	Tumor - Klatskin's (M8162/3) C22.1 C24.0	Germany 1705	October 2011	Major	January 2013
Add inclusion term	C78.2 Secondary malignant neoplasm of pleura <u>Malignant pleural effusion NOS</u>	MRG 0171	October 2003	Minor	January 2005
Revise code title:	C78.7 Secondary malignant neoplasm of liver <u>and intrahepatic bile duct</u>	Germany 1143	October 2007	Minor	January 2009
Revise category title, add codes and exclusions:	C79 Secondary malignant neoplasm of other <u>and unspecified</u> sites C79.8 Secondary malignant neoplasm of other specified sites C79.9 Secondary malignant neoplasm, unspecified site <u>Carcinomatosis (secondary)</u> <u>Generalized (secondary):</u> • <u>cancer NOS</u> • <u>malignancy NOS</u> <u>Multiple cancer (secondary) NOS</u> <i>Excludes:</i> <u>disseminated malignant neoplasm, no primary indicated (C80.-)</u>	MRG 1066	October 2007	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete excludes note and add inclusion terms	C79.9 Secondary malignant neoplasm, unspecified site <u>Disseminated (secondary):</u> <ul style="list-style-type: none"> • <u>cancer NOS</u> • <u>malignancy NOS</u> <u>Generalized (secondary):</u> <ul style="list-style-type: none"> • cancer NOS • malignancy NOS Multiple <u>secondary</u> cancer (secondary) NOS <u>Sarcomatosis (secondary) NOS</u> Excludes: disseminated malignant neoplasm, no primary indicated (C80.-)	Canada 1603	October 2009	Minor	January 2011
Delete inclusions at category level, add codes and inclusions	C80 Malignant neoplasm without specification of site <div> <div> Cancer Carcinoma Carcinomatosis Generalized: <ul style="list-style-type: none"> • cancer • malignancy Malignancy Multiple cancer Malignant cachexia Primary site unknown </div> <div> } </div> <div> unspecified site (primary)(secondary) </div> </div> C80.0 Malignant neoplasm, primary site unknown, so stated <u>Primary site unknown</u> C80.9 Malignant neoplasm, unspecified <u>Cancer NOS</u> <u>Carcinoma NOS</u> <u>Malignancy NOS</u> <u>Malignant cachexia NOS</u>	MRG 1066	October 2007	Major	January 2010
Revise title, add inclusion and exclusion	C80.9 Malignant neoplasm, <u>primary site</u> unspecified Cancer NOS Carcinoma NOS Malignancy NOS Malignant cachexia NOS <u>Multiple cancer NOS</u> Excludes: multiple secondary cancer NOS (C79.9)	Canada 1603	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>secondary malignant neoplasm, unspecified site (C79.9)</u>				
Delete note and includes at block level.	<p>Malignant neoplasms of lymphoid, haematopoietic and related tissue (C81–C96)</p> <p><i>Note:</i> The terms used in categories C82–C85 for non-Hodgkin's lymphomas are those of the Working Formulation, which attempted to find common ground among several major classification schemes. The terms used in these schemes are not given in the Tabular List but appear in the Alphabetical Index; exact equivalence with the terms appearing in the Tabular List is not always possible.</p> <p><i>Includes:</i> morphology codes M959–M994 with behaviour code /3.</p> <p><i>Excludes:</i> secondary and unspecified neoplasm of lymph nodes (C77.-)</p>	Germany 1230	October 2008	Major	January 2010
Add codes, revise code and category titles, revise inclusions and exclusions	<p>C81 Hodgkin's disease lymphoma <i>Includes:</i> — morphology codes M965–M966 with behaviour code /3</p> <p>C81.0 Lymphocytic predominance Nodular lymphocyte predominant Hodgkin lymphoma Lymphocytic-histiocytic predominance</p> <p>C81.1 Nodular sclerosis classical Hodgkin lymphoma</p> <p>C81.2 Mixed cellularity classical Hodgkin lymphoma</p> <p>C81.3 Lymphocytic depletion classical Hodgkin lymphoma</p> <p>C81.4 Lymphocyte-rich classical Hodgkin lymphoma <i>Excludes:</i> lymphocyte predominant Hodgkin lymphoma (C81.0)</p>				
Delete code	<p>C81.7 Other classical Hodgkin's disease lymphoma Classic Hodgkin lymphoma, type not specified</p> <p>C81.9 Hodgkin's disease lymphoma, unspecified</p> <p>C82 Follicular [nodular] non-Hodgkin's lymphoma <i>Includes:</i> follicular non-Hodgkin's lymphoma with or without diffuse areas morphology code M969 with behaviour code /3 <i>Excludes:</i> T-cell non-Hodgkin lymphoma (C84.-)</p>				
	C82.0 Small cleaved cell, follicular lymphoma grade I				

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>C82.1 Mixed small cleaved and large cell, f<u>Follicular lymphoma grade II</u></p> <p>C82.2 Large cell, f<u>Follicular lymphoma grade III, unspecified</u></p> <p>C82.3 <u>Follicular lymphoma grade IIIa</u></p> <p>C82.4 <u>Follicular lymphoma grade IIIb</u></p> <p>C82.5 <u>Diffuse follicle centre lymphoma</u></p> <p>C82.6 <u>Cutaneous follicle centre lymphoma</u></p> <p>C82.7 Other types of follicular non-Hodgkin's lymphoma</p> <p>C82.9 Follicular non-Hodgkin's lymphoma, unspecified Nodular non-Hodgkin's lymphoma NOS</p> <p>C83 Diffuse non-Hodgkin's <u>Non-follicular lymphoma</u> <i>Includes:</i> — morphology codes M9593, M9595, M967–M968 with behaviour code /3</p> <p>C83.0 Small cell (diffuse) <u>B-cell lymphoma</u> <u>Lymphoplasmacytic lymphoma</u> <u>Nodal marginal zone lymphoma</u> <u>Non-leukaemic variant of B-CLL</u> <u>Splenic marginal zone lymphoma</u> <u>Excludes:</u> chronic lymphocytic leukaemia (C91.1) Waldenström macroglobulinaemia (C88.0) T-cell lymphoma (C84.-)</p> <p>C83.1 Small cleaved cell (diffuse) <u>Mantle cell lymphoma</u> <u>Centrocytic lymphoma</u> <u>Malignant lymphomatous polyposis</u></p> <p>C83.2 Mixed small and large cell (diffuse)</p> <p>C83.3 Large cell (diffuse) <u>Diffuse large B-cell lymphoma</u> <u>Anaplastic</u> <u>CD30-positive</u> <u>diffuse large B-cell lymphoma</u> <u>Centroblastic</u></p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>Immunoblastic</u> <u>Plasmablastic</u> <u>Subtype not specified</u> <u>T-cell rich</u> <u>Reticulum cell sarcoma</u> <u>Excludes:</u> <u>mediastinal (thymic) large B-cell lymphoma (C85.2)</u> <u>T-cell lymphoma (C84.-)</u>				
C83.4	Immunoblastic (diffuse)				
C83.5	Lymphoblastic (diffuse) <u>B-cell precursor lymphoma</u> <u>Lymphoblastic B-cell lymphoma</u> <u>Lymphoblastic lymphoma NOS</u> <u>Lymphoblastic T-cell lymphoma</u> <u>T-cell precursor lymphoma</u>				
C83.6	Undifferentiated (diffuse)				
C83.7	Burkitt's tumour lymphoma <u>Atypical Burkitt lymphoma</u> <u>"Burkitt-like" lymphoma</u> <u>Excludes:</u> mature B-cell leukaemia Burkitt-type (C91.8)				
C83.8	Other types of diffuse non-Hodgkin's <u>non-follicular</u> lymphoma <u>Primary effusion B-cell lymphoma</u> <u>Intravascular large B-cell lymphoma</u> <u>Lymphoid granulomatosis</u> <u>Excludes:</u> mediastinal (thymic) large B-cell lymphoma (C85.2) <u> T-cell rich B-cell lymphoma (C83.3)</u>				
C83.9	<u>Non-follicular (diffuse)</u> non-Hodgkin's lymphoma, unspecified				
C84	Peripheral and cutaneous Mature T/NK-cell lymphomas <u>Includes:</u> — morphology code M970 with behaviour code /3				
C84.0	Mycosis fungoides				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
C84.1	Sézary's disease				
C84.2	T-zone lymphoma				
C84.3	Lymphoepithelioid lymphoma Lennert's lymphoma				
C84.4	Peripheral T-cell lymphoma, not elsewhere classified Lennert's lymphoma Lymphoepithelioid lymphoma				
C84.5	Other and unspecified mature T/NK-cell lymphomas <i>Note:</i> If T-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description. <i>Excludes:</i> angioimmunoblastic T-cell lymphoma (C86.5) blastic NK-cell lymphoma (C86.4) enteropathy-type T-cell lymphoma (C86.2) extranodal NK-cell lymphoma, nasal type (C86.0) hepatosplenic T-cell lymphoma (C86.1) primary cutaneous CD30-positive T-cell proliferations (C86.6) subcutaneous panniculitis-like T-cell lymphoma (C86.3) T-cell leukaemia (C91.-)				
C84.6	Anaplastic large cell lymphoma, ALK-positive Anaplastic large cell lymphoma, CD30-positive				
C84.7	Anaplastic large cell lymphoma, ALK-negative <i>Excludes:</i> primary cutaneous CD30-positive T-cell proliferations (C86.6)				
C84.8	Cutaneous T-cell lymphoma, unspecified				
C84.9	Mature T/NK-cell lymphoma, unspecified NK/T cell lymphoma NOS <i>Excludes:</i> mature T-cell lymphoma, not elsewhere classified (C84.4)				
C85	Other and unspecified types of non-Hodgkin's lymphoma <i>Includes:</i> morphology codes M9590-M9592, M9594, M971 with behaviour code /3				
C85.0	Lymphosarcoma				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add new category and codes	C85.1 B-cell lymphoma, unspecified <i>Note:</i> If B-cell lineage or involvement is mentioned in conjunction with a specific lymphoma, code to the more specific description.				
	<u>C85.2 Mediastinal (thymic) large B-cell lymphoma</u>				
	C85.7 Other specified types of non-Hodgkin's lymphoma Malignant: •reticuloendotheliosis •reticulosis Microglioma				
	C85.9 Non-Hodgkin's lymphoma, unspecified type Lymphoma NOS Malignant lymphoma NOS Non-Hodgkin's lymphoma NOS				
	<u>C86 Other specified types of T/NK-cell lymphoma</u> <i>Excludes :</i> <u>anaplastic large cell lymphoma, ALK negative (C84.7)</u> <u>anaplastic large cell lymphoma, ALK positive (C84.6)</u>				
	<u>C86.0 Extranodal NK/T-cell lymphoma, nasal type</u>				
	<u>C86.1 Hepatosplenic T-cell lymphoma</u> <u>Alpha-beta and gamma- delta types</u>				
	<u>C86.2 Enteropathy-type (intestinal) T-cell lymphoma</u> <u>Enteropathy associated T-cell lymphoma</u>				
	<u>C86.3 Subcutaneous panniculitis-like T-cell lymphoma</u>				
	<u>C86.4 Blastic NK-cell lymphoma</u>				
	<u>C86.5 Angioimmunoblastic T-cell lymphoma</u> <u>Angioimmunoblastic lymphadenopathy with dysproteinaemia (AILD)</u>				

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>C86.6 Primary cutaneous CD30-positive T-cell proliferations <u>Lymphomatoid papulosis</u> <u>Primary cutaneous anaplastic large-cell lymphoma</u> <u>Primary cutaneous CD30+large T-cell lymphoma</u></p>				
C88	<p>Other B-cell lymphoma [Malignant immunoproliferative diseases] <i>Includes:</i> morphology code M976 with behaviour code /3</p>				
C88.0	<p>Waldenström's macroglobulinaemia <u>Lymphoplasmacytic lymphoma with IgM-production</u> <u>Macroglobulinaemia (primary)(idiopathic)</u> <i>Excludes:</i> small cell B-cell lymphoma (C83.0)</p>				
C88.1	Alpha heavy chain disease				
C88.2	<p>Gamma Other heavy chain disease Franklin's disease <u>Gamma heavy chain disease</u> <u>Mu heavy chain disease</u></p>				
C88.3	<p>Immunoproliferative small intestinal disease <u>Alpha heavy chain disease</u> Mediterranean disease lymphoma</p>				
C88.4	<p>Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] <i>Note:</i> Use additional code (C83.3) if desired, to specify transition to high malignant (diffuse large cell) lymphoma <u>Lymphoma of skin-associated lymphoid tissue (SALT-lymphoma)</u> <u>Lymphoma of bronchial-associated lymphoid tissue (BALT-lymphoma)</u></p>				
C88.7	Other malignant immunoproliferative diseases				
C88.9	<p>Malignant immunoproliferative disease, unspecified Immunoproliferative disease NOS</p>				
C90	Multiple myeloma and malignant plasma cell neoplasms				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<i>Includes:</i> — morphology codes M973, M9830 with behaviour code /3				
C90.0	Multiple myeloma Kahler's disease <u>Medullary plasmacytoma</u> Myelomatosis <u>Plasma cell myeloma</u> <i>Excludes:</i> solitary myeloma <u>plasmacytoma</u> (C90.23)				
C90.1	Plasma cell leukaemia <u>Plasmacytic leukaemia</u>				
C90.2	Plasmacytoma, extramedullary Extramedullary plasmacytoma Malignant plasma cell tumour NOS Plasmacytoma NOS Solitary myeloma				
<u>C90.3</u>	<u>Solitary plasmacytoma</u> <u>Localized malignant plasma cell tumour NOS</u> <u>Plasmacytoma NOS</u> <u>Solitary myeloma</u>				
C91	Lymphoid leukaemia <i>Includes:</i> — morphology codes M982, M9940 M9941 with behaviour code /3				
C91.0	Acute lymphoblastic leukaemia [ALL] <u><i>Note:</i> This code should only be used for T-cell and B-cell precursor leukaemia</u> <i>Excludes:</i> — acute exacerbation of chronic lymphocytic leukaemia (C91.1)				
C91.1	Chronic lymphocytic leukaemia of B-cell type <u>Lymphoplasmacytic leukaemia</u> <u>Richter syndrome</u> <i>Excludes:</i> lymphoplasmacytic lymphoma (C83.0)				
C91.2	Subacute lymphocytic leukaemia				
C91.3	Prolymphocytic leukaemia of B-cell type				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>C91.4 Hairy-cell leukaemia Leukaemic reticuloendotheliosis</p> <p>C91.5 Adult T-cell lymphoma/leukaemia (HTLV-1-associated) <u>Acute</u> <u>Chronic</u> <u>Lymphomatoid</u> variant <u>Smouldering</u></p> <p><u>C91.6 Polymphocytic leukaemia of T-cell type</u></p> <p>C91.7 Other lymphoid leukaemia <u>T-cell large granular lymphocytic leukaemia (associated with rheumatic arthritis)</u></p> <p><u>C91.8 Mature B-cell leukaemia Burkitt-type</u> <u>Excludes: Burkitt lymphoma with little or no bone marrow filtration (C83.7)</u></p> <p>C91.9 Lymphoid leukaemia, unspecified</p> <p>C92 Myeloid leukaemia <i>Includes:</i> leukaemia: <ul style="list-style-type: none"> • granulocytic • myelogenous morphology codes M986-M988, M9930 with behaviour code /3</p> <p>C92.0 Acute myeloid myeloblastic leukaemia [AML] <u>Acute myeloblastic leukaemia, minimal differentiation</u> <u>Acute myeloblastic leukaemia (with maturation)</u> <u>AML1/ETO</u> <u>AML M0</u> <u>AML M1</u> <u>AML M2</u> <u>AML with t(8;21)</u> <u>AML (without a FAB classification) NOS</u> <u>Refractory anaemia with excess blasts in transformation</u> <i>Excludes:</i> acute exacerbation of chronic myeloid leukaemia (C92.1)</p>				

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
C92.1	Chronic myeloid leukaemia [CML], BCR/ABL-positive <u>Chronic myelogenous leukaemia, Philadelphia chromosome (Ph1) positive</u> <u>Chronic myelogenous leukaemia, t(9;22)(q34;q11)</u> <u>Chronic myelogenous leukaemia with crisis of blast cells</u> <u>Excludes: atypical chronic myeloid leukaemia (C92.2)</u> <u>chronic myelomonocytic leukaemia (C93.1)</u> <u>unclassified myeloproliferative disease (D47.1)</u>				
C92.2	Subacute Atypical chronic myeloid leukaemia, BCR/ABL-negative				
C92.3	Myeloid sarcoma <u>Note: A tumour of immature myeloid cells.</u> Chloroma Granulocytic sarcoma				
C92.4	Acute promyelocytic leukaemia [PML] <u>AML M3</u> <u>AML M3 with t(15; 17) and variants</u>				
C92.5	Acute myelomonocytic leukaemia <u>AML M4</u> <u>AML M4 Eo with inv(16) or t(16;16)</u>				
C92.6	Acute myeloid leukaemia with 11q23-abnormality <u>Acute myeloid leukaemia with variation of MLL-gene</u>				
C92.7	Other myeloid leukaemia <u>Excludes: chronic eosinophilic leukaemia [hypereosinophilic syndrome] (D47.5)</u>				
C92.8	Acute myeloid leukaemia with multilineage dysplasia <u>Note: Acute myeloid leukaemia with dysplasia of remaining haematopoiesis and/or myelodysplastic disease in its history.</u>				
C92.9	Myeloid leukaemia, unspecified				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>C93 Monocytic leukaemia <i>Includes:</i> monocytoid leukaemia morphology code M989 with behaviour code /3</p> <p>C93.0 Acute <u>monoblastic</u>/monocytic leukaemia <u>AML M5a</u> <u>AML M5b</u> <u>AML M5</u> <i>Excludes:</i> acute exacerbation of chronic monocytic leukaemia (C93.1)</p> <p>C93.1 Chronic monocytic <u>myelomonocytic</u> leukaemia <u>Chronic monocytic leukaemia</u> <u>CMML-1</u> <u>CMML-2</u> <u>CMML with eosinophilia</u></p> <p>C93.2 Subacute monocytic leukaemia</p> <p>C93.3 <u>Juvenile myelomonocytic leukaemia</u></p> <p>C93.7 Other monocytic leukaemia</p> <p>C93.9 Monocytic leukaemia, unspecified</p> <p>C94 Other leukaemias of specified cell type <i>Includes:</i> morphology codes M984, M9850, M9900, M9910, M9931, M9932 with behaviour code /3 <i>Excludes:</i> leukaemic reticuloendotheliosis (C91.4) plasma cell leukaemia (C90.1)</p> <p>C94.0 Acute erythraemia and erythroleukaemia <u>erythroid leukaemia</u> <u>Acute myeloid leukaemia, M6 (a)(b)</u> <u>Erythroleukaemia</u> Acute erythraemic myelosis Di Guglielmo's disease</p> <p>C94.1 Chronic erythraemia Heilmeyer-Schöner disease</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	C94.2 Acute megakaryoblastic leukaemia <u>Acute megakaryocytic leukaemia</u> <u>Acute myeloid leukaemia, M7</u> <u>Leukaemia:</u> ▲ megakaryoblastic (acute) ▲ megakaryocytic (acute)				
	C94.3 Mast cell leukaemia				
	C94.4 Acute panmyelosis <u>with myelofibrosis</u> <u>Acute myelofibrosis</u>				
	C94.5 Acute myelofibrosis				
	<u>C94.6</u> <u>Myelodysplastic and myeloproliferative disease, not elsewhere classified</u>				
	C94.7 Other specified leukaemias <u>Acute basophilic leukaemia</u> <u>Aggressive NK-cell leukaemia</u> <u>Lymphosarcoma cell leukaemia</u>				
	C95 Leukaemia of unspecified cell type Includes: morphology code M980 with behaviour code /3				
	C95.0 Acute leukaemia of unspecified cell type <u>Acute bilineal leukaemia</u> <u>Acute mixed lineage leukaemia</u> <u>Biphenotypic acute leukaemia</u> Blast cell leukaemia <u>Stem cell leukaemia of unclear lineage</u> <i>Excludes:</i> acute exacerbation of unspecified chronic leukaemia (C95.1)				
	C95.1 Chronic leukaemia of unspecified cell type				
	C95.2 Subacute leukaemia of unspecified cell type				
	C95.7 Other leukaemia of unspecified cell type				
	C95.9 Leukaemia, unspecified				
	C96 Other and unspecified malignant neoplasms of lymphoid, haematopoietic and related tissue				

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	Includes: morphology codes M972, M974 with behaviour code /3				
C96.0	<u>Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis</u> [Letterer-Siwe disease] <u>Histiocytosis X, multisystemic</u> Nonlipid: • reticuloendotheliosis • reticulosis				
C96.1	<u>Malignant histiocytosis</u> <u>Histiocytic medullary reticulosis</u>				
C96.2	<u>Malignant mast cell tumour</u> <u>Aggressive systemic mastocytosis</u> Malignant: • mastocytoma • mastocytosis Mast cell sarcoma <i>Excludes:</i> <u>indolent mastocytosis (D47.0)</u> mast cell leukaemia (C94.3) <u>(congenital) mastocytosis (cutaneous) (Q82.2)</u>				
C96.3	<u>True histiocytic lymphoma</u>				
C96.4	<u>Sarcoma of dendritic cells (accessory cells)</u> <u>Interdigitating dendritic cell sarcoma</u> <u>Langerhans-cell sarcoma</u> Sarcoma of follicular dendritic cells				
C96.5	<u>Multifocal and unisystemic Langerhans-cell histiocytosis</u> Hand-Schüller-Christian disease <u>Histiocytosis X, multifocal</u>				
C96.6	<u>Unifocal Langerhans-cell histiocytosis</u> <u>Eosinophilic granuloma</u> <u>Histiocytosis X NOS</u> <u>Histiocytosis X, unifocal</u> <u>Langerhans-cell histiocytosis NOS</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	C96.7 Other specified malignant neoplasms of lymphoid, haematopoietic and related tissue C96.8 <u>Histiocytic sarcoma</u> <u>Malignant histiocytosis</u> C96.9 Malignant neoplasm of lymphoid, haematopoietic and related tissue, unspecified				
Revise code title and excludes note	C81.3 Lymphocytic depletion <u>Lymphocyte depleted</u> classical Hodgkin lymphoma C81.4 Lymphocyte-rich classical Hodgkin lymphoma <i>Excludes: <u>nodular</u> lymphocyte predominant Hodgkin lymphoma (C81.0)</i>	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Revise code titles by adding parentheses to non-essential modifier	C81 Hodgkin lymphoma C81.0 Nodular lymphocyte predominant Hodgkin lymphoma C81.1 Nodular sclerosis (classical) Hodgkin lymphoma C81.2 Mixed cellularity (classical) Hodgkin lymphoma C81.3 Lymphocyte depleted (classical) Hodgkin lymphoma C81.4 Lymphocyte-rich (classical) Hodgkin lymphoma C81.7 Other (classical) Hodgkin lymphoma C81.9 Hodgkin lymphoma, unspecified	Canada 1858	October 2011	Minor	January 2013
Revise excludes note	C82 Follicular lymphoma <i>Includes: follicular lymphoma with or without diffuse areas</i> <i>Excludes: <u>mature T/NK-cell non-Hodgkin</u> lymphoma (C84.-)</i>	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Revise order of excludes notes	C83.0 Small cell B-cell lymphoma Lymphoplasmacytic lymphoma Nodal marginal zone lymphoma Non-leukaemic variant of B-CLL Splenic marginal zone lymphoma <i>Excludes: chronic lymphocytic leukaemia (C91.1)</i> <u>mature T/NK-cell lymphomas</u> (C84.-) Waldenström macroglobulinaemia (C88.0) C83.3 Diffuse large B-cell lymphoma Anaplastic } CD30-positive } Centroblastic } diffuse large B-cell lymphoma	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise excludes note	Immunoblastic } Plasmablastic } Subtype not specified} T-cell rich } <i>Excludes: <u>mature T/NK-cell lymphomas</u> (C84.-) mediastinal (thymic) large B-cell lymphoma (C85.2)</i>				
Revise code title	C83.5 Lymphoblastic (diffuse) <u>lymphoma</u> C83.9 Non-follicular (diffuse) non-Hodgkin's lymphoma, unspecified				
Revise inclusions by deleting hyphen and plus sign	C86.6 Primary cutaneous CD30-positive T-cell proliferations Lymphomatoid papulosis Primary cutaneous anaplastic large-cell lymphoma Primary cutaneous CD30+ positive large T-cell lymphoma	US 1755	October 2010	Minor	January 2012
Revert category title to original Add parenthesis Delete apostrophe	C88 Other B-cell lymphoma Malignant immunoproliferative diseases C88.0 Waldenström macroglobulinaemia Lymphoplasmacytic lymphoma with IgM-production Macroglobulinaemia (idiopathic)(primary) C88.2 Other heavy chain disease Franklin's disease	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Correct spelling Change rheumatic to rheumatoid	C91.1 Chronic lymphocytic leukaemia of B-cell type Lymphoplasmacytic leukaemia C91.7 Other lymphoid leukaemia T-cell large granular lymphocytic leukaemia (associated with rheumatic <u>rheumatoid arthritis</u>)	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Revise parentheses in code title and add bracket	C91.5 Adult T-cell lymphoma/leukaemia (HTLV-1-associated) Acute ↓ Chronic ↓ variant Lymphomatoid ↓ Smouldering ↓	US 1755	October 2010	Minor	January 2012
Correct typographical error	C91.8 Mature B-cell leukaemia Burkitt-type <i>Excludes: Burkitt lymphoma with little or no bone marrow <u>in</u>filtration (C83.7)</i>	Canada 1772	October 2010	Minor	January 2012

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise inclusions by inserting bullet or dot points Revise exclusion	C92.1 Chronic myeloid leukaemia [CML], BCR/ABL-positive <u>Chronic myelogenous leukaemia:</u> <ul style="list-style-type: none"> • <u>Philadelphia chromosome (Ph1) positive</u> • <u>t(9:22)(q34; q11)</u> • <u>with crisis of blast cells</u> <i>Excludes:</i> atypical chronic myeloid leukaemia, <u>BCR/ABL-negative</u> (C92.2) chronic myelomonocytic leukaemia (C93.1) unclassified myeloproliferative disease (D47.1)	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Amend excludes note	C96.2 Malignant mast cell tumour <i>Excludes :</i> indolent mastocytosis (D47.0) mast cell leukaemia (C94.3) (congenital) mastocytosis (<u>congenital</u>) (cutaneous) (Q82.2)	Canada 1696	October 2010	Minor	January 2012
Add excludes note at code:	D07 Carcinoma in situ of other and unspecified genital organs <i>Excludes:</i> melanoma in situ (D03.5) D07.5 Prostate <i>Excludes:</i> <u>Low grade dysplasia of prostate (N42.3)</u>	Canada 1117	October 2007	Major	January 2010
Add inclusion term	D16 Benign neoplasm of bone and articular cartilage <u>Keratocystic odontogenic tumour</u>	Japan 1322	October 2008	Major	January 2010
Delete inclusion	D16 Benign neoplasm of bone and articular cartilage Keratocystic odontogenic tumour	Germany 1740	October 2010	Minor	January 2012
Revise Delete exclusion term	<div style="background-color: black; color: white; padding: 2px;">D29 Benign neoplasm of male genital organs</div> <i>Includes:</i> skin of male genital organs D29.0 Penis D29.1 Prostate <i>Excludes:</i> hyperplasia of prostate (adenomatous) (N40) prostatic: • adenoma (N40) • enlargement (N40) • hypertrophy (N40)	Australia 0301	October 2005	Major	January 2010
Revise	D31.4 Ciliary body	Germany	October 2011	Minor	January 2013

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusions	Eye D31.9 Eye, unspecified Eye	1843			
Revise notes and codes	<p>D45 Polycythaemia vera <u>Note: Polycythaemia vera has been reclassified in ICD-O Third Edition with a malignant code. The code D45 will continue to be used, although it is located in the chapter for Neoplasms of uncertain or unknown behaviour. The modification of its classification is reserved for ICD-11 revision process.</u> Morphology code M9950 with behaviour code /1</p> <p>D46 Myelodysplastic syndromes <u>Includes: morphology code M998 with behaviour code /1</u> <u>Alykylating agent related myelodysplastic syndrome</u> <u>Epipodophyllotoxin related myelodysplastic syndrome</u> <u>Therapy related myelodysplastic syndrome NOS</u> <u>Excludes: drug induced aplastic anemia (D61.1)</u></p> <p>D46.0 Refractory anaemia without <u>ring</u> sideroblasts, so stated <u>Note: without sideroblasts, without excess of blasts</u></p> <p>D46.1 Refractory anaemia with <u>ring</u> sideroblasts</p> <p>D46.2 Refractory anaemia with excess of blasts <u>RAEB I</u> <u>REAB II</u></p> <p>D46.3 Refractory anaemia with excess of blasts with transformation</p> <p>D46.4 Refractory anaemia, unspecified</p> <p>D46.5 <u>Refractory anaemia with multi-lineage dysplasia</u></p> <p>D46.6 <u>Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality</u> <u>5 q-minus syndrome</u></p> <p>D46.7 Other myelodysplastic syndromes <u>Excludes: chronic myelomonocytic leukaemia (C93.1)</u></p> <p>D46.9 Myelodysplastic syndrome, unspecified Myelodysplasia NOS</p>	Germany 1230	2008	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	Preleukaemia (syndrome) NOS				
D47	Other neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue Includes: morphology codes M974, M976, M996 M997 with behaviour code /4				
D47.0	Histiocytic and mast cell tumours of uncertain and unknown behaviour <u>Indolent systematic mastocytosis</u> Mast cell tumour NOS Mastocytoma NOS <u>Systemic mastocytosis, associated with clonal haematopoietic non-mast-cell disease (SM-AHNMD)</u> <i>Excludes:</i> <u>(congenital) mastocytosis (cutaneous) (Q82.2)</u>				
D47.1	Chronic myeloproliferative disease <u>Chronic neutrophilic leukaemia</u> Myelofibrosis (with myeloid metaplasia) Myeloproliferative disease, unspecified Myelosclerosis (megakaryocytic) with myeloid metaplasia <i>Excludes:</i> <u>atypical chronic myeloid leukaemia (C92.2)</u> <u>chronic myeloid leukaemia [CML] BCR/ABL-positive (C92.1)</u>				
D47.2	Monoclonal gammopathy of undetermined significance (MGUS)				
D47.3	Essential (haemorrhagic) thrombocythaemia Idiopathic haemorrhagic thrombocythaemia				
D47.4	<u>Osteomyelofibrosis</u> <u>Chronic idiopathic myelofibrosis</u> <u>Myelofibrosis (idiopathic) (with myeloid metaplasia)</u> <u>Myelosclerosis (megakaryocytic) with myeloid metaplasia</u> <u>Secondary myelofibrosis in myeloproliferative disease</u> <i>Excludes:</i> <u>acute myelofibrosis (C94.4)</u>				
D47.5	<u>Chronic eosinophilic leukaemia [hypereosinophilic syndrome]</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>D47.7 Other specified neoplasms of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue <u>Histiocytic tumours of uncertain and unknown behaviour</u></p> <p>D47.9 Neoplasm of uncertain or unknown behaviour of lymphoid, haematopoietic and related tissue, unspecified Lymphoproliferative disease NOS</p>				
Revise includes and spelling in excludes note Revise inclusion	<p>D46 Myelodysplastic syndromes <i>Includes:</i> Alkylating <u>Alkylating</u> agent related myelodysplastic syndrome <i>Excludes:</i> drug induced aplastic anaemia (D61.1)</p> <p>D46.2 Refractory anaemia with excess of blasts RAEB I RAEB <u>RAEB</u> II</p>	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Correct spelling in inclusion Revise first excludes note	<p>D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour Indolent systemic <u>systemic</u> mastocytosis</p> <p>D47.1 Chronic myeloproliferative disease Chronic neutrophilic leukaemia Myeloproliferative disease, unspecified <i>Excludes:</i> atypical chronic myeloid leukaemia, <u>BCR/ABL-negative</u> (C92.2) chronic myeloid leukaemia [CML] BCR/ABL-positive (C92.1)</p>	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Amend excludes note	<p>D47.0 Histiocytic and mast cell tumours of uncertain and unknown behaviour <i>Excludes:</i> (congenital) mastocytosis (<u>congenital</u>) (cutaneous) (Q82.2)</p>	Canada 1696	October 2010	Minor	January 2012
Delete inclusion term Delete exclusion	<p>D56.1 Beta thalassaemia Sickle cell beta thalassaemia</p> <p>D57 Sickle-cell disorders <i>Excludes:</i> sickle cell beta thalassaemia (D56.1)</p>	Australia 0136	October 2003	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term Add inclusion term	D57.2 Double heterozygous sickling disorders Disease: . <u>sickle-cell thalassaemia</u>				
Revise inclusion term	D57.3 Sickle-cell trait Hb-S trait Heterozygous haemoglobin S [<u>HbAS</u>]	Netherlands 1070	October 2006	Minor	January 2008
Add inclusion:	D63* Anaemia in chronic diseases classified elsewhere D63.0* Anaemia in neoplastic disease Conditions in Chapter 2 (C00–D48) D63.8* Anaemia in other chronic diseases classified elsewhere <u>Anaemia in chronic kidney disease ≥ stage 3 (N18.3 – N18.5†)</u>	Australia 1241	October 2007	Major	January 2010
Revise code in excludes note	D64 Other anaemias <i>Excludes:</i> refractory anaemia: <ul style="list-style-type: none"> • NOS (D46.4) • with excess of blasts (D46.2) • with transformation (D46.3 <u>C92.0</u>) 	Canada 1608	October 2009	Major	January 2010 (Corrections to #1230)
Add inclusion term Add excludes note	D68.3 Haemorrhagic disorder due to circulating anticoagulants <u>Haemorrhage during long term use of anticoagulants</u> Use additional external cause code (Chapter XX), if desired, to identify any administered anticoagulant. <i>Excludes:</i> long term use of anticoagulants without haemorrhage (<u>Z92.1</u>)	Germany	October 1999		January 2001
Add code and inclusion terms	<u>D68.5</u> <u>Primary Thrombophilia</u> <u>Activated protein C resistance [factor V Leiden mutation]</u> <u>Deficiency:</u>	Germany 0219	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none"> · <u>antithrombin</u> · <u>protein C</u> · <u>protein S</u> <u>Prothrombin gene mutation</u> 				
Add code, inclusion terms and exclusions	D68.6 <u>Other Thrombophilia</u> <u>Anticardiolipin syndrome</u> <u>Antiphospholipid syndrome</u> <u>Presence of the lupus anticoagulant</u> <i>Excludes:</i> <u>disseminated intravascular coagulation (D65)</u> <u>hyperhomocysteinemia (E72.1)</u>	Germany 0219	October 2005	Major	January 2010
Delete inclusion term	D68.8 <u>Other specified coagulation defects</u> <u>Presence of systemic lupus erythematosus [SLE] inhibitor</u>	Germany 0219	October 2005	Major	January 2010
Add inclusion term	D70 <u>Agranulocytosis</u> ... Neutropenic splenomegaly <u>Werner-Schultz disease</u>	Canada 1380	October 2008	Minor	January 2010
Add exclusion	D72 <u>Other disorders of white blood cells</u> <i>Excludes:</i> <u>abnormal white blood cells (count) (R72)</u> <u>basophilia (D75.8)</u>	Canada 1381	October 2008	Minor	January 2010
	D75 <u>Other diseases of blood and blood-forming organs</u> <i>Excludes :</i> enlarged lymph nodes (R59.-) hypergammaglobulinaemia NOS (D89.2) lymphadenitis: • NOS (I88.9) • acute (L04.-) • chronic (I88.1) • mesenteric (acute)(chronic) (I88.0)	Australia 0305	October 2005	Minor	January 2007
Add inclusion	D75.1 <u>Secondary polycythaemia</u> <u>Erythrocytosis NOS</u> <u>Polycythaemia:</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term	<ul style="list-style-type: none"> • acquired • due to: <ul style="list-style-type: none"> • erythropoietin • fall in plasma volume • high altitude • stress • emotional • hypoxaemic • nephrogenous • relative <p><i>Excludes:</i> polycythaemia:</p> <ul style="list-style-type: none"> • neonatorum (P61.1) • vera (D45) 				
Add inclusion	<p>D75.1 Secondary polycythaemia Erythrocytosis NOS Polycythaemia:</p> <ul style="list-style-type: none"> • <u>NOS</u> • acquired • due to: <ul style="list-style-type: none"> • erythropoietin • fall in plasma volume • high altitude • stress • emotional • hypoxaemic • nephrogenous • relative <p><i>Excludes:</i> polycythaemia:</p> <ul style="list-style-type: none"> • neonatorum (P61.1) • vera (D45) <p>D75.2 Essential thrombocythosis <i>Excludes:</i> —essential (haemorrhagic) thrombocythaemia (D47.3)</p> <p>D75.8 Other specified diseases of blood and blood-forming organs Basophilia</p> <p>D75.9 Disease of blood and blood-forming organs, unspecified</p>	<p>Germany 1230</p> <p>Australia 1350</p>	October 2008	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>D76 Certain Other specified diseases involving with participation of lymphoreticular tissue and reticulohistiocytic system tissue <i>Excludes:</i> (Abt-) Letterer-Siwe disease (C96.0) eosinophilic granuloma (C96.6) Hand-Schüller-Christian disease (C96.5) histiocytic sarcoma (C96.8) histiocytosis X, multifocal (C96.5) histiocytosis X, unifocal (C96.6) Langerhans-cell histiocytosis, multifocal (C96.5) Langerhans-cell histiocytosis, unifocal (C96.6) malignant histiocytosis (C96.48) reticuloendotheliosis or reticulosis: • histiocytic medullary (C96.49) • leukaemic (C91.4) • lipomelanotic (I89.8) • malignant (C85.7) • nonlipid (C96.0)</p> <p>D76.0 Langerhans' cell histiocytosis, not elsewhere classified Eosinophilic granuloma Hand-Schüller-Christian disease Histiocytosis X (chronic)</p> <p>D76.1 Haemophagocytic lymphohistiocytosis Familial haemophagocytic reticulosis Histiocytoses of mononuclear phagocytes other than Langerhans' cells NOS</p>				
Revise	<p>D76 Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue <i>Excludes:</i> (Abt-) Letterer-Siwe disease (C96.0) eosinophilic granuloma (C96.6) Hand-Schüller-Christian disease (C96.5) histiocytic sarcoma (C96.8) histiocytosis X, multifocal (C96.5) histiocytosis X, unifocal (C96.6) Langerhans-cell histiocytosis, multifocal (C96.5) Langerhans-cell histiocytosis, unifocal (C96.6) malignant histiocytosis (C96.8) reticuloendotheliosis: or reticulosis:</p>	Canada 1857	October 2012	Minor	January 2014

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
excludes notes	<ul style="list-style-type: none"> • histiocytic medullary (C96.9) • leukaemic (C91.4) • lipomelanotic (I89.8) • malignant (C85.7) • nonlipid (C96.0) <p><u>reticulosis:</u></p> <ul style="list-style-type: none"> • <u>histiocytic medullary (C96.8)</u> • <u>lipomelanotic (I89.8)</u> • <u>malignant NOS (C86.0)</u> 				
Add excludes note at block level	<p>Certain disorders involving the immune mechanism (D80-D89) <i>Excludes:</i> autoimmune disease (systemic) NOS (M35.9) functional disorders of polymorphonuclear neutrophils (D71) human immunodeficiency virus [HIV] disease (B20-B24) <u>human immunodeficiency virus [HIV] disease complicating pregnancy childbirth and the puerperium (O98.7)</u></p>	Canada 1187	October 2008	Major	January 2010
Revise code title in exclusion	<p>D89 Other disorders involving the immune mechanism, not elsewhere classified <i>Excludes:</i> hyperglobulinaemia NOS (R77.1) monoclonal gammopathy <u>of undetermined significance (MGUS) (D47.2)</u></p>	Germany 1230	October 2008	Major	January 2010
Add new code and note	<p>D89 Other disorders involving the immune mechanism, not elsewhere classified <u>D89.3 Immune reconstitution syndrome</u> <u>Use additional external cause code (Chapter XX), if desired, to identify drug.</u></p>	Canada 1382	October 2008	Major	January 2010
Add inclusion term	<p>D89.3 Immune reconstitution syndrome <u>Immune reconstitution inflammatory syndrome [IRIS]</u></p>	Canada 1613	October 2009	Minor	January 2011
Revise code titles and inclusions	<p>E10 Insulin-dependent Type 1 diabetes mellitus [See before E10 for subdivisions] <i>Includes:</i> diabetes (mellitus):</p> <ul style="list-style-type: none"> • brittle • juvenile-onset • etosis-prone • type 1 <p>E11 Non-insulin-dependent Type 2 diabetes mellitus</p>	Japan 1873	October 2012	Minor	January 2014

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise exclusions	<p>[See before E10 for subdivisions] Includes: diabetes (mellitus)(nonobese)(obese):</p> <ul style="list-style-type: none"> • adult-onset • maturity-onset • nonketotic • stable • type II <p>non-insulin-dependent diabetes of the young</p> <p>E12 Malnutrition-related diabetes mellitus Includes: malnutrition-related diabetes mellitus:</p> <ul style="list-style-type: none"> • insulin dependent • non insulin dependent • type 1 • type 2 <p>E13 Other specified diabetes mellitus Excludes: diabetes mellitus (in):</p> <ul style="list-style-type: none"> • insulin dependent (E10.-) • malnutrition-related (E12.-) • neonatal (P70.2) • non insulin dependent (E11.-) • pregnancy (gestational), childbirth and the puerperium (O24.-) • type 1 (E10.-) • type 2 (E11.-) <p>glycosuria:</p> <ul style="list-style-type: none"> • NOS (R81) • renal (E74.8) <p>impaired glucose tolerance (R73.0) postsurgical hypoinsulinaemia (E89.1)</p> <p>E14 Unspecified diabetes mellitus Excludes: diabetes mellitus (in):</p> <ul style="list-style-type: none"> • insulin dependent (E10.-) • malnutrition-related (E12.-) • neonatal (P70.2) • non insulin dependent (E11.-) 				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none"> pregnancy (gestational), childbirth and the puerperium (O24.-) type 1 (E10.-) type 2 (E11.-) glycosuria: <ul style="list-style-type: none"> NOS (R81) renal (E74.8) impaired glucose tolerance (R73.0) postsurgical hypoinsulinaemia (E89.1)				
Add subcategory Add inclusion terms	<u>E16.4 Abnormal secretion of gastrin</u> <u>Hypergastrinaemia</u> <u>Zollinger-Ellison syndrome</u>	Australia	October 1997		January 1999
Delete Inclusion Terms	<u>E16.8 Other specified disorders of pancreatic internal secretion</u> Hypergastrinaemia Zollinger-Ellison syndrome	Australia	October 1997		January 1999
Add inclusion term	E21 Hyperparathyroidism and other disorders of parathyroid gland E21.2 Other hyperparathyroidism Tertiary hyperparathyroidism <i>Excludes:</i> familial hypocalciuric hypercalcaemia (E83.5)	Australia 1352	October 2008	Minor	January 2010
Add note:	E64 Sequelae of malnutrition and other nutritional deficiencies <u><i>Note:</i> Not to be used for chronic malnutrition or nutritional deficiency. Code these to current malnutrition or nutritional deficiency.</u>	MRG 1221	October 2007	Minor	January 2009
Add use additional code note	E64.3 Sequelae of rickets <u>Use additional code (M40.-), if desired, to identify kyphosis</u>	UK 0184	October 2004	Major	January 2006
Revise instructional note	E64.3 Sequelae of rickets <u>Use additional code(M40.-M40.1, M41.5) if desired, to identify kyphosis spinal deformity</u>	France 1106	October 2006	Minor	January 2008
Add note:	E68 Sequelae of hyperalimentation <u><i>Note:</i> Not to be used for chronic hyperalimentation. Code these to current hyperalimentation.</u>	MRG 1221	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify excludes note	E71.3 Disorders of fatty-acid metabolism Adrenoleukodystrophy [Addison-Schilder] Muscle carnitine palmityltransferase deficiency <i>Excludes: Refsum's disease (G60.1)</i> <i>Schilder's disease (G37.0)</i> <i>Zellweger's syndrome (Q87.8)</i>	Germany 0225	October 2004	Major	January 2006
Add inclusion:	E72.0 Disorders of amino-acid transport <u>Cystine storage disease† (N29.8*)</u> Cystinosis Cystinuria Fanconi(-de Toni)(-Debré) syndrome Hartnup's disease Lowe's syndrome <i>Excludes:</i> disorders of tryptophan metabolism (E70.8)	Australia 1241	October 2007	Major	January 2010
Add excludes note	E72.3 Disorders of lysine and hydroxylysine metabolism Glutaric aciduria Hydroxylysinaemia Hyperlysinaemia <i>Excludes: Refsum's disease (G60.1)</i> <i>Zellweger's syndrome (Q87.8)</i>	Germany 0225	October 2004	Major	January 2006
Add inclusion term	E74.0 Glycogen storage disease Cardiac glycogenosis Disease <ul style="list-style-type: none"> • Andersen • Cori • Forbes • Hers • McArdle • Pompe • <u>Tarui</u> • Tauri • von Gierke Liver phosphorylase deficiency	Netherlands 1069	October 2006	Minor	January 2008

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code title	E83.3 Disorders of phosphorus metabolism and phosphatases Acid phosphatase deficiency Familial hypophosphataemia Hypophosphatasia Vitamin-D-resistant: · osteomalacia · rickets <i>Excludes:</i> adult osteomalacia (M83.-) osteoporosis (M80-M81)	Germany 0220	October 2005	Major	January 2010
Add excludes note	E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus † (P75*) <i>Excludes:</i> meconium obstruction in cases where cystic fibrosis is known not to be present (P76.0)	Australia	October 1998		January 2000
Revise inclusion and exclusion:	E84.1 Cystic fibrosis with intestinal manifestations Meconium ileus <u>in cystic fibrosis+</u> (P75*) <i>Excludes:</i> meconium obstruction (<u>ileus</u>) in cases where cystic fibrosis is known not to be present (P76.0)	Germany 1162	October 2007	Major	January 2010
Add inclusion term	E84.1 Cystic fibrosis with intestinal manifestations <u>Distal intestinal obstruction syndrome</u> Meconium ileus in cystic fibrosis+ (P75*)	Canada 1388	October 2008	Minor	January 2010
Delete inclusion	E84 Cystic fibrosis E84.8 Cystic fibrosis with other manifestations Cystic fibrosis with combined manifestations	Canada URC 1822	October 2011	Minor	January 2013
Revise code in exclusion at category level and revise exclusions at code level	E88 Other metabolic disorders Use additional external cause code (Chapter XX) if desired to identify drug, if drug induced. <i>Excludes:</i> histiocytosis X (chronic) (D76.0 <u>C96.6</u>) E88.0 Disorders of plasma-protein metabolism, not elsewhere classified <i>Excludes:</i> disorder of lipoprotein metabolism (E79.-) <u>monoclonal gammopathy of undetermined significance (MGUS)</u> (D47.2)	Germany 1230	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	polyclonal hypergammaglobulinaemia (D89.0) Waldenström's macroglobulinaemia (C88.0)				
Add new code:	E88.3 Tumour lysis syndrome <u>Tumour lysis (following antineoplastic drug therapy)(spontaneous)</u>	MRG 1126	October 2007	Major	January 2010
Revise code	F02.8* Dementia in other specified diseases classified elsewhere Dementia in: . hypothyroidism, acquired (<u>E01.-†</u> , E03.-†)	Australia 0053	October 2000		January 2002
Add parentheses and add inclusion	F02.8* Dementia in other specified diseases classified elsewhere Dementia (in): <ul style="list-style-type: none"> • cerebral lipidosis (E75.-†) • epilepsy (G40.-†) • hepatolenticular degeneration (E83.0†) • hypercalcaemia (E83.5†) • hypothyroidism, acquired (E01.-†, E03.-†) • intoxications (T36-T65†) • multiple sclerosis (G35†) • neurosyphilis (A52.1†) • niacin deficiency [pellagra] (E52†) • polyarteritis nodosa (M30.0†) • systemic lupus erythematosus (M32.-†) • trypanosomiasis (B56.-†, B57.-†) • <u>uraemia (N18.5†)</u> • vitamin B 12 deficiency (E53.8†) 	Australia 1241	October 2007	Major	January 2010
Add inclusion term	F05.8 Other delirium Delirium of mixed origin <u>Postoperative delirium</u>	Canada 1391	October 2008	Minor	January 2010
Revise code range	F06.3 Organic mood [affective] disorders Disorders characterized by a change in mood or affect, ... hypomanic, manic or bipolar (see F30-F38), but arising as a consequence of an organic disorder	WHO	October 1997		January 1999
Add excludes note	F07.2 Postconcussional syndrome Postcontusional syndrome (encephalopathy) Post-traumatic brain syndrome, nonpsychotic <u>Excludes:</u> current concussion, brain (S06.0)	Canada 1389	October 2008	Minor	January 2010
Page 322	Mental and behavioural disorders due to psychoactive substance abuse (F10-F19)	MRG	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add instructional note:	<p>... .6 Amnesic syndrome ... Korsakov's psychosis or syndrome, alcohol- or other psychoactive substance-induced or unspecified <u>Use additional code, (E51.2† G32.8*), if desired, when associated with Wernicke's disease or syndrome.</u></p>	1132			
Revise inclusion term by adding parentheses	<p>Mental and behavioural disorders due to psychoactive substance abuse (F10-F19) ... The following fourth-character subdivisions are for use with categories F10-F19: .0 Acute intoxication Acute drunkenness (in alcoholism)</p>	Canada 1392	October 2008	Minor	January 2010
Delete code reference	<p>F31 Bipolar affective disorder A disorder characterized by two or more episodes in ...Repeated episodes of hypomania or mania only are classified as bipolar (F31.8)</p>	WHO	October 1997		January 1999
Modify inclusion term	<p>F31.8 Other bipolar affective disorders Recurrent manic episodes <u>NOS</u></p>	WHO	October 1997		January 1999
Add inclusion term	<p>F45.0 Somatization disorder <u>Briquet's disorder</u></p>	WHO	October 1997		January 1999
Delete inclusion term	<p>F48.8 Other specified neurotic disorders Briquet's disorder</p>	WHO	October 1997		January 1999
Revise exclusion terms	<p>F80.1 Expressive language disorder A specific developmental disorder... Developmental dysphasia or aphasia, expressive type Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3) developmental dysphasia or aphasia, receptive type (F80.2) dysphasia and aphasia NOS (R47.0) <u>dysphasia and aphasia:</u> • <u>NOS (R47.0)</u> • <u>developmental, receptive type (F80.2)</u></p>	Netherlands 1076	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	elective mutism (F94.0) mental retardation (F70–F79) pervasive developmental disorders (F84.-)				
Revise exclusion term	F80.2 Receptive language disorder A specific developmental disorder..... Congenital auditory imperception Developmental: <ul style="list-style-type: none"> dysphasia or aphasia, receptive type Wenicke's aphasia Word deafness Excludes: acquired aphasia with epilepsy [Landau-Kleffner] (F80.3) autism (F84.0–F84.1) dysphasia and aphasia: <ul style="list-style-type: none"> NOS (R47.0) <u>developmental</u>, expressive type (F80.1) elective mutism (F94.0) language delay due to deafness (H90–H91) mental retardation (F70–F79) pervasive developmental disorders (F84.-)	Netherlands 1075	October 2006	Minor	January 2008
Revise	F84.4 Overactive disorder associated with mental retardation and stereotyped movements An ill-defined disorder of uncertain...retardation (IQ below <u>34</u>) who show major problems in hyperactivity...	WHO Corrigenda			January 1995
Add note	G04.8 Other encephalitis, myelitis and encephalomyelitis Postinfectious encephalitis and encephalomyelitis NOS <u>Use additional code, if desired, to identify any associated epileptic seizures. (G40.-).</u>	MRG 1581	October 2009	Major	January 2013
	G05.1* Encephalitis, myelitis and encephalomyelitis in viral diseases classified elsewhere <ul style="list-style-type: none"> influenza (J09†, J10.8†, J11.8†) 	URC 0349	October 2005	Major	October 2005

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add code					
Revise and add text:	<p>G09 Sequelae of inflammatory diseases of central nervous system</p> <p><i>Note:</i> This Category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2.</p> <p><u>Not to be used for chronic inflammatory disease of the central nervous system. Code these to current inflammatory disease of the central nervous system.</u></p>	MRG 1221	October 2007	Minor	January 2009
Revise instructions	<p>G09 Sequelae of inflammatory diseases of central nervous system</p> <p>Note: Category G09 is to be used to indicate conditions whose primary classification is to G00-G08 (i.e. excluding those marked with an asterisk (*)) as the cause of sequelae, themselves classifiable elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. For use of this category reference should be made to the relevant morbidity and mortality coding rules and guidelines in Volume 2.</p> <p>Not to be used for chronic inflammatory diseases of the central nervous system. Code these to current inflammatory diseases of the central nervous system.</p>	WHO 1771	October 2010	Minor	January 2012
Revise block heading and add category	<p>Systemic atrophies primarily affecting the central nervous system (G10-G13G14)</p> <p>G14 Postpolio syndrome <u>Postpolio myelitic syndrome</u> <u>Excludes:</u> sequelae of poliomyelitis (B91)</p>	Brazil 1116	October 2008	Major	January 2010
Add exclusion term	<p>G11 Hereditary ataxia</p> <p><i>Excludes:</i> cerebral palsy (G80.-) infantile cerebral palsy (G80.-)</p>	Australia 0045	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete exclusion term					
Add code	G21 Secondary Parkinsonism <u>G21.4 Vascular parkinsonism</u>	MRG 0338	October 2005	Major	January 2010
Add inclusion	G23.1 Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] <u>Progressive supranuclear palsy</u>	MRG 1759	October 2010	Major	January 2013
Add inclusion term and note	G25 Other extrapyramidal and movement disorders G25.8 Other specified extrapyramidal and movement disorders Akathisia (drug-induced) (treatment-induced) Restless legs syndrome Stiff-man syndrome Use additional external cause code (Chapter XX), if desired, to identify drug, if drug-induced	Australia 1928	October 2012	Major	January 2016
Add inclusion term	G31.0 Circumscribed brain atrophy <u>Frontotemporal dementia (FTD)</u> Pick's disease Progressive isolated aphasia	Canada 1409	October 2008	Minor	January 2010
Add inclusion term	G31.8 Other specified degenerative diseases of nervous system Grey-matter degeneration [Alpers] <u>Lewy body(ies)(dementia)(disease)</u> Subacute necrotizing encephalopathy [Leigh]	MRG 0211	October 2004	Minor	January 2006
Add inclusion term:	G61.0 Guillain-Barré syndrome Acute (post-) infective polyneuritis <u>Miller Fisher Syndrome</u>	Canada 1170	October 2007	Minor	January 2009
Revise code title:	G73.1* Eaton-Lambert-Eaton syndrome (C80.-†)	Germany 1161	October 2007	Minor	January 2009
Revise code range	G73.1* Eaton-Lambert syndrome (C80†) (C00-D48†)	Australia 1343	October 2008	Minor	January 2010
Revise code	G73.1* Eaton-Lambert-Eaton syndrome (C00-D48†)	WHO	October 2011	Minor	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
title		1886			
Modify title Delete includes includes note	G80 Infantile Cerebral palsy <i>Includes:</i> Little's disease <i>Excludes:</i> hereditary spastic paraplegia (G11.4)	Australia 0045	October 2002	Major	January 2006
Modify title Add inclusion term	G80.0 Spastic <u>quadriplegic</u> cerebral palsy <u>Spastic tetraplegic cerebral palsy</u>				
Modify title Add inclusion term	G80.1 Spastic <u>diplegic</u> cerebral palsy <u>Spastic cerebral palsy NOS</u>				
Modify title Add inclusion term	G80.2 Infantile hemiplegia <u>Spastic hemiplegic cerebral palsy</u>				
Modify title Add inclusion term	G80.3 Dyskinetic cerebral palsy <u>Dystonic cerebral palsy</u>				
Modify title	G80.4 Ataxic cerebral palsy				
Modify title	G80.8 Other infantile cerebral palsy				
Modify title	G80.9 Infantile Cerebral palsy, unspecified				
Modify excludes note	G81 Hemiplegia <i>Excludes:</i> congenital and infantile cerebral palsy (G80.-)	Australia 0045	October 2002	Major	January 2006
Modify excludes note	G82 Paraplegia and tetraplegia <i>Excludes:</i> congenital and infantile cerebral palsy (G80.-)	Australia 0045	October 2002	Major	January 2006
Add new code	G90.4 <u>Autonomic dysreflexia</u>	North America 0206	October 2003	Major	January 2006
Add inclusion:	G99.8* Other specified disorders of nervous system in diseases classified elsewhere <u>Uraemic paralysis (N18.5†)</u>	Australia 1241	October 2007	Major	January 2010
	H32.8* Other chorioretinal disorders in diseases classified elsewhere	Australia	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusions:	<u>Albuminurica retinitis (N18.5†)</u> <u>Renal retinitis (N18.5†)</u>	1241			
Add Inclusion Terms	H50.2 Vertical strabismus <u>Hypertropia</u> <u>Hypotropia</u>	NORDIC	October 1997		January 1999
Delete Inclusion Terms	H50.4 Other and unspecified heterotropia <u>Hypertropia</u> <u>Hypotropia</u>	NORDIC	October 1997		January 1999
Revise category title and code titles	H54 Blindness and low vision <u>Visual impairment including blindness (binocular or monocular)</u> <i>Note:</i> For definition of visual impairment categories see table below. <i>Excludes:</i> amaurosis fugax (G45.3) H54.0 Blindness, both eyes <u>binocular</u> Visual impairment categories 3, 4, 5 in both eyes H54.1 Blindness, one eye, low vision other eye <u>Severe visual impairment, binocular</u> Visual impairment categories 3, 4, 5 in one eye, with categories 1 or 2 in the other eye <u>Visual impairment category 2</u> H54.2 Low vision, both eyes <u>Moderate visual impairment, binocular</u> Visual impairment categories 1 or 2 in both eyes H54.3 Unqualified visual loss, both eyes <u>Mild or no visual impairment, binocular</u> Visual impairment category 9 in both eyes <u>category 0</u> H54.4 Blindness, one eye <u>monocular</u> Visual impairment categories 3, 4, 5 in one eye [normal vision in other eye] and categories 0, 1, 2 or 9 in the other eye. H54.5 Low vision, one eye <u>Severe visual impairment, monocular</u> Visual impairment categories 1 or 2 in one eye [normal vision in other eye] category 2 in one eye and categories 0, 1 or 9 in other eye H54.6 Unqualified visual loss, one eye <u>Moderate visual impairment, monocular</u> Visual impairment category 9 in one eye [normal vision in other eye] category 1 in one eye and categories 0 or 9 in other eye H54.7 Unspecified visual loss Visual impairment category 9 NOS H54.9 Unspecified visual impairment (binocular) <u>Visual impairment category 9</u> <i>Note:</i> The table below gives a classification of severity of visual impairment recommended by a WHO study group on the Prevention of Blindness, Geneva, 6-10 November 1972. the	WHO 1018	October 2006	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation on date																																																												
	<p><u>Resolution of the International Council of Ophthalmology (2002) and the Recommendations of the WHO Consultation on “Development of Standards for Characterization of Vision Loss and Visual Functioning” (Sept 2003)</u></p> <p><u>The term "low vision" in category H54 comprises categories 1 and 2 of the table, the term "blindness" categories 3, 4 and 5, and the term "unqualified visual loss" category 9. For characterizing visual impairment for codes H54.0 to H54.3, visual acuity should be measured with both eyes open with presenting correction if any. For characterizing visual impairment for codes H54.4 to H54.6, visual acuity should be measured monocularly with presenting correction if any.</u></p> <p><u>If the extent of the visual field is taken into account, patients with a visual field no greater than 10° but greater than 5° around central fixation should be placed in category 3 and patients with a field no greater than 5° around central fixation should be placed in category 4, even if the central acuity is not impaired. of the better eye no greater than 10° in radius around central fixation should be placed under category 3. For monocular blindness (H54.4), this degree of field loss would apply to the affected eye.</u></p> <p>Table 1 Proposed revision of categories of visual impairment</p> <table><tr><th>Category</th><th colspan="2"><u>Presenting distance visual acuity</u></th></tr><tr><th></th><th><u>Worse than:</u></th><th><u>Equal to or better than:</u></th></tr><tr><td><u>Mild or no visual impairment</u></td><td></td><td><u>6/18</u></td></tr><tr><td><u>0</u></td><td></td><td><u>3/10 (0.3)</u></td></tr><tr><td></td><td></td><td><u>20/70</u></td></tr><tr><td><u>Moderate visual impairment</u></td><td><u>6/18</u></td><td><u>6/60</u></td></tr><tr><td><u>1</u></td><td><u>3/10 (0.3)</u></td><td><u>1/10 (0.1)</u></td></tr><tr><td></td><td><u>20/70</u></td><td><u>20/200</u></td></tr><tr><td><u>Severe visual impairment</u></td><td><u>6/60</u></td><td><u>3/60</u></td></tr><tr><td><u>2</u></td><td><u>1/10 (0.1)</u></td><td><u>1/20 (0.05)</u></td></tr><tr><td></td><td><u>20/200</u></td><td><u>20/400</u></td></tr><tr><td><u>Blindness</u></td><td><u>3/60</u></td><td><u>1/60*</u></td></tr><tr><td><u>3</u></td><td><u>1/20 (0.05)</u></td><td><u>1/50 (0.02)</u></td></tr><tr><td></td><td><u>20/400</u></td><td><u>5/300 (20/1200)</u></td></tr><tr><td><u>Blindness</u></td><td><u>1/60*</u></td><td><u>Light perception</u></td></tr><tr><td><u>4</u></td><td><u>1/50 (0.02)</u></td><td></td></tr><tr><td></td><td><u>5/300 (20/1200)</u></td><td></td></tr><tr><td><u>Blindness</u></td><td><u>No light perception</u></td><td></td></tr><tr><td><u>5</u></td><td></td><td></td></tr><tr><td><u>9</u></td><td><u>Undetermined or unspecified</u></td><td></td></tr></table>	Category	<u>Presenting distance visual acuity</u>			<u>Worse than:</u>	<u>Equal to or better than:</u>	<u>Mild or no visual impairment</u>		<u>6/18</u>	<u>0</u>		<u>3/10 (0.3)</u>			<u>20/70</u>	<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>	<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>		<u>20/70</u>	<u>20/200</u>	<u>Severe visual impairment</u>	<u>6/60</u>	<u>3/60</u>	<u>2</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>		<u>20/200</u>	<u>20/400</u>	<u>Blindness</u>	<u>3/60</u>	<u>1/60*</u>	<u>3</u>	<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>		<u>20/400</u>	<u>5/300 (20/1200)</u>	<u>Blindness</u>	<u>1/60*</u>	<u>Light perception</u>	<u>4</u>	<u>1/50 (0.02)</u>			<u>5/300 (20/1200)</u>		<u>Blindness</u>	<u>No light perception</u>		<u>5</u>			<u>9</u>	<u>Undetermined or unspecified</u>					
Category	<u>Presenting distance visual acuity</u>																																																																
	<u>Worse than:</u>	<u>Equal to or better than:</u>																																																															
<u>Mild or no visual impairment</u>		<u>6/18</u>																																																															
<u>0</u>		<u>3/10 (0.3)</u>																																																															
		<u>20/70</u>																																																															
<u>Moderate visual impairment</u>	<u>6/18</u>	<u>6/60</u>																																																															
<u>1</u>	<u>3/10 (0.3)</u>	<u>1/10 (0.1)</u>																																																															
	<u>20/70</u>	<u>20/200</u>																																																															
<u>Severe visual impairment</u>	<u>6/60</u>	<u>3/60</u>																																																															
<u>2</u>	<u>1/10 (0.1)</u>	<u>1/20 (0.05)</u>																																																															
	<u>20/200</u>	<u>20/400</u>																																																															
<u>Blindness</u>	<u>3/60</u>	<u>1/60*</u>																																																															
<u>3</u>	<u>1/20 (0.05)</u>	<u>1/50 (0.02)</u>																																																															
	<u>20/400</u>	<u>5/300 (20/1200)</u>																																																															
<u>Blindness</u>	<u>1/60*</u>	<u>Light perception</u>																																																															
<u>4</u>	<u>1/50 (0.02)</u>																																																																
	<u>5/300 (20/1200)</u>																																																																
<u>Blindness</u>	<u>No light perception</u>																																																																
<u>5</u>																																																																	
<u>9</u>	<u>Undetermined or unspecified</u>																																																																

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation on date																								
	<p><u>* Or counts fingers (CF) at 1 metre.</u></p> <p>Note: The term visual impairment in category H54 comprises category 0 for mild or no visual impairment, category 1 for moderate visual impairment, category 2 for severe visual impairment, categories 3, 4 and 5 for blindness and category 9 for unqualified visual impairment. The term "low vision" included in the previous revision has been replaced by categories 1 and 2 to avoid confusion with those requiring low vision care.</p> <table><tr><th><u>Category of visual impairment</u></th><th colspan="2"><u>Visual acuity with best possible correction</u></th></tr><tr><th></th><th colspan="2"><u>Maximum less than: Minimum equal to or better than:</u></th></tr><tr><td><u>1</u></td><td><u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u></td><td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td></tr><tr><td><u>2</u></td><td><u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u></td><td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td></tr><tr><td><u>3</u></td><td><u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u></td><td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u></td></tr><tr><td><u>4</u></td><td><u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u></td><td><u>Light perception</u></td></tr><tr><td colspan="3"><u>5 No light perception</u></td></tr><tr><td colspan="3"><u>9 Undetermined or unspecified</u></td></tr></table>	<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>			<u>Maximum less than: Minimum equal to or better than:</u>		<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>	<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>	<u>5 No light perception</u>			<u>9 Undetermined or unspecified</u>						
<u>Category of visual impairment</u>	<u>Visual acuity with best possible correction</u>																												
	<u>Maximum less than: Minimum equal to or better than:</u>																												
<u>1</u>	<u>6/18</u> <u>3/10 (0.3)</u> <u>20/70</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>																											
<u>2</u>	<u>6/60</u> <u>1/10 (0.1)</u> <u>20/200</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>																											
<u>3</u>	<u>3/60</u> <u>1/20 (0.05)</u> <u>20/400</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300 (20/1200)</u>																											
<u>4</u>	<u>1/60 (finger counting at 1 metre)</u> <u>1/50 (0.02)</u> <u>5/300</u>	<u>Light perception</u>																											
<u>5 No light perception</u>																													
<u>9 Undetermined or unspecified</u>																													
Revise code title and add inclusion terms	H59.0 Vitreous syndrome <u>Keratopathy (bullous aphakic)</u> following cataract surgery <u>Vitreous (Touch) Syndrome</u> <u>Vitreous Corneal Syndrome</u>	North America 0325	October 2005	Minor	January 2007																								
Add inclusion	H59.8 Other postprocedural disorders of eye and adnexa <u>Bleb associated endophthalmitis</u>	Canada 1400	October 2008	Minor	January 2010																								

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
terms	<u>Inflammation (infection) of postprocedural bleb</u> <u>Postprocedural blebitis</u>				
Add instructional note	H65 Non suppurative otitis media <i>Includes:</i> with myringitis <u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u>	United Kingdom 0185	October 2003	Major	January 2006
Add instructional note	H66 Suppurative and unspecified otitis media <i>Includes:</i> with myringitis <u>Use additional code to identify presence of perforated tympanic membrane (H72.-)</u>				
Add code	H67.1* Otitis media in viral diseases classified elsewhere Otitis media in: • influenza (<u>J09-J10</u> -J11†)	URC 0349	October 2005	Major	October 2005
Modify includes note	I07 Rheumatic tricuspid valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> when specified as nonrheumatic (I36.-)	MRG 0199	October 2003	Minor	January 2005
Modify includes note	I08 Multiple valve diseases <i>Includes:</i> whether specified as rheumatic or <u>of unspecified origin</u> not <i>Excludes:</i> endocarditis, valve unspecified (I38) rheumatic diseases of endocardium, valve unspecified (I09.1) <u>multiple valve diseases of specified origin other than</u>				
Add exclusion term	<u>rheumatic</u> <u>heart disease (use appropriate codes in I34-I38, Q22-Q23 and Q24.8)</u>				
Modify inclusion term	I08.0 Disorders of both mitral and aortic valves Involvement of both mitral and aortic valves whether specified as rheumatic or not <u>of unspecified origin</u>				
Modify inclusion	I12 Hypertensive renal disease	Germany 0267	October 2005	Minor	January 2007

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term (delete – at reference to N19 and N26) and add codes	<p>Includes: any condition in <u>N00–N07</u>, N18.–, N19– or N26– with any condition in I10 arteriosclerosis of kidney arteriosclerotic nephritis (chronic)(interstitial) hypertensive nephropathy nephrosclerosis</p> <p>Excludes: secondary hypertension (I15.–)</p>	0271		Minor	January 2007
Revise inclusion:	<p>I12 Hypertensive renal disease</p> <p>Includes: any condition in N18.–, N19, or N26 with any condition in I10 due to hypertension arteriosclerosis of kidney arteriosclerotic nephritis (chronic)(interstitial) hypertensive nephropathy nephrosclerosis</p> <p>Excludes: secondary hypertension (I15.–)</p> <p>I12.0 Hypertensive renal disease with renal failure Hypertensive renal failure</p> <p>I12.9 Hypertensive renal disease without renal failure Hypertensive renal disease NOS</p>	Australia 1241	October 2007	Major	January 2010
Revise inclusions and add note:	<p>Ischaemic heart diseases (I20–I25)</p> <p>Note: For morbidity, duration as used in categories I21–I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p> <p>Includes: with mention of hypertension (I10–I15)</p> <p><i>Use additional code, if desired, to identify presence of hypertension.</i></p> <p>I22 Subsequent myocardial infarction Includes: recurrent myocardial infarction: <u>extension</u> <u>recurrent</u> <u>reinfarction</u></p>	MbRG 1227	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>Note:</u> For morbidity coding, this category should be assigned for infarction of any myocardial site, occurring within 4 weeks (28 days) from onset of a previous infarction</p> <p><u>Excludes:</u> specified as chronic or with a stated duration of more than 4 weeks (more than 28 days) from onset (I25.8)</p>				
Revise code range	<p>Ischaemic heart diseases (I20–I25)</p> <p>Note: For morbidity, duration as used in categories I21–I25 I21, I22, I24 and I25 refers to the interval elapsing between onset of the ischaemic episode and admission to care. For mortality, duration refers to the interval elapsing between onset and death.</p>	Canada 1415	October 2008	Minor	January 2010
Add inclusion	<p>I20.8 Other forms of angina pectoris</p> <p>Angina of effort</p> <p><u>Coronary slow flow syndrome</u></p> <p>Stenocardia</p>	Australia 1577	October 2009	Major	January 2013
Add subcategory	<p>I27 Other pulmonary heart diseases</p> <p><u>I27.2 Other secondary pulmonary hypertension</u></p> <p><u>Use additional code, if desired, to identify the underlying disease</u></p>	Australia 0069	October 2001	Major	January 2003
Add instruction					
Delete inclusion term	<p>I27 Other pulmonary heart diseases</p> <p>I27.0 Primary pulmonary hypertension</p> <p>Pulmonary (artery) hypertension (idiopathic)(primary)</p>	North America 0187	October 2003	Minor	January 2005
Add excludes note	<p>I27.8 Other specified pulmonary heart disease</p> <p><u>Excludes:</u> <u>Eisenmenger's defect (Q21.8)</u></p>	UK 0103	October 2004	Major	January 2006
	<p>I34 Nonrheumatic mitral valve disorders</p> <p><u>Excludes:</u> mitral (valve):</p> <ul style="list-style-type: none"> disease (I05.9) failure (I05.8) stenosis (I05.0) 	MRG 0199	October 2003	Minor	January 2005

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date				
Modify exclusion term	<p>when of unspecified cause but with mention of:</p> <ul style="list-style-type: none">diseases of aortic valve (I08.0)mitral stenosis or obstruction (I05.0) <p>when specified as rheumatic (I05.-) <u>when specified as congenital (Q23.2, Q23.3)</u></p> <p>I35 Nonrheumatic aortic valve disorders <i>Excludes:</i> hypertrophic subaortic stenosis (I42.1) when of unspecified cause but with mention of diseases of mitral valve (I08.0) when specified as rheumatic (I06.-) <u>when specified as congenital (Q23.0, Q23.1)</u></p>								
Modify exclusion term	<p>I36 Nonrheumatic tricuspid valve disorders <i>Excludes:</i> when of unspecified cause (I07.-) when specified as rheumatic (I07.-) <u>when specified as congenital (Q22.4, Q22.8, Q22.9)</u></p>								
Modify exclusion term	<p>I37 Pulmonary valve disorders <i>Excludes:</i> when specified as rheumatic (I09.8) <u>when specified as congenital (Q22.1, Q22.2, Q22.3)</u></p>								
Modify exclusion term	<p>I38 Endocarditis, valve unspecified Endocarditis (chronic) NOS Valvular:</p> <table><tr><td><ul style="list-style-type: none">incompetenceinsufficiencyregurgitationstenosis</td><td>of unspecified valve</td><td rowspan="2">{ NOS or of specified cause, except rheumatic <u>or congenital</u></td></tr><tr><td>Valvulitis (chronic)</td></tr></table>	<ul style="list-style-type: none">incompetenceinsufficiencyregurgitationstenosis	of unspecified valve	{ NOS or of specified cause, except rheumatic <u>or congenital</u>	Valvulitis (chronic)				
<ul style="list-style-type: none">incompetenceinsufficiencyregurgitationstenosis	of unspecified valve	{ NOS or of specified cause, except rheumatic <u>or congenital</u>							
Valvulitis (chronic)									
Modify inclusion term	<p><i>Excludes:</i> endocardial fibroelastosis (I42.4) when specified as rheumatic (I09.1) <u>congenital insufficiency of cardiac valve NOS (Q24.8)</u> <u>congenital stenosis of cardiac valve NOS (Q24.8)</u></p>								

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add excludes terms					
Modify Add code	I41.1* Myocarditis in viral diseases classified elsewhere Influenzal myocarditis (acute): • <u>avian influenza virus identified (J09†)</u> • <u>other virus identified (J10.8†)</u>	URC 0349	October 2005	Major	October 2005
Revise inclusions	I41.1* Myocarditis in viral diseases classified elsewhere Influenzal myocarditis (acute) (J09†, J10.8†, J11.8†) • avian influenza virus identified (J09†) • other virus identified (J10.8†) • virus not identified (J11.8†) Mumps myocarditis (B26.8†)	WHO 1602	May 2009	Minor	May 2009
Add inclusion term Add inclusion term	I42.0 Dilated cardiomyopathy <u>Congestive cardiomyopathy</u> I42.5 Other restrictive cardiomyopathy <u>Constrictive cardiomyopathy NOS</u>	United Kingdom 0099	October 2001	Major	January 2003
Add inclusion and exclusion terms	I45.8 Other specified conduction disorders Atrioventricular [AV] dissociation Interference dissociation <u>long QT syndrome</u> <u>Excludes: prolongation of QT interval (R94.3)</u>	MRG 1027	October 2006	Major	January 2010
Modify excludes note and add exclusion terms Modify excludes	I47 Paroxysmal tachycardia Excludes: tachycardia; NOS (R00.0) • <u>NOS (R00.0)</u> • <u>sinoauricular NOS (R00.0)</u> • <u>sinus [sinusal] NOS (R00.0)</u> I49 Other cardiac arrhythmias	Australia 0041	October 2003	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
note and add exclusion terms	<i>Excludes:</i> bradycardia; NOS (R00.1) <u>. NOS (R00.1)</u> <u>. sinoatrial (R00.1)</u> <u>. sinus (R00.1)</u> <u>. vagal (R00.1)</u>				
Revise inclusions	I47.1 Supraventricular tachycardia Paroxysmal <u>Tachycardia (paroxysmal):</u> • atrial • atrioventricular [AV]: • <u>NOS</u> • <u>re-entrant (nodal) [AVNRT] [AVRT]</u> • junctional • nodal	Australia 1714	October 2010	Minor	January 2012
Add new codes and inclusion terms	I48 Atrial fibrillation and flutter <u>I48.0 Paroxysmal atrial fibrillation</u> <u>I48.1 Persistent atrial fibrillation</u> <u>I48.2 Chronic atrial fibrillation</u> <u>I48.3 Typical atrial flutter</u> <u>Type I atrial flutter</u> <u>I48.4 Atypical atrial flutter</u> <u>Type II atrial flutter</u> <u>I48.9 Atrial fibrillation and atrial flutter, unspecified</u>	Japan 1751	October 2010	Major	January 2013
Delete text	I50.1 Left ventricular failure Cardiac asthma Left heart failure Acute Oedema of lung with mention of heart disease NOS Acute Pulmonary oedema or heart failure	MRG 0348	October 2005	Minor	January 2007
Delete inclusion term	I50.9 Heart failure, unspecified Biventricular failure	WHO Corrigenda			January 1995
Revise code in excludes note	I67.1 Cerebral aneurysm, nonruptured <i>Excludes:</i> congenital cerebral aneurysm, nonruptured (Q28.-) ruptured cerebral aneurysm (I60.9 <u>I60.-</u>)	MRG 1025	October 2006	Minor	January 2008
Add	I68.8* Other cerebrovascular disorders in diseases classified elsewhere	Australia	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusion:	<u>Uraemic apoplexia in chronic kidney disease (N18.5†)</u>	1241			
Revise and add text:	I69 Sequelae of cerebrovascular disease <i>Note:</i> This category I69 is to be used to indicate <u>previous episodes of conditions in I60-I67, I60-I67.1 and I67.4-I67.9</u> as the cause of sequelae, themselves classified elsewhere. The “sequelae” include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition. <u>Not to be used for chronic cerebrovascular disease. Code these to I60-I67.</u>	MRG 1221	October 2007	Minor	January 2009
Add note and subdivisions at category level	I70 Atherosclerosis ... <u>The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use.</u> <u>0 without gangrene</u> <u>1 with gangrene</u> <i>Excludes:</i> cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0)	Canada 1405	October 2008	Major	January 2010
Revise supplementary subclassification note	I70 Atherosclerosis <i>Includes:</i> arteriolosclerosis arteriosclerosis arteriosclerotic vascular disease atheroma degeneration: <ul style="list-style-type: none"> • arterial • arteriovascular • vascular endarteritis deformans or obliterans senile: <ul style="list-style-type: none"> • arteritis • endarteritis <i>Excludes:</i> cerebral (I67.2) coronary (I25.1) mesenteric (K55.1) pulmonary (I27.0) The following supplementary classification to indicate the presence or absence of gangrene is provided for optional use <u>with appropriate subcategories in I70.</u>	Germany 1741	October 2010	Minor	January 2012

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	0 without gangrene 1 with gangrene				
Revise category title, code titles, add exclusion at category level, and exclusion at code level:	I72 Other aneurysm and dissection Includes: aneurysm (cirroid)(false)(ruptured) Excludes: aneurysm (of): <ul style="list-style-type: none"> • aorta (I71.-) • arteriovenous NOS (Q27.3) • acquired (I77.0) • cerebral (nonruptured) (I67.1) • ruptured (I60.-) • coronary (I25.4) • heart (I25.3) • pulmonary artery (I28.1) • retinal (H35.0) • varicose (I77.0) <u>dissection of precerebral artery, congenital (nonruptured) (Q28.1)</u> I72.0 Aneurysm and dissection of carotid artery I72.1 Aneurysm and dissection of artery of upper extremity I72.2 Aneurysm and dissection of renal artery I72.3 Aneurysm and dissection of iliac artery I72.4 Aneurysm and dissection of artery of lower extremity I72.5 Aneurysm and dissection of other precerebral arteries Excludes: Aneurysm and dissection of carotid artery (I72.0) I72.8 Aneurysm and dissection of other specified arteries I72.9 Aneurysm and dissection of unspecified site	Germany 1228	October 2007	Major	January 2010
Amend excludes note and add inclusion	I72.5 Aneurysm and dissection of other precerebral arteries <u>Aneurysm and dissection of basilar artery (trunk)</u> Excludes: aneurysm and dissection of carotid artery (I72.0): <ul style="list-style-type: none"> • <u>carotid artery</u> (I72.0) • <u>vertebral artery</u> (I72.6) 	Canada 1601	October 2009	Major	January 2013
Add new code	I72.6 Aneurysm and dissection of vertebral artery	Canada 1601	October 2009	Major	January 2013
Delete inclusion terms	I77.2 Rupture of artery Erosion Fistula of artery Ulcer	Germany 1056	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion terms	<i>Excludes:</i> traumatic rupture of artery - see injury of blood vessel by body region. I77.8 Other specified disorders of arteries and arterioles <u>Erosion</u> of artery <u>Ulcer</u>				
Add inclusion terms	I84.3 External thrombosed haemorrhoids <u>Perianal thrombosis</u> <u>Perianal haematoma (nontraumatic)</u>	Germany 1060	October 2006	Minor	January 2008
Delete category and codes	I84 Haemorrhoids <i>Includes:</i> piles varicose veins of anus and rectum <i>Excludes:</i> complicating: • childbirth and the puerperium (O87.2) • pregnancy (O22.4) I84.0 Internal thrombosed haemorrhoids I84.1 Internal haemorrhoids with other complications Internal haemorrhoids: • bleeding • prolapsed • strangulated • ulcerated I84.2 Internal haemorrhoids without complication Internal haemorrhoids NOS I84.3 External thrombosed haemorrhoids Perianal haematoma (nontraumatic) Perianal thrombosis I84.4 External haemorrhoids with other complications External haemorrhoids: • bleeding • prolapsed • strangulated • ulcerated I84.5 External haemorrhoids without complication External haemorrhoids NOS I84.6 Residual haemorrhoidal skin tags Skin tags of anus or rectum I84.7 Unspecified thrombosed haemorrhoids Thrombosed haemorrhoids, unspecified whether internal or external	Sweden 1731	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>I84.8 — Unspecified haemorrhoids with other complications Haemorrhoids, unspecified whether internal or external:</p> <ul style="list-style-type: none"> • bleeding • prolapsed • strangulated • ulcerated <p>I84.9 — Unspecified haemorrhoids without complication Haemorrhoids NOS</p>				
Revise code title and add inclusion term	<p>I87.0 PostphlebiticPostthrombotic syndrome <u>Postphlebitic syndrome</u></p>	Canada 1406	October 2008	Minor	January 2010
Modify code title	<p>198.2* Oesophageal varices <u>without bleeding</u> in diseases classified elsewhere Oesophageal varices in:</p> <ul style="list-style-type: none"> • liver disorders (K70-K71†, K74.-†) • schistosomiasis (B65.-†) <p>198.3* Oesophageal varices with bleeding in diseases classified elsewhere <u>Oesophageal varices in:</u></p> <ul style="list-style-type: none"> • <u>liver disorders (K70-K71†), K74.-†</u> • <u>schistosomiasis (B65.-†)</u> 	France 1107	October 2006	Major	January 2010
Add new code and inclusions:					
Delete existing Excludes note and replace with the following	<p>J02.8 Acute pharyngitis due to other specified organisms</p> <p><i>Excludes:</i> <u>pharyngitis (due to):</u> <u>. enteroviral vesicular (B08.5)</u> <u>. herpesviral [herpes simplex] (B00.2)</u> <u>. infectious mononucleosis (B27.-)</u> <u>. influenza virus:</u> <u>. identified (J10.1)</u> <u>. not identified (J11.1)</u></p>	WHO Corrigenda			January 1995
Modify	<p>Diseases of the respiratory system (J00-J99)</p> <p>This chapter contains the following blocks:</p> <p>J00-J06 Acute upper respiratory infections J09-J18 Influenza and pneumonia J20-J22 Other acute lower respiratory infections</p>	URC 0349	October 2005	Major	October 2005
Revise code					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add code	<p>J02.8 Acute pharyngitis due to other specified organisms Use additional code (B95-B97), if desired, to identify infectious agent.</p> <p>Excludes: pharyngitis (due to):</p> <ul style="list-style-type: none"> • enteroviral vesicular (B08.5) • herpesviral [herpes simplex] (B00.2) • infectious mononucleosis (B27.-) • influenza virus: <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Add code	<p>J04.0 Acute laryngitis Laryngitis (acute):</p> <ul style="list-style-type: none"> • NOS • oedematous • subglottic • suppurative • ulcerative <p>Excludes: chronic laryngitis (J37.0) influenzal laryngitis, influenza virus:</p> <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Add code	<p>J06 Acute upper respiratory infections of multiple and unspecified sites Excludes: acute respiratory infection NOS (J22) influenza virus:</p> <ul style="list-style-type: none"> • identified (J09, J10.1) • not identified (J11.1) 				
Revise code	Influenza and pneumonia (J09 J40 -J18)				
Add code and text	<p><u>J09 Influenza due to identified avian influenza virus</u> Influenza caused by influenza viruses that normally infect only birds and, less commonly, other animals.</p>				
	J10 Influenza due to <u>other</u> identified influenza virus				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date		
Add text	<p>Excludes: <i>Haemophilus influenzae</i> [<i>H. influenzae</i>]:</p> <ul style="list-style-type: none">• infection NOS (A49.2)• meningitis (G00.0)• pneumonia (J14) <p>J10.0 Influenza with pneumonia, <u>other</u> influenza virus identified Influenzal (broncho)pneumonia, <u>other</u> influenza virus identified</p>						
Add text	<p>J10.1 Influenza with other respiratory manifestations, <u>other</u> influenza virus identified Influenza Influenzal:</p> <table><tr><td><ul style="list-style-type: none">• acute upper respiratory infection• laryngitis• pharyngitis• pleural effusion</td><td><u>other</u> influenza virus identified</td></tr></table>	<ul style="list-style-type: none">• acute upper respiratory infection• laryngitis• pharyngitis• pleural effusion	<u>other</u> influenza virus identified				
<ul style="list-style-type: none">• acute upper respiratory infection• laryngitis• pharyngitis• pleural effusion	<u>other</u> influenza virus identified						
Add text	<p>J10.8 Influenza with other manifestations, <u>other</u> influenza virus identified Encephalopathy due to influenza Influenzal:</p> <table><tr><td><ul style="list-style-type: none">• gastroenteritis• myocarditis (acute)</td><td><u>other</u> influenza virus identified</td></tr></table>	<ul style="list-style-type: none">• gastroenteritis• myocarditis (acute)	<u>other</u> influenza virus identified				
<ul style="list-style-type: none">• gastroenteritis• myocarditis (acute)	<u>other</u> influenza virus identified						
Add text	<p>J12 Viral pneumonia, not elsewhere classified Includes: bronchopneumonia due to viruses other than influenza viruses Excludes: congenital rubella pneumonitis (P35.0) pneumonia:</p> <ul style="list-style-type: none">• aspiration (due to):<ul style="list-style-type: none">• NOS (J69.0)• anaesthesia during:<ul style="list-style-type: none">• labour and delivery (O74.0)• pregnancy (O29.0)• puerperium (O89.0)• neonatal (P24.9)• solids and liquids (J69.1)• congenital (P23.0)• in influenza (<u>J09</u>, J10.0, J11.0)• interstitial NOS (J84.9)						
Add code							

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none"> • lipid (J69.1) severe acute respiratory syndrome [SARS] (U04.9)				
Revise category title and definition	<p>J09 Influenza due to certain identified Avian influenza virus Influenza caused by influenza viruses that normally infect only birds and, less commonly, other animals <u>Influenza caused by influenza virus strains of special epidemiological importance with an animal-human or inter-human transmission limited to the inclusions.</u></p> <p>Note: Additional virus strains may only be included upon recommendation by WHO.</p> <p><u>Includes:</u> Influenza A/H1N1 pandemic2009 [swine flu] Influenza A/H5N1 epidemic [avian influenza]</p> <p><u>Use additional code, if desired, to identify pneumonia or other manifestations.</u></p> <p><u>Excludes:</u> <i>Haemophilus influenzae</i> [<i>H. influenzae</i>]: • infection NOS (A49.2) • meningitis (G00.0) • pneumonia (J14)</p>	WHO 1602	May 2009	Minor	May 2009
Add new code	<p>J12 Viral pneumonia, not elsewhere classified J12.3 Human metapneumovirus pneumonia</p>	Canada 1408	October 2008	Major	January 2010
Revise indentations in excludes note	<p>J12 Viral pneumonia, not elsewhere classified Excludes: congenital rubella pneumonitis (P35.0) pneumonia: • aspiration (due to): • NOS (J69.0) • anaesthesia during: • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • neonatal (P24.9) • solids and liquids (J69.-) • neonatal (P24.9) • solids and liquids (J69.-) • congenital (P23.0)</p>	Canada 1801	October 2011	Minor	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none"> • in influenza (J09 , J10.0 , J11.0) • interstitial NOS (J84.9) • lipid (J69.1) severe acute respiratory syndrome [SARS] (U04.9)				
Add excludes note	J18 Pneumonia, organism unspecified <i>Excludes:</i> abscess of lung with pneumonia (J85.1) drug-induced interstitial lung disorders (J70.2–J70.4) pneumonia: <ul style="list-style-type: none"> • aspiration (due to): • NOS (J69.0) • anaesthesia during: • labour and delivery (O74.0) • pregnancy (O29.0) • puerperium (O89.0) • neonatal (P24.9) • solids and liquids (J69.-) • congenital (P23.9) • interstitial NOS (J84.9) • lipid (J69.1) • <u>usual interstitial (J84.1)</u> pneumonitis, due to external agents (J67–J70)	Australia 0312	October 2005	Major	January 2010
Add new code	J21 Acute bronchiolitis J21.1 Acute bronchiolitis due to human metapneumovirus	Canada 1408	October 2008	Major	January 2010
Modify title	J34.1 Cyst and mucocele of <u>nose and</u> nasal sinus	Germany	October 1997		January 1999
Delete excludes note and code Revise and add excludes notes and codes	J38 Diseases of vocal cords and larynx, not elsewhere classified <i>Excludes:</i> congenital laryngeal stridor (Q31.4) stridor; (R06.1) <u>. congenital laryngeal NOS (P28.8)</u> <u>. NOS (R06.1)</u>	Australia 0060	October 2001	Major	January 2003
Revise code	J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Excludes:</i> with influenza (<u>J09</u> J40 -J11)	URC 0349	October 2005	Major	October 2005

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code:	J44.0 Chronic obstructive pulmonary disease with acute lower respiratory infection <i>Excludes:</i> with influenza (J98 J09-J11)	Germany 1166	October 2007	Minor	January 2009
Add excludes note	J44.8 Other specified chronic obstructive pulmonary disease Chronic bronchitis: <ul style="list-style-type: none"> • Asthmatic (obstructive) NOS • Emphysematous NOS • Obstructive NOS <i>Excludes:</i> with acute lower respiratory infection (J44.0) with acute exacerbation (J44.1)	MRG 0162	October 2003	Major	January 2006
Modify excludes note	J60 Coalworker's pneumoconiosis Anthracosilicosis Anthracosis Coalworker's lung <i>Excludes:</i> with tuberculosis <u>in A15-A16</u> (J65)	MRG 0168	October 2003	Minor	January 2005
Modify excludes note	J61 Pneumoconiosis due to asbestos and other mineral fibres Asbestosis <i>Excludes:</i> pleural plaque with asbestosis (J92.0) with tuberculosis <u>in A15-A16</u> (J65)				
Modify excludes note	J62 Pneumoconiosis due to dust containing silica <i>Includes:</i> silicotic fibrosis (massive) of lung <i>Excludes:</i> pneumoconiosis with tuberculosis <u>in A15-A16</u> (J65)				
Modify excludes note	J63 Pneumoconiosis due to other inorganic dusts <i>Excludes:</i> with tuberculosis <u>in A15-A16</u> (J65)				
Modify excludes note	J64 Unspecified pneumoconiosis <i>Excludes:</i> with tuberculosis <u>in A15-A16</u> (J65)				
Delete text	J68.1 Acute pulmonary oedema due to chemicals, gases, fumes and vapours Chemical pulmonary oedema (acute)	MRG 0348	October 2005	Minor	January 2007
Add inclusion	J84.1 Other interstitial pulmonary diseases with fibrosis	Australia 0312	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term	<p>Diffuse pulmonary fibrosis Fibrosing alveolitis (cryptogenic) Hamman-Rich syndrome Idiopathic pulmonary fibrosis <u>Usual interstitial pneumonia</u></p> <p>Excludes: pulmonary fibrosis (chronic):</p> <ul style="list-style-type: none"> • due to inhalation of chemicals, gases, fumes or vapours (J68.4) • following radiation (J70.1) 				
Revise code	<p>J85.1 Abscess of lung with pneumonia</p> <p><i>Excludes:</i> with pneumonia due to specified organism (<u>J09</u> J40-J16)</p>	URC 0349	October 2005	Major	October 2005
Modify exclusion terms and code	<p>J96 Respiratory failure, not elsewhere classified</p> <p>Excludes: cardiorespiratory failure (R09.2) postprocedural respiratory failure (J95.-) respiratory:</p> <ul style="list-style-type: none"> • arrest (R09.2) • distress syndrome • syndrome of adult (J80) • in newborn (P22.0) (P22.-) 	Netherlands 1085	October 2006	Minor	January 2008
Add supplementary subclassification	<p>J96 Respiratory failure, not elsewhere classified</p> <p><u>The following supplementary subclassification is provided for optional use with category J96.</u></p> <p><u>0 Type I [hypoxic]</u> <u>1 Type II [hypercapnic]</u> <u>9 Type unspecified</u></p> <p>Excludes: cardiorespiratory failure (R09.2) postprocedural respiratory failure (J95.-) respiratory:</p> <ul style="list-style-type: none"> • arrest (R09.2) • distress: <ul style="list-style-type: none"> • syndrome of adult (J80) • in newborn (P22.-) <p>J96.0 Acute respiratory failure J96.1 Chronic respiratory failure J96.9 Respiratory failure, unspecified</p>	Germany 1558	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise category range at chapter level	Chapter XI Diseases of the digestive system (K00-K93) This chapter contains the following blocks: ... K55-K63 <u>K64</u> Other diseases of intestines	Sweden 1731	October 2010	Major	January 2013
Add new code	K02 Dental Caries K02.5 Caries with pulp exposure	Japan 1559	October 2009	Major	January 2013
Revise inclusion terms	K04.0 Pulpitis Pulpal: — abscess — polyp Pulpitis: · <u>NOS</u> · acute · chronic (hyperplastic)(ulcerative) — suppurative · <u>irreversible</u> · <u>reversible</u>	Japan 1329	October 2008	Minor	January 2010
Add inclusion	K08.8 Other specified disorders of teeth and supporting structures <u>Alveolar (process) cleft</u> Enlargement of the alveolar ridge NOS Irregular alveolar process Toothache NOS	Japan 1560	October 2009	Minor	January 2011
Delete inclusion term	K09.0 Developmental odontogenic cysts Keratocyst	Japan 1322	October 2008	Major	January 2010
Revise inclusions	K09.1 Developmental (nonodontogenic) cysts of oral region Cyst (of): — globulomaxillary · nasopalatine <u>nasolabial</u> [nasoalveolar] · incisive canal <u>nasopalatine duct</u> [incisive canal] — median palatal — palatine papilla	Japan 1330	October 2009	Minor	January 2011
Revise inclusions	K09.8 Other cysts of oral region, not elsewhere classified	Japan 1330	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	Dermatoid cyst Epidermoid cyst Lymphoepithelial cyst Epstein's pearl Nasoalveolar cyst Nasolabial cyst				
Revise use additional code note and add parentheses to inclusion	K10.2 Inflammatory conditions of jaws Osteitis } Osteomyelitis (neonatal) } of jaw (acute)(chronic)(suppurative) Osteo(radio)necrosis } Periostitis } Sequestrum of jaw bone Use additional external cause code (Chaper XX) if desired, to identify radiation, if radiation induced, <u>or to identify drug, if drug induced</u>	USA 1223	October 2008	Minor	January 2010
Add inclusions and modify note	K10.2 Inflammatory conditions of jaws Osteitis } Osteomyelitis (neonatal) } of jaw (acute) (chronic) <u>Osteonecrosis (drug-induced)</u> (suppurative) <u>(radiation-induced)</u> } Osteo(radio)necrosis } Periostitis } Sequestrum of jaw bone Use additional external cause code (Chapter XX), if desired, to identify radiation, if radiation induced, or to identify drug, if drug induced.	Mk Guerchani 1932	October 2012	Minor	January 2014
Add a new code, inclusion and exclusion terms and notes	K12 Stomatitis and related lesions <u>K12.3 Oral mucositis (ulcerative)</u> <u>Mucositis(oral) (oropharyngeal):</u> · <u>NOS</u> · <u>drug-induced</u> · <u>radiation induced</u> · <u>viral</u>	Canada 1422	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>Use additional external cause code (Chapter XX), if desired, to identify external agent</u></p> <p><u>Excludes:</u> mucositis (ulcerative) of:</p> <ul style="list-style-type: none"> · nose and nasal sinuses (J34.8) · vagina and vulva (N76.8) · gastrointestinal tract (except oral cavity and oropharynx) (K92.8) 				
Delete exclusions and last bullet	<p>K12.3 Oral mucositis (ulcerative)</p> <p>Excludes: mucositis (ulcerative) of:</p> <ul style="list-style-type: none"> • nose and nasal sinuses (J34.8) • vagina and vulva (N76.8) • gastrointestinal tract (except oral cavity and oropharynx) (K92.8) 	Canada 1713	October 2010	Minor	January 2012
Revise code	<p>K22.0 Achalasia of cardia</p> <p>Excludes: congenital cardiospasm (Q39.5)</p>	WHO Corrigenda			January 1995
Add inclusion term	<p>K22.1 Ulcer of oesophagus</p> <p>Erosion of oesophagus</p> <p>Ulcer of oesophagus:</p> <ul style="list-style-type: none"> • NOS • Due to ingestion of: • Chemicals • drugs and medicaments • fungal • peptic <p><u>Ulcerative oesophagitis</u></p> <p>Use additional external cause code (Chapter XX), if desired, to identify cause.</p>	North America 0327	October 2005	Minor	January 2007
Add new code and	<p>K22 Other diseases of oesophagus</p> <p>Excludes: oesophageal varices (I85.-)</p> <p>K22.6 Gastro-oesophageal laceration-haemorrhage syndrome</p> <p>Mallory-Weiss syndrome</p>	Australia 0215	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusion terms Add excludes note	K22.7 Barrett's esophagus Barrett's: • <u>disease</u> • <u>syndrome</u> <u>Excludes:</u> Barrett's ulcer (K22.1)				
Revise code	K29 Gastritis and duodenitis <u>Excludes:</u> Zollinger-Ellison syndrome (E16.4)	Germany	October 1999		January 2001
Revise category title	K30 Dyspepsia-Functional dyspepsia Indigestion Excludes: dyspepsia: · nervous (F45.3) · neurotic (F45.3) · psychogenic (F45.3) heartburn (R12)	Japan 1333	October 2009	Major	January 2013
Add subcategory Add excludes note	K31.7 Polyp of stomach and duodenum <u>Excludes:</u> adenomatous polyp of stomach (D13.1)	Australia	October 1997		January 1999
Revise inclusion term Add inclusion term Add inclusion term Delete inclusion term	K35 Acute appendicitis K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with: .perforation .peritonitis (generalized) <u>(localized) following rupture or perforation</u> .rupture K35.9 Acute appendicitis, unspecified <u>Acute appendicitis with peritonitis, localized or NOS</u> Acute appendicitis without: .generalized peritonitis .perforation .peritoneal abscess .peritonitis .rupture	Australia 0077	October 2001	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise and add codes:	<p>K35 Acute appendicitis</p> <p>K35.0 Acute appendicitis with generalized peritonitis Appendicitis (acute) with : <ul style="list-style-type: none"> • perforation • peritonitis (generalized) (localized) following rupture or perforation • rupture </p> <p>K35.1 Acute appendicitis with peritoneal abscess Abscess of appendix</p> <p><u>K35.2</u> <u>Acute appendicitis with generalized peritonitis</u> <u>Appendicitis (acute) with generalized (diffuse) peritonitis following rupture or perforation</u></p> <p><u>K35.3</u> <u>Acute appendicitis with localized peritonitis</u> <u>Acute appendicitis with localized peritonitis with or without rupture or perforation</u> <u>Acute appendicitis with peritoneal abscess</u></p> <p><u>K35.8</u> <u>Acute appendicitis, other and unspecified</u> <u>Acute appendicitis without mention of localized or generalized peritonitis</u></p> <p>K35.9 Acute appendicitis, unspecified Acute appendicitis with peritonitis, localized or NOS Acute appendicitis without : <ul style="list-style-type: none"> • generalized peritonitis • perforation • peritoneal abscess • rupture </p>	France 1108	October 2007	Major	January 2010
Revise inclusion	<p><u>K35.3</u> <u>Acute appendicitis with localized peritonitis</u> Acute appendicitis (with or without perforation or rupture) with localized peritonitis with or without rupture or perforation: <ul style="list-style-type: none"> • <u>NOS</u> • <u>localized</u> Acute appendicitis with peritoneal abscess</p>	MRG 1768	October 2011	Minor	January 2013
Revise code	K43.0 Ventral Incisional hernia with obstruction, without gangrene	Sweden	October 2009	Major	January 2013

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
titles, add codes and revise code titles and inclusions	<p>Ventral-incisional hernia:</p> <ul style="list-style-type: none"> causing obstruction} incarcerated} without gangrene irreducible} strangulated} <p>K43.1 Ventral-incisional hernia with gangrene Gangrenous ventral-incisional hernia</p> <p><u>K43.2 Incisional hernia without obstruction or gangrene</u> <u>Incisional hernia NOS</u></p> <p><u>K43.3 Parastomal hernia with obstruction, without gangrene</u> <u>Parastomal hernia:</u></p> <ul style="list-style-type: none"> <u>causing obstruction}</u> <u>incarcerated</u> } without gangrene <u>irreducible</u> } <u>strangulated</u> } <p><u>K43.4 Parastomal hernia with gangrene</u> <u>Gangrenous parastomal hernia</u></p> <p><u>K43.5 Parastomal hernia without obstruction or gangrene</u> <u>Parastomal hernia NOS</u></p> <p><u>K43.6 Other and unspecified ventral hernia with obstruction, <u>without</u> gangrene</u> <u>Hernia:</u></p> <ul style="list-style-type: none"> <u>epigastric</u> <u>hypogastric</u> <u>midline</u> <u>spigelian</u> <u>subxiphoid</u> <p><u>Any condition listed under K43.6</u></p> <ul style="list-style-type: none"> <u>causing obstruction</u> } <u>incarcerated</u> } without gangrene <u>irreducible</u> } <u>strangulated</u> } <p><u>K43.7 Other and unspecified ventral hernia with gangrene</u></p>	1345			

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>Any condition listed under K43.6 specified as gangrenous</u></p> <p>K43.9 Other and unspecified Vventral hernia without obstruction or gangrene Ventral hernia NOS</p>				
Revise Modify code title, add inclusion term Delete code Modify code title Modify code title Delete includes	<p>K51 Ulcerative colitis</p> <p>K51.0 Ulcerative (chronic) enterocolitis pancolitis Backwash ileitis</p> <p>K51.1 Ulcerative (chronic) ileocolitis</p> <p>K51.2 Ulcerative (chronic) proctitis</p> <p>K51.3 Ulcerative (chronic) rectosigmoiditis</p> <p>K51.4 Pseudopolypoidosis of colon Inflammatory polyps- [Pseudopolypoidosis of colon]</p> <p>K51.5 Left sided colitis Mucosal proctocolitis Left hemicolitis</p> <p>K51.8 Other ulcerative colitis</p> <p>K51.9 Ulcerative colitis, unspecified Ulcerative enteritis NOS</p>	Germany 0221	October 2005	Major	January 2010
Revise Add code Modify inclusion terms Modify	<p>K52 Other noninfective gastroenteritis and colitis</p> <p>K52.0 Gastroenteritis and colitis due to radiation</p> <p>K52.1 Toxic gastroenteritis and colitis Use additional external cause code (Chapter XX), if desired, to identify toxic agent.</p> <p>K52.2 Allergic and dietetic gastroenteritis and colitis Food hypersensitivity gastroenteritis or colitis</p> <p>K52.3 Indeterminate colitis</p> <p>K52.8 Other specified noninfective gastroenteritis and colitis Eosinophilic gastritis or gastroenteritis</p> <p>K52.9 Noninfective gastroenteritis and colitis, unspecified Diarrhoea Enteritis specified as noninfective noninfectious, or NOS Ileitis } in countries where the conditions can be- Jejunitis presumed to be of non infectious origin Sigmoiditis </p> <p>Excludes: colitis, diarrhoea, enteritis, gastroenteritis: - infectious (A09.0)</p>	MRG 0317 Germany 0221	October 2005	Major Major	January 2010 January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
exclusion note and add revised codes	- unspecified in countries where the condition can be presumed to be of infectious origin (A09) <u>origin (A09.9)</u> functional diarrhoea (K59.1) neonatal diarrhoea (noninfective) (P78.3) psychogenic diarrhoea (F45.3)				
Add inclusion and revise note	K52 Other noninfective gastroenteritis and colitis K52.1 Toxic gastroenteritis and colitis <u>Drug-induced gastroenteritis and colitis</u> Use additional external cause code (Chapter XX), if desired, to identify <u>drug</u> , if <u>drug-induced</u> , or toxic agent	Australia 1734	October 2010	Major	January 2013
Add inclusion terms	K52.8 Other specified noninfective gastroenteritis and colitis <u>Collagenous colitis</u> Eosinophilic gastritis or gastroenteritis <u>Lymphocytic colitis</u> <u>Microscopic colitis (collagenous colitis or lymphocytic colitis)</u>	Japan 1334	October 2008	Minor	January 2010
Revise category range at block level	Other diseases of intestines (K55-K63 K64)	Sweden 1731	October 2010	Major	January 2013
Delete exclusion term Add excludes note	K56 Paralytic ileus and intestinal obstruction without hernia <i>Excludes:</i> neonatal intestinal obstructions classifiable to P76. K56.6 Other and unspecified intestinal obstruction <i>Excludes:</i> other and unspecified neonatal intestinal obstruction classifiable to P76.8, P76.9	MRG 0115	October 2002	Minor	January 2004
Revise excludes note at code level	K59.3 Megacolon, not elsewhere classified <i>Excludes:</i> megacolon (due to)(in): • Chagas' disease (B57.3) • <u>Clostridium difficile (A04.7)</u> • congenital (aganglionic) (Q43.1) • Hirschsprung's disease (Q43.1)	Canada 1745	October 2010	Minor	January 2012
Revise code	K62 Other diseases of anus and rectum	Sweden	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
in exclusion	<p><i>Includes:</i> anal canal</p> <p><i>Excludes:</i> colostomy and enterostomy malfunction (K91.4)</p> <p>faecal incontinence (R15)</p> <p>haemorrhoids (I84–K64.-)</p> <p>ulcerative proctitis (K51.2)</p>	1731			
Delete inclusion term	<p>K62.8 Other specified diseases of anus and rectum</p> <p>Perforation (nontraumatic) of rectum</p>	Germany 0140	October 2002	Minor	January 2004
Revise codes in exclusion	<p>K63.0 Abscess of intestine</p> <p><i>Excludes:</i> abscess of:</p> <ul style="list-style-type: none"> • anal and rectal regions (K61.-) • appendix (K35.1K35.3) with diverticular disease (K57.-) <p>K63.1 Perforation of intestine (nontraumatic)</p> <p><i>Excludes:</i> perforation (nontraumatic) of:</p> <ul style="list-style-type: none"> • appendix (K35.0K35.2, K35.3) • duodenum (K26.-) with diverticular disease (K57.-) 	Canada 1780	October 2010	Minor	January 2012
Add subcategory Add excludes note	<p><u>K63.5 Polyp of colon</u></p> <p><i>Excludes:</i> adenomatous polyp of colon (D12.6)</p> <p>polyposis of colon (D12.6)</p>	Australia	October 1997		January 1999
Add new category and codes	<p><u>K64 Haemorrhoids and perianal venous thrombosis</u></p> <p><i>Includes:</i> piles</p> <p><i>Excludes:</i> complicating:</p> <ul style="list-style-type: none"> • childbirth and the puerperium (O87.2) • pregnancy (O22.4) <p><u>K64.0 First degree haemorrhoids</u></p> <p>Grade/stage I haemorrhoids</p> <p>Haemorrhoids (bleeding) without prolapse outside of anal canal</p> <p><u>K64.1 Second degree haemorrhoids</u></p> <p>Grade/stage II haemorrhoids</p> <p>Haemorrhoids (bleeding) that prolapse with straining, but retract spontaneously</p>	Sweden 1731	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>K64.2 Third degree haemorrhoids</u> <u>Grade/stage III haemorrhoids</u> <u>Haemorrhoids (bleeding) that prolapse with straining and require manual replacement back inside anal canal</u></p> <p><u>K64.3 Fourth degree haemorrhoids</u> <u>Grade/stage IV haemorrhoids</u> <u>Haemorrhoids (bleeding) with prolapsed tissue that cannot be manually replaced</u></p> <p><u>K64.4 Residual haemorrhoidal skin tags</u> <u>Skin tags of anus or rectum</u></p> <p><u>K64.5 Perianal venous thrombosis</u> <u>Perianal haematoma</u></p> <p><u>K64.8 Other specified haemorrhoids</u></p> <p><u>K64.9 Haemorrhoids, unspecified</u> <u>Haemorrhoids (bleeding):</u> <ul style="list-style-type: none"> • NOS • without mention of degree </p>				
Revise inclusion	<p><u>K64.4 Residual haemorrhoidal skin tags</u> <u>Skin tags of anus or rectum</u></p>	Australia 1842	October 2011	Minor	January 2013
Delete inclusion at category level	<p><u>K72 Hepatic failure, not elsewhere classified</u> <i>Includes:</i> hepatic: <ul style="list-style-type: none"> • coma NOS • encephalopathy NOS hepatitis: <ul style="list-style-type: none"> • acute } • fulminant } NEC, with hepatic failure • malignant } liver (cell) necrosis with hepatic failure yellow liver atrophy or dystrophy</p>	MRG 1860	October 2011	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion	<i>Excludes:</i> . . .				
Revise code and add NOS	K72.0 Acute and subacute hepatic failure <u>Acute non-viral hepatitis NOS</u> K75 Other inflammatory liver diseases <i>Excludes:</i> chronic hepatitis NEC (K73.-) hepatitis <ul style="list-style-type: none"> • acute or subacute, (K72.0): <ul style="list-style-type: none"> • <u>NOS (B17.9</u> • <u>Non-viral (K72.0)</u> • viral (B15-B19) toxic liver disease (K71.-)				
Delete inclusion	K73.2 Chronic active hepatitis, not elsewhere classified Lupoid hepatitis NEC	Japan 1753	October 2010	Major	January 2013
Add subcategory	<u>K75.4 Autoimmune hepatitis</u>	Australia	October 1997		January 1999
Add inclusion	K75.4 Autoimmune hepatitis <u>Lupoid hepatitis NEC</u>	Japan 1753	October 2010	Major	January 2013
Add inclusions and exclusion	K75 Other inflammatory liver diseases K75.8 Other specified inflammatory liver diseases <u>Nonalcoholic steatohepatitis (NASH)</u> K76 Other diseases of liver K76.0 Fatty(change of) liver, not elsewhere classified <u>Nonalcoholic fatty liver disease (NAFLD)</u> <i>Excludes: nonalcoholic steatohepatitis (K75.8)</i>	Australia 1340	October 2008	Minor	January 2010
Add new inclusion:	K76.8 Other specified diseases of liver <u>Simple cyst of liver</u> Focal nodular hyperplasia of liver Hepatoptosis	Norway 1232	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add new code Add new codes and inclusion term Add new instructional notation Add new codes	K85 Acute pancreatitis Abscess of pancreas Necrosis of pancreas: · acute · infective Pancreatitis: · acute (recurrent) · haemorrhagic · subacute · suppurative <u>K85.0 Idiopathic acute pancreatitis</u> <u>K85.1 Biliary acute pancreatitis</u> <u>Gallstone pancreatitis</u> <u>K85.2 Alcohol-induced acute pancreatitis</u> <u>K85.3 Drug-induced acute pancreatitis</u> <u>Use additional external cause code (Chapter XX), if desired, to identify drug</u> <u>K85.8 Other acute pancreatitis</u> <u>K85.9 Acute pancreatitis, unspecified</u>	MRG 0203	October 2004	Major	January 2006
Add excludes note	K92.1 Melaena <u><i>Excludes:</i> occult blood in faeces (R19.5)</u>	Australia 0306	October 2005	Minor	January 2007
Add inclusion	L08.0 Pyoderma Dermatitis: • <u>gangrenosa</u> • purulent	Canada 1606	October 2010	Minor	January 2012
	Dermatitis and eczema (L20 - L30)	Canada 1606	October 2010	Minor	January 2012

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code in exclusion at block level	<i>Excludes:</i> chronic (childhood) granulomatous disease (D71) dermatitis <ul style="list-style-type: none"> • dry skin (L85.3) • factitial (L98.1) • gangrenosa (L88)(L08.0) 				
Delete code	L41 Parapsoriasis L41.0 Pityriasis lichenoides et varioliformis acuta L41.1 Pityriasis lichenoides chronica L41.2 Lymphomatoid papulosis	Canada 1810	October 2011	Major	January 2013
Delete inclusion term at category level and add exclusion	L88 Pyoderma gangrenosum Dermatitis gangrenosa Phagedenic pyoderma <i>Excludes:</i> dermatitis gangrenosa (L08.0)	Canada 1606	October 2010	Minor	January 2012
Revise Add synonym to title and note and delete inclusion term	L89 Decubitus ulcer and pressure area Bedsore Plaster ulcer Pressure ulcer <i>Note:</i> For multiple sites of differing stages assign only one code indicating the highest stage. <i>Excludes:</i> decubitus (trophic) ulcer of cervix (uteri) (N86)	Australia 0308	October 2005	Major	January 2010
Add codes and inclusion terms	<u>L89.0 Stage I decubitus ulcer and pressure area</u> <u>Decubitus [pressure] ulcer limited to erythema only</u> <i>Note:</i> The ulcer appears as a defined area of persistent redness (erythema) in lightly pigmented skin, whereas in darker skin tones, the ulcer may appear with persistent red, blue or purple hues, without skin loss. <u>L89.1 Stage II decubitus ulcer</u> <u>Decubitus [pressure] ulcer with:</u> <u>•abrasion</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add codes and inclusion terms	<ul style="list-style-type: none"> •<u>blister</u> •<u>partial thickness skin loss involving epidermis and/or dermis</u> •<u>skin loss NOS</u> <p>L89.2 Stage III decubitus ulcer <u>Decubitus [pressure] ulcer with full thickness skin loss involving damage or necrosis of subcutaneous tissue extending to underlying fascia</u></p> <p>L89.3 Stage IV decubitus ulcer <u>Decubitus [pressure] ulcer with necrosis of muscle, bone or supporting structures (ie tendon or joint capsule)</u></p> <p>L89.9 Decubitus ulcer and pressure area, unspecified <u>Decubitus [pressure] ulcer without mention of stage</u></p>				
Add excludes note	<p>L90.0 Lichen sclerosus et atrophicus</p> <p><u>Excludes: lichen sclerosus of external genital organs:</u></p> <p><u>.female (N90.4)</u></p> <p><u>. male (N48.0)</u></p>	NORDIC	October 1998		January 2000
Revise code title and inclusion:	<p>L91.0 Keloid scar Hypertrophic scar Hypertrophic Keloid scar Excludes: acne keloid (L73.0) scar NOS (L90.5)</p>	Norway 1231	October 2007	Minor	January 2009
Revise Modify exclusion note	<p>L97 Ulcer of lower limb, not elsewhere classified</p> <p><u>Excludes: decubitus [pressure] ulcer and pressure area (L89,-)</u></p> <p>gangrene (R02)</p> <p>skin infections (L00–L08)</p> <p>specific infections classified to A00–B99</p> <p>varicose ulcer (I83.0, I83.2)</p> <p>L98 Other disorders of skin and subcutaneous tissue, not elsewhere classified</p> <p>L98.4 Chronic ulcer of skin, not elsewhere classified Chronic ulcer of skin NOS Tropical ulcer NOS Ulcer of skin NOS</p>	Australia 0308	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify exclusion note	<p><i>Excludes:</i> decubitus [<u>pressure</u>] ulcer and <u>pressure area</u> (L89).-) gangrene (R02) skin infections (L00–L08) specific infections classified to A00–B99 ulcer of lower limb NEC (L97) varicose ulcer (I83.0, I83.2)</p>				
Add inclusion	<p>L98.5 Mucinosi s of skin Focal mucinosi s Lichen myxoedematosus <u>Reticular erythematous mucinosi s</u> <i>Excludes:</i> focal oral mucinosi s (K13.7) myxoedema (E03.9)</p>	ICD-11 TAG 1839	October 2011	Minor	January 2013
Add excludes note	<p>Diseases of the musculoskeletal system and connective tissue (M00-M99) <i>Excludes:</i> <u>certain disorders of the temporomandibular joint (K07.6)</u></p>	Germany 0029	October 2002	Minor	January 2004
Modify	<p>Chapter XIII</p> <p>Diseases of the musculoskeletal system and connective tissue (M00-M99)</p> <p>Systemic connective tissue disorders (M30-M36)</p> <p><i>Includes:</i> autoimmune disease: · NOS · systemic collagen (vascular) disease: · NOS · systemic</p> <p><i>Excludes:</i> <u>antiphospholipid syndrome (D68.6)</u> autoimmune disease, single organ or single cell-type (code to relevant condition category)</p>	Germany 0219	October 2005	Major	January 2010
Add exclusion					

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
term					
Add exclusion note	M00 Pyogenic arthritis [See site code at the beginning of this chapter] <u>Excludes: infection and inflammatory reaction due to internal joint prosthesis (T84.5)</u>	MRG 1034	October 2010	Major	January 2013
Add instructional note:	M10.3 Gout due to impairment of renal function <u>Use additional code, if desired, to identify impairment of kidney disease (N17-N19)</u>	Australia 1241	October 2007	Major	January 2010
Modify title	M19.2 Other secondary arthrosis	WHO Corrigenda			January 1995
Add excludes note	M24.8 Other specific joint derangements, not elsewhere classified Irritable hip <u>Excludes: that involving iliotibial band syndrome (M76.3)</u>	Germany 0037	October 2003	Major	January 2006
Delete inclusion:	M24.8 Other specific joint derangements, not elsewhere classified Irritable hip	Norway 1234	October 2007	Major	January 2010
Add new code and inclusion terms Add excludes note	<u>M31.7 Microscopic polyangiitis</u> <u>Microscopic polyarteritis</u> <u>Excludes: polyarteritis nodosa (M30.0)</u>	Germany 0254	October 2004	Major	January 2006
Revise code	M36.1* Arthropathy in neoplastic disease (C00-D48†) Arthropathy in: <ul style="list-style-type: none"> • leukaemia (C91-C95†) • malignant histiocytosis (C96.48†) • multiple myeloma (C90.0†) 	Germany 1230	October 2008	Major	January 2010
Revise code	M43.6 Torticollis <u>Excludes: torticollis: . due to birth injury (P15.2)</u>	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add dagger Add code	M51.1† Lumbar and other intervertebral disc disorders with radiculopathy (G55.1*)	Australia UK	October 1999		January 2001
Modify excludes note	M62.2 Ischaemic infarction of muscle <u>Compartment syndrome, non-traumatic</u> <i>Excludes:</i> compartment syndrome, <u>traumatic</u> (T79.6)	MRG 0196	October 2003	Minor	January 2005
Add inclusion:	M65.8 Other synovitis and tenosynovitis <u>Irritable hip</u>	Norway 1234	October 2007	Major	January 2010
Add excludes note	M70 Soft tissue disorders related to use, overuse and pressure <i>Includes:</i> soft tissue disorders of occupational origin <i>Excludes:</i> bursitis (of): • NOS (M71.9) • shoulder (M75.5) <u>decubitus ulcer and pressure area (L89.-)</u> enthesopathies (M76-M77)	Canada 1296	October 2008	Minor	January 2010
Delete subcategory Add inclusion term Delete subcategory Delete excludes not Add subcategory Add instruction	M72 Fibroblastic disorders M72.3 Nodular fasciitis M72.4 Pseudosarcomatous fibromatosis <u>Nodular fasciitis</u> M72.5 Fasciitis, not elsewhere classified <i>Excludes:</i> fasciitis: -diffuse (eosinophilic) (M35.4) -nodular (M72.3) -plantar (M72.2) <u>M72.6 Necrotising fasciitis</u> <u>Use additional code, if desired, to identify infectious agent</u> M72.8 Other fibroblastic disorders	Australia 0081	October 2001	Major	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term Add excludes note Add inclusion terms	<p><u>Abscess of fascia</u></p> <p><u>Excludes:</u> fasciitis: <u>.diffuse (eosinophilic) (M35.4)</u> <u>.necrotizing (M72.6)</u> <u>.nodular (M72.4)</u> <u>.perirenal:</u> <u>.NOS (N13.5)</u> <u>.with infection (N13.6)</u> <u>.plantar (M72.2)</u></p> <p>M72.9 Fibroblastic disorder, unspecified <u>Fasciitis NOS</u> <u>Fibromatosis NOS</u></p>				
Delete inclusion terms Add excludes note Add new code	<p>M79.0 Rheumatism, unspecified Fibromyalgia Fibrositis <u>Excludes:</u> <u>fibromyalgia (M79.7)</u></p> <p><u>M79.7 Fibromyalgia</u> <u>Fibromyositis</u> <u>Fibrositis</u> <u>Myofibrositis</u></p>	Germany 0253	October 2004	Major	January 2006
Add inclusion term	<p>M85.8 Other specified disorders of bone density and structure Hyperostosis of bones, except skull <u>Osteosclerosis, acquired</u></p> <p><u>Excludes:</u> diffuse idiopathic skeletal hyperostosis [DISH] (M48.1-) <u>osteosclerosis:</u> • congenita (Q77.4)</p>	Australia 0216	October 2004	Minor	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add exclusion terms	<ul style="list-style-type: none"> • <u>myelofibrosis (D75.8)</u> 				
Add exclusion	M87 Osteonecrosis [See site code at the beginning of this chapter] <i>Includes:</i> avascular necrosis of bone <i>Excludes:</i> osteochondropathies (M91-M93) osteonecrosis of jaw <u>(drug-induced)(radiation-induced) (K10.2)</u>	Mk Guerchani 1932	October 2012	Minor	January 2014
Add excludes note	M87.1 Osteonecrosis due to drugs Use additional external cause code (Chapter XX), if desired, to identify drug. <u><i>Excludes:</i> osteonecrosis of jaw (K10.2)</u>	USA 1223	October 2008	Minor	January 2010
Add excludes note	M89.6 Osteopathy after poliomyelitis Use additional code (B91), if desired, to identify previous poliomyelitis. <u><i>Excludes:</i> postpolio syndrome (G14)</u>	Brazil 1116	October 2008	Major	January 2010
Add inclusion term	M94.0 Chondrocostal junction syndrome [Tietze] <u>Costochondritis</u>	North America 0321	October 2005	Minor	January 2007
Add and revise instructional notes at block level:	Glomerular diseases (N00–N08) <u>Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</u> <u>Use additional code, if desired, to identify external cause (Chapter XX) or presence of renal failure, (N17–N19) Acute (N17) or Unspecified (N19)</u> <i>Excludes:</i> hypertensive renal disease (I12.-)	Australia 1241	October 2007	Major	January 2010
Delete inclusion:	N03 Chronic nephritic syndrome [Note: See before N00 for subdivisions] <i>Includes:</i> <ul style="list-style-type: none"> chronic: <ul style="list-style-type: none"> • glomerular disease • glomerulonephritis • nephritis • renal disease NOS <i>Excludes:</i> <ul style="list-style-type: none"> chronic tubulo-interstitial nephritis (N11.-) diffuse sclerosing glomerulonephritis (N18.-) 	Australia 1241	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	nephritic syndrome NOS (N05.-)				
Modify excludes notes	N05 Unspecified nephritic syndrome <i>Excludes:</i> nephropathy NOS with no stated <u>morphological lesion</u> (N28.9) renal disease NOS with no stated <u>morphological lesion</u> (N28.9)	WHO Corrigenda			January 1995
Revise inclusions:	N08.0* Glomerular disorders in infectious and parasitic diseases classified elsewhere Glomerular disorders in: <ul style="list-style-type: none"> • mumps (B26.8†) • Plasmodium malariae malaria (B52.0†) • schistosomiasis [bilharziasis] (B65.-†) • septicaemia sepsis (A40–A41†) • strongyloidiasis (B78.-†) • syphilis (A52.7†) 	MbRG 1238	October 2007	Major	January 2010
Delete apostrophe	N08.1* Glomerular disorders in neoplastic diseases Glomerular disorders in: <ul style="list-style-type: none"> • Waldenstrom's macroglobulinaemia (C88.0†) 	Canada 1608	October 2009	Major	January 2010 (Corrections to URC #1230)
Modify inclusion term and code	N08.5* Glomerular disorders in systemic connective tissue disorders Glomerular disorders in: <ul style="list-style-type: none"> • polyarteritis nodosa (M30.0+) <u>microscopic polyangiitis</u> (M31.7+) 	Germany 0254	October 2004	Major	January 2006
Add instructional note:	RENAL TUBULO-INTERSTITIAL DISEASES (N10–N16) <i>Includes:</i> pyelonephritis <i>Excludes:</i> pyeloureteritis cystica (N28.8) <u>Use additional code, if desired, to identify associated chronic kidney disease (N18.-)</u>	MbRG 1241	October 2007	Major	January 2010
	N16.0* Renal tubulo-interstitial disorders in infectious and parasitic diseases classified elsewhere Renal tubulo-interstitial disorders (due to)(in):	MbRG 1238	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise inclusions:	<ul style="list-style-type: none"> • brucellosis (A23.-†) • diphtheria (A36.8†) • salmonella infection (A02.2†) • septicaemia sepsis (A40–A41†) • toxoplasmosis (B58.8†) 				
Add includes note	N17 Acute renal failure <u>Includes:</u> acute renal impairment	Australia 0217	October 2004	Minor	January 2006
Modify category title; add instructional notes, codes and inclusions:	N18 Chronic renal failure kidney disease <u>Includes:</u> chronic uraemia diffuse sclerosing glomerulonephritis <u>Excludes:</u> chronic renal failure with hypertension (I12.0) Use additional code, if desired, to identify underlying disease. Use additional code, if desired, to identify presence of hypertension. N18.0 End stage renal disease N18.1 Chronic kidney disease, stage 1 Kidney damage with normal or increased GFR (> 90 mL/min) N18.2 Chronic kidney disease, stage 2 Kidney damage with mild decreased GFR (60-89 mL/min) N18.3 Chronic kidney disease, stage 3 Kidney damage with moderately decreased GFR (30-59 mL/min) N18.4 Chronic kidney disease, stage 4 Kidney disease with severely decreased GFR (15-29 mL/min) N18.5 Chronic kidney disease, stage 5 Chronic uraemia End stage kidney disease: <ul style="list-style-type: none"> • <u>in allograft failure</u> • <u>NOS</u> • <u>on dialysis</u> • <u>without dialysis or transplant</u> <u>Renal retinitis†(H32.8*)</u> <u>Uraemic:</u> <ul style="list-style-type: none"> • <u>apoplexia† (I68.8*)</u> • <u>dementia † (F02.8*)</u> • <u>neuropathy† (G63.8*)</u> • <u>paralysis† (G99.8*)</u> • <u>pericarditis† (I32.8*)</u> 	Australia 1241	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>N18.8 Other chronic renal failure Uraemic: • neuropathy† (G63.8*) • pericarditis† (I32.8*) N18.9 Chronic renal failure kidney disease, unspecified</p>				
Add equal sign	N18.1 Chronic kidney disease, stage 1 Kidney damage with normal or increased GFR (\geq 90 mL/min)	Korea 1870	October 2011	Minor	January 2013
Revise inclusion	N18.4 Chronic kidney disease, stage 4 Kidney disease <u>damage</u> with severely decreased GFR (15-29 mL/min)	Canada 1704	October 2010	Minor	January 2012
Add inclusion, revise code title and exclusion:	N19 Unspecified renal kidney failure <u>Renal insufficiency NOS</u> Uraemia NOS Excludes: renal kidney failure with hypertension (I12.0) uraemia of newborn (P96.0)	Australia 1241	October 2007	Major	January 2010
Revise exclusion	N19 Unspecified kidney failure Renal insufficiency NOS Uraemia NOS Excludes: kidney failure with <u>due to</u> hypertension (I12.0) uraemia of newborn (P96.0)	United Kingdom 1923	October 2012	Minor	January 2014
Add inclusion term at category level and delete inclusion term at code level	<p>N20 Calculus of kidney and ureter <u>Includes:</u> calculous pyelonephritis <u>Excludes:</u> with hydronephrosis (N13.2)</p> <p>N20.9 Urinary calculus, unspecified Calculous pyelonephritis</p>	Canada 1426	October 2008	Minor	January 2010
Delete exclusion term	N26 Unspecified contracted kidney Excludes: contracted kidney with <u>due to</u> hypertension (I12.-)	Canada 1610	October 2009	Minor	January 2011
Add inclusion:	N29.8* Other disorders of kidney and ureter in other diseases classified elsewhere <u>Cystine storage disease (E72.0†)</u>	Australia 1241	October 2007	Major	January 2010
Add	N32.8 Other specified disorders of bladder	Japan	October 2011	Minor	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusion term	Bladder: • calcified • contracted • <u>overactive</u>	1875			
Revise excludes notes	N36.3 Prolapsed urethral mucosa Prolapse of urethra Urethrocele, male Excludes: urethrocele; female (N81.0) • congenital (Q64.7) • female (N81.0)	Australia 1738	October 2011	Minor	January 2013
Add note	N39.3 Stress incontinence <u>Use additional code (N32.8), if desired, to identify overactive bladder or destrusor muscle hyperactivity</u>	North America 0040	October 2002	Major	January 2006
Add note	N39.4 Other specified urinary incontinence <u>Use additional code (N32.8), if desired, to identify overactive bladder or destrusor muscle hyperactivity</u>	North America 0040	October 2002	Major	January 2006
Delete inclusion terms	N40 Hyperplasia of prostate Adenofibromatous hypertrophy } Adenoma (benign) } Enlargement (benign) } Fibroadenoma } of prostate Fibroma } Hypertrophy (benign) } Myoma } Median bar (prostate) Prostatic obstruction NOS Excludes: benign neoplasms, except adenoma, fibroma and myoma of prostate (D29.1)	Australia 0301	October 2005	Major	January 2010
Add	N48.0 Leukoplakia of penis <u>Balanitis xerotica obliterans</u>	NORDIC	October 1998		January 2000

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012


Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusion term	Kraurosis of penis				
Modify title Add inclusion term	N48.6 Induratio penis plastica <u>Peyronie's disease</u> Plastic induration of penis	NORDIC	October 1998		January 2000
Revise excludes notes	N81.0 Female urethrocele <i>Excludes:</i> <u>congenital (Q64.7)</u> urethrocele with: • cystocele (N81.1) • prolapse of uterus (N81.2–N81.4)	Australia 1738	October 2011	Minor	January 2013
Add exclusion term	N85 Other noninflammatory disorders of uterus, except cervix <i>Excludes:</i> endometriosis (N80.—) inflammatory diseases of uterus (N71.—) noninflammatory disorders of cervix <u>except malposition</u> (N86 - N88) polyp of corpus uteri (N84.0) uterine prolapse (N81.—)	Germany 0292-0296	October 2005	Major	January 2010
Page 721 Revise code	Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) This chapter contains the following blocks: <u>O94-O99</u> Other obstetric conditions, not elsewhere classified	Australia 0112	October 2002	Major	January 2006
Revise exclusion	CHAPTER XV Pregnancy, childbirth and the puerperium (O00–O99) <i>Excludes</i> : human immunodeficiency virus [HIV] disease (B20–B24) injury, poisoning and certain other consequences of external cause (S00–T98) mental and behavioural disorders associated with the puerperium (F53.-) obstetrical tetanus (A34) postpartum necrosis of pituitary gland (E23.0) puerperal osteomalacia (M83.0) supervision of: • high-risk pregnancy (Z35.-)	Canada 1187	October 2008	Major	January 2010

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none">• normal pregnancy (Z34.-)				
Add text:	<p>Chapter XV Pregnancy, childbirth and the puerperium (O00-O99) <u>The codes included in this chapter are to be used for conditions related to or aggravated by the pregnancy, childbirth or by the puerperium (maternal causes or obstetric causes)</u> <i>Excludes:</i> <u>Certain diseases or injuries complicating pregnancy, childbirth and the puerperium classified elsewhere:</u></p> <ul style="list-style-type: none">• <u>external causes (for mortality) (V01-Y89)</u>• <u>human immunodeficiency virus [HIV] disease (B20 – B24)</u>• <u>injury, poisoning and certain other consequences of external cause (S00-T88.1, T88.6-T98)</u>• <u>mental and behavioural disorders associated with the puerperium (F53.-)</u>• <u>obstetrical tetanus (A34)</u>• <u>postpartum necrosis of pituitary gland (E23.0)</u>• <u>puerperal osteomalacia (M83.0)</u> <p>Supervision of:</p> <ul style="list-style-type: none">• <u>high-risk pregnancy (Z35.-)</u>• <u>normal pregnancy (Z34.-)</u>	MRG 1245	October 2007	Minor	January 2009
Delete inclusion:	<p>O08.0 Genital tract and pelvic infection following abortion and ectopic and molar pregnancy</p> <div><div>Endometritis } Oophoritis } Parametritis } Pelvic peritonitis } Salpingitis } Salpingo-oophoritis } Sepsis } Septic shock } Septicaemia</div><div>} following conditions classifiable to O00–O07</div></div> <p><i>Excludes:</i> septic or septicopyaemic embolism (O08.2) urinary tract infection (O08.8)</p>	MbRG 1238	October 2007	Major	January 2010
	<p>O08.0 Genital tract and pelvic infection following abortion and ectopic and molar</p>	MbRG 1240	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
<p>Delete inclusion</p> <p>Revised code in excludes note</p>	<p>pregnancy</p> <p>Endometritis } Oophoritis } Parametritis } Pelvic peritonitis } Salpingitis } following conditions classifiable to O00–O07 Salpingo-oophoritis } Sepsis } Septic shock } Septicaemia }</p> <p><u>Use additional code (R57.2), if desired, to identify septic shock</u></p> <p>O08.3 Shock following abortion and ectopic and molar pregnancy Circulatory collapse } following conditions classifiable to O00–O07 Shock (postoperative) }</p> <p><i>Excludes:</i> septic shock (O08.0 <u>R57.2</u>)</p>				
Revised excludes note	<p>O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium <i>Includes:</i> the listed conditions with pre-existing proteinuria <i>Excludes:</i> that with increased or superimposed proteinuria <u>pre-eclampsia</u> (O11)</p>	Australia 1189	October 2009	Minor	January 2011
Revised code title and notes	<p>O11 Pre-existing hypertensive disorder with superimposed proteinuria <u>eclampsia superimposed on chronic hypertension</u> Conditions in O10.- complicated by increased proteinuria <u>pre-eclampsia</u> <u>Pre-eclampsia superimposed on:</u> <u>. hypertension NOS</u> <u>. pre-existing hypertension</u></p>	Australia 1189	October 2009	Minor	January 2011
Revised category title, code title and add	<p>O13 Gestational [pregnancy-induced] hypertension without significant proteinuria Gestational _____ } hypertension NOS <u>Pregnancy- induced</u> }</p>	Australia 1189	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
code	Mild pre-eclampsia				
Add includes notes	O13 Gestational [pregnancy-induced] hypertension <i>Includes:</i> Transient hypertension of pregnancy	Canada 1940	October 2012	Minor	January 2014
Add code and inclusion	O14 Gestational [pregnancy-induced] hypertension with significant proteinuria <i>Excludes:</i> superimposed pre-eclampsia (O11) O14.0 Moderate pre-eclampsia O14.1 Severe pre-eclampsia O14.2 HELLP syndrome <u>Combination of hemolysis, elevated liver enzymes and low platelet count</u>	Australia 1507	October 2008	Major	January 2010
Revise category title, code title and add code	O14 Gestational [pregnancy-induced] hypertension with significant proteinuria- Pre-eclampsia <i>Excludes:</i> superimposed pre-eclampsia (O11) O14.0 Moderate Mild to moderate pre-eclampsia O14.1 Severe pre-eclampsia O14.2 HELLP syndrome O14.9 Pre-eclampsia, unspecified  <u>complicating pregnancy, childbirth and the puerperium</u>	Australia 1189	October 2009	Minor	January 2011
Add inclusion term	O15 Eclampsia <i>Includes:</i> <u>eclampsia with pregnancy-induced or pre-existing hypertension</u>	WHO Corrigenda			January 1995
Delete inclusion term	O16 Unspecified maternal hypertension Transient hypertension of pregnancy	Australia 0057	October 2000	Major	January 2003
Revise category title	O22 Venous complications and haemorrhoids in pregnancy <i>Excludes:</i> obstetric pulmonary embolism (O88.-)	Sweden 1731	October 2010	Major	January 2013
Add exclusion notes	O23 Infections of genitourinary tract in pregnancy <i>Excludes</i> <u>gonococcal infections (O98.2)</u> <u>infections with a predominantly sexual mode of transmission NOS (O98.3)</u> <u>syphilis (O98.1)</u> <u>tuberculosis of genitourinary system (O98.0)</u> <u>venereal disease NOS (O98.3)</u>	Canada 1773	October 2010	Minor	January 2012

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code titles	O24 Diabetes mellitus in pregnancy <i>Includes:</i> in childbirth and the puerperium O24.0 Pre-existing <u>type 1</u> diabetes mellitus, insulin-dependent O24.1 Pre-existing <u>type 2</u> diabetes mellitus, non-insulin-dependent	Japan 1873	October 2012	Minor	January 2014
Add inclusion terms:	O26.6 Liver disorders in pregnancy, childbirth and the puerperium Cholestasis (intrahepatic) in pregnancy Obstetric cholestasis <i>Excludes:</i> hepatorenal syndrome following labour and delivery (O90.4)	Canada 1182	October 2007	Major	January 2010
Add new code, inclusions and note	O43 Placental disorders Excludes: maternal care for poor fetal growth due to placental insufficiency (O36.5) placenta praevia (O44.-) premature separation of placenta [abruptio placenta](O45.-) <u>O43.2 Morbidly adherent placenta</u> <u>Placenta:</u> <ul style="list-style-type: none"> • <u>accreta</u> • <u>increta</u> • <u>percreta</u> <u>Use additional code, if desired, to identify any:</u> <ul style="list-style-type: none"> • <u>postpartum haemorrhage, third stage O72.0</u> • <u>retained placenta without hemorrhage O73.0</u> 	Canada 1183	October 2008	Major	January 2010
Modify code title Add new code Add new code Add new code and inclusion term	O60 Preterm delivery labour Onset (spontaneous) of delivery labour before 37 completed weeks of gestation <u>O60.0 Preterm labour without delivery</u> <u>O60.1 Preterm labour with preterm delivery</u> <u>Preterm labour with delivery NOS</u> <u>O60.2 Preterm labour with term delivery</u>	Germany 0222	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise block heading	Pregnancy, childbirth and the puerperium (O00–O99) Complications of labour and delivery (O60–O75)	Australia 1072	October 2006	Major	January 2010
Revise category title	O60 Preterm labour and delivery Onset (spontaneous) of labour before 37 completed weeks of gestation				
Add inclusions	O60.0 Preterm labour without delivery <u>Preterm labour:</u> · <u>induced</u> · <u>spontaneous</u>				
Revise code titles and add inclusion	O60.1 Preterm <u>spontaneous</u> labour with preterm delivery Preterm labour with delivery NOS <u>Preterm spontaneous labour with preterm delivery by caesarean section</u>				
Revise code title and add inclusions	O60.2 Preterm <u>spontaneous</u> labour with term delivery <u>Preterm spontaneous labour with term delivery by caesarean section</u>				
Add new code and inclusions	O60.3 Preterm delivery without spontaneous labour <u>Preterm delivery by:</u> · <u>caesarean section, without spontaneous labour</u> · <u>induction</u>				
Add inclusion:	O62 Abnormalities of forces of labour O62.0 Primary inadequate contractions Failure of cervical dilatation Primary hypotonic uterine dysfunction <u>Uterine inertia during latent phase of labour</u> O62.1 Secondary uterine inertia Arrested active phase of labour Secondary hypotonic uterine dysfunction	Australia 1044	October 2007	Minor	January 2009
Revise code title and add inclusions	O69.2 Labour and delivery complicated by other cord entanglement, <u>with compression</u> <u>Compression of cord NOS</u> Entanglement of cords of twins in monoamniotic sac	Australia 1354	October 2008	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>Knot in cord</p> <p>O69.8 Labour and delivery complicated by other cord complications <u>Cord around neck without compression</u></p>				
<p>Add excludes note</p> <p>Revise inclusions and add exclusion</p>	<p>O70 Perineal laceration during delivery <i>Excludes:</i> obstetric high vaginal laceration alone (O71.4) <u>vaginal sulcus laceration (O71.4)</u></p> <p>O70.0 First degree perineal laceration during delivery Perineal laceration, rupture or tear (involving): - fourchette } - labia } - <u>periurethral tissue</u> } during delivery - skin } - slight } - vagina, <u>low</u> } - vulva } <i>Excludes:</i> periurethral laceration involving urethra (O71.5) <u>that with laceration of:</u> - <u>high vaginal wall (middle)(upper third of vaginal wall)</u> (O71.4) - <u>vaginal sulcus (O71.4)</u></p>	Canada 1594	October 2009	Minor	January 2011
Revise code title and notes	<p>O71.4 Obstetric high vaginal laceration alone Laceration of : vaginal wall without mention of perineal laceration - <u>middle or upper third of vaginal wall</u> - <u>vaginal sulcus</u></p> <p><i>Excludes:</i> with perineal laceration (O70.-) <u>that of the lower vagina (O70.-)</u></p>	Canada 1594	October 2009	Minor	January 2011
Add exclusion	<p>O71.5 Other obstetric injury to pelvic organs <i>Excludes:</i> (minor) laceration involving periurethral tissue only (O70.0)</p>	Canada 1594	October 2009	Minor	January 2011
Add note at code level	<p>O72 Postpartum haemorrhage <i>Includes:</i> haemorrhage after delivery of fetus or infant</p> <p>O72.0 Third-stage haemorrhage</p>	Canada 1183	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	Haemorrhage associated with retained, trapped or adherent placenta Retained placenta NOS <u>Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</u>				
Delete inclusion and add note at code level	O73 Retained placenta and membranes, without haemorrhage O73.0 Retained placenta without haemorrhage Placenta accreta without haemorrhage <u>Use additional code, if desired, to identify any morbidly adherent placenta (O43.2)</u>	Canada 1183	October 2008	Major	January 2010
Revise inclusion:	O75.3 Other infection during labour Septicaemia Sepsis during labour	MbRG 1238	October 2007	Major	January 2010
Revise note	Delivery (O80-O84) Note: Codes O80–O84 are provided for morbidity coding purposes. Codes from this block should be used for primary morbidity coding only if no other condition classifiable to Chapter XV is recorded. For use of these categories reference should be made to the <u>mortality and morbidity coding rules and guidelines in Volume 2.</u>	MRG 1072	October 2006	Major	January 2010
Revise inclusion and exclusion:	O85 Puerperal sepsis Puerperal: <ul style="list-style-type: none"> • endometritis • fever • peritonitis • septicaemia sepsis Use additional code (B95–B97), if desired, to identify infectious agent. Excludes: obstetric pyaemic and septic embolism (O88.3) septicaemia sepsis during labour (O75.3)	MbRG 1238	October 2007	Major	January 2010
Add instructional note	O86 Other puerperal infections <u>Use additional code (B95-B97), if desired, to identify infectious agent.</u> Excludes: infection during labour (O75.3)	MRG 0159	October 2003	Minor	January 2005
Revise category title	O87 Venous complications and haemorrhoids in the puerperium Includes: in labour, delivery and the puerperium	Sweden 1731	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term:	O88.1 Amniotic fluid embolism <u>Anaphylactoid syndrome of pregnancy</u>	MRG 1120	October 2007	Major	January 2010
Page 760, Revise code Add subcategory Add instructional note Add excludes note	Other obstetric conditions, not elsewhere classified (O94-O99) <u>O94 Sequelae of complication of pregnancy, childbirth and the puerperium</u> <u><i>Note:</i> This category is to be used for morbidity coding only to indicate conditions in categories O00 – O75 and O85 – O92 as the cause of sequelae, which are themselves classified elsewhere. The ‘sequelae’ include conditions specified as such or as late effects, or those present one year or more after the onset of the causal condition.</u> <u><i>Excludes:</i> that resulting in death (O96, O97)</u>	Australia 0112	October 2002	Major	January 2006
Page 760 Revise and add text:	O94 Sequelae of complication of pregnancy, childbirth and the puerperium Sequelae of complication of pregnancy, childbirth and the puerperium (O94) <u><i>Note</i> :This category O94 is to be used for morbidity coding only to indicate previous episodes of conditions in categories O00-O75 and O85-O92 as the cause of sequelae ...</u> <u>Not to be used for chronic complications of pregnancy, childbirth and the puerperium. Code these to O00-O75 and O85-O92.</u>	MRG 1221	October 2007	Minor	January 2009
Add codes and revise notes:	O96 Death from any obstetric cause occurring more than 42 days but less than one year after delivery Use additional code, if desired, to identify the obstetric cause (<u>direct or indirect</u>) of death. <u>O96.0 Death from direct obstetric cause</u> <u>O96.1 Death from indirect obstetric causes</u> <u>O96.9 Death from unspecified obstetric cause</u> O97 Death from sequelae of direct obstetric causes Death from any direct obstetric cause (<u>direct or indirect</u>) occurring one year or more after delivery. <u>Use additional code, if desired to identify the obstetric cause (direct or</u>	MRG 1243	October 2007	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>indirect).</u> O97.0 Death from sequelae of direct obstetric cause O97.1 Death from sequelae of indirect obstetric cause O97.9 Death from sequelae of obstetric cause, unspecified				
Add new code, includes note and delete excludes note	O98 Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium <i>Includes:</i> the listed conditions when complicating the pregnant state, when aggravated by the pregnancy, or as a reason for obstetric care. Use additional code (Chapter 1), if desired, to identify specific condition. <i>Excludes :</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) laboratory evidence of human immunodeficiency virus [HIV] (R75) obstetrical tetanus (A34) puerperal: <ul style="list-style-type: none"> infection (O86.-) sepsis (O85) when the reason for maternal care is that the disease is known or suspected to have affected the fetus (O35-O36) O98.7 Human immunodeficiency [HIV] disease complicating pregnancy, childbirth and the puerperium <u>Conditions in B20-B24</u>	Canada 1187	October 2008	Major	January 2010
Revise code title	O98.7 Human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium	1707 Canada	October 2010	Minor	January 2012
Add exclusion	O99.6 Diseases of the digestive system complicating pregnancy, childbirth and the puerperium Conditions in K00-K93 <i>Excludes:</i> haemorrhoids in pregnancy (O22.4) liver disorders in pregnancy, childbirth and the puerperium (O26.6)	Germany 1961	October 2012	Minor	January 2014
	O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium Combination of conditions classifiable to O99.0-O99.7	MRG 0158	October 2003	Minor	January 2005

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add text to inclusion note	Conditions in C00–D48, H00–H95, M00–M99, N00–N99 and Q00–Q99 <u>not elsewhere classified</u>				
Modify	<p>O99.8 Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium</p> <p>Combination of conditions classifiable to O99.0 – O99.7 Conditions in C00–D48, H00–H95, M00–M99, N00 – N99 and Q00–Q99</p> <p><i>Excludes:</i> genitourinary infections in pregnancy (O23. –) infection of genitourinary tract following pregnancy (O86.0–O86.3) maternal care for known or suspected abnormality of maternal pelvic organs (O34. –) postpartum acute renal failure (O90.4) <u>postpartum nephritis (O90.8)</u></p>	Australia 0309	October 2005	Minor	January 2007
Add excludes					
Revise code title in list of asterisk codes:	<p>Chapter XVI Certain conditions originating in the perinatal period (P00-P96) As asterisk category for this chapter is provided as follows: P75* Meconium ileus <u>in cystic fibrosis</u></p>	Germany 1162	October 2007	Major	January 2010
Modify	<p>P00.2 Fetus and newborn affected by maternal infectious and parasitic diseases Fetus or newborn affected by maternal infectious disease classifiable to A00-B99 and J09-J10-J11, but not itself manifesting that disease</p> <p><i>Excludes:</i> infections specific to the perinatal period (P35-P39) maternal genital tract and other localized infections (P00.8)</p>	URC 0349	October 2005	Major	October 2005
Revise code	<p>Infections specific to the perinatal period (P35-P39)</p> <p><i>Includes:</i> infections acquired in utero or during birth</p> <p><i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) congenital: • gonococcal infection (A54.-)</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code	<ul style="list-style-type: none"> • pneumonia (P23.-) • syphilis (A50.-) human immunodeficiency virus [HIV] disease (B20-B24) infectious diseases acquired after birth (A00-B99, J09-J10 –J11) intestinal infectious diseases (A00-A09) laboratory evidence of human immunodeficiency virus [HIV] (R75) maternal infectious disease as a cause of mortality or morbidity in fetus or newborn not itself manifesting the disease (P00.2) tetanus neonatorum (A33)				
Revise excludes note	P04 Fetus and newborn affected by noxious influences transmitted via placenta or breast milk <i>Includes:</i> nonteratogenic effects of substances transmitted via placenta <i>Excludes:</i> congenital malformations (Q00–Q99) neonatal jaundice from other excessive haemolysis due to drugs or toxins transmitted from mother (P58.4)	Netherlands 1082	October 2006	Minor	January 2008
Add inclusion term: Add exclusions:	P08.1 Other heavy for gestational age infants Other fetus or infant heavy- or large-for-dates regardless of period of gestation. <u>Usually implies a birth weight >90th percentile for gestational age or 4000 g or more at term</u> <u><i>Excludes:</i> syndrome of infant of:</u> - <u>diabetic mother (P70.1)</u> - <u>mother with gestational diabetes (P70.0)</u> – <u>Birth weight of 4500 g or more (P08.0)</u>	Canada 1200	October 2007	Minor	January 2009
Add inclusions	P28 Other respiratory conditions originating in the perinatal period <i>Excludes:</i> congenital malformations of the respiratory system (Q30–Q34) P28.2 Cyanotic attacks of newborn <i>Excludes:</i> apnoea of newborn (P28.3–P28.4) P28.3 Primary sleep apnoea of newborn Sleep apnoea of newborn NOS:	Australia 1576	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<ul style="list-style-type: none"> • <u>central</u> • <u>NOS</u> • <u>obstructive</u> <p>P28.4 Other apnoea of newborn <u>Apnoea (of):</u> <ul style="list-style-type: none"> • <u>newborn, obstructive</u> • <u>prematurity</u> <u>Excludes: obstructive sleep apnoea of newborn (P28.3)</u></p>				
Add inclusion term	P28.8 Other specified respiratory conditions of newborn <u>Congenital (laryngeal) stridor NOS</u>	Australia 0060	October 2001	Major	January 2003
Add inclusion term	P29.3 Persistent fetal circulation <u>(Persistent) Pulmonary hypertension of newborn</u>	Australia 0061	October 2000	Major	January 2003
Add inclusion terms	P59.2 Neonatal jaundice from other and unspecified hepatocellular damage <u>Fetal or neonatal (idiopathic) hepatitis</u> <u>Giant cell hepatitis</u> <u>Excludes: congenital viral hepatitis (P35.3)</u>	Canada 1201	October 2008	Major	January 2010
Revise inclusion	P59.2 Neonatal jaundice from other and unspecified hepatocellular damage <u>Fetal or neonatal Giant cell hepatitis</u> <u>Fetal or neonatal (idiopathic) hepatitis</u> <u>Excludes: congenital viral hepatitis (P35.3)</u>	Germany 1744	October 2010	Minor	January 2012
Add inclusion note:	P70.0 Syndrome of infant of mother with gestational diabetes <u>Fetus or newborn (with hypoglycaemia) affected by maternal gestational diabetes</u>	Germany 1197	October 2007	Minor	January 2009
Revise	P70.1 Syndrome of infant of a diabetic mother <u>Maternal diabetes mellitus (pre-existing) affecting fetus or newborn (with hypoglycaemia)</u> <u>Fetus or newborn (with hypoglycemia) affected by maternal diabetes mellitus (pre-</u>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
inclusion note:	<u>existing</u>)				
Revise code title:	P75* Meconium ileus <u>in cystic fibrosis</u> (E84.1+)	Germany 1162	October 2007	Major	January 2010
Delete excludes note	P76 Other intestinal obstruction of newborn <i>Excludes:</i> intestinal obstruction classifiable to K56.	MRG 0115	October 2002	Minor	January 2004
Add excludes note	P76.8 Other specified intestinal obstruction of newborn <i>Excludes:</i> intestinal obstruction classifiable to K56.0-K56.5				
Add inclusion:	P76.0 Meconium plug syndrome <i>Includes:</i> meconium ileus in cases where cystic fibrosis is known not to be present	Germany 1162	October 2007	Major	January 2010
Add inclusion term	P78.8 Other specified perinatal digestive system disorders <u>Neonatal oesophageal reflux</u>	Canada 1436	October 2008	Minor	January 2010
Add new code	P91 Other disturbances of cerebral status of newborn P91.0 Neonatal cerebral ischaemia P91.1 Acquired periventricular cysts of newborn P91.2 Neonatal cerebral leukomalacia P91.3 Neonatal cerebral irritability P91.4 Neonatal cerebral depression P91.5 Neonatal coma P91.6 <u>Hypoxic ischaemic encephalopathy of newborn</u> P91.8 Other specified disturbances of cerebral status of newborn P91.9 Disturbance of cerebral status of newborn, unspecified	MRG 0172	October 2003	Major	January 2006
Modify exclusion term	P93 Reactions and intoxications due to drugs administered to fetus and newborn <i>Excludes:</i> jaundice due to drugs or toxins transmitted from mother <u>or</u> <u>given to newborn</u> (P58.4)	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term	P96.1 Neonatal withdrawal symptoms from maternal use of drugs or addiction Drug withdrawal syndrome in infant of dependent mother <u>Neonatal abstinence syndrome</u> <i>Excludes:</i> reactions and intoxications from maternal opiates and tranquilizers administered during labour and delivery (P04.0)	Tom Sholomiti 1292	October 2008	Minor	January 2010
Modify subcategory title and exclusion note	P96.4 Termination of pregnancy, affecting fetus and newborn <i>Excludes:</i> termination of pregnancy (<u>affecting</u> mother) (O04.-)	Netherlands 1083	October 2006	Minor	January 2008
Modify inclusion term Add inclusion term Modify inclusion term	Q15.0 Congenital glaucoma Keratoglobus, congenital, <u>with glaucoma</u> <u>Macrocornea with glaucoma</u> Megalocornea <u>with glaucoma</u>	NORDIC	October 1997		January 1999
Add inclusion term	Q18.1 Preauricular sinus and cyst Fistula (of): • auricle, congenital • cervicoaural <u>Pretragal sinus and cyst</u>	France 1100	October 2006	Minor	January 2008
Revise inclusion term Add excludes note	Q21.8 Other congenital malformations of cardiac septa Eisenmenger's syndrome <u>defect</u> <i>Excludes:</i> Eisenmenger's: • <u>complex (I27.8)</u> • <u>syndrome (I27.8)</u>	UK 0103	October 2004	Major	January 2006
Add note	Q24.1 Laevocardia <i>Note:</i> Location of heart in left hemithorax with apex pointing to <u>the</u>	Germany	October 1999		January 2001

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>left, but with situs inversus of other viscera and defects of the heart, or corrected transposition of great vessels.</u>				
Revise excludes	Q25.3 Stenosis of aorta <i>Excludes:</i> congenital <u>stenosis of aortic valve</u> stenosis (Q23.0)	Canada 1701	October 2010	Minor	January 2012
Add inclusion	Q25.6 Stenosis of pulmonary artery <u>Supravalvular pulmonary stenosis</u>	Canada 1447	October 2008	Minor	January 2010
Add excludes note Delete subcategory Delete inclusion term Add subcategory	Q31 Congenital malformations of larynx <i>Excludes:</i> congenital laryngeal stridor NOS (P28.8) Q31.4 Congenital laryngeal stridor Congenital stridor (larynx) NOS Q31.5 Congenital laryngomalacia	Australia 0060	October 2001	Major	January 2003
Add instructional note	Cleft lip and cleft palate (Q35 – Q37) <u>Use additional code (Q30.2), if desired, to identify associated malformations of the nose</u>	Germany 0093	October 2001	Minor	January 2003
Delete code and title	Q35.0 Cleft hard palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.1 Cleft hard palate, unilateral Cleft hard palate NOS	NORDIC	October 1997		January 1999
Delete code and title	Q35.2 Cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.3 Cleft soft palate, unilateral Cleft soft palate NOS	NORDIC	October 1997		January 1999

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete code and title	Q35.4 Cleft hard palate with cleft soft palate, bilateral	NORDIC	October 1997		January 1999
Modify title Delete inclusion term	Q35.5 Cleft hard palate with cleft soft palate, unilateral Cleft hard palate with cleft soft palate NOS	NORDIC	October 1997		January 1999
Delete subcategory	Q35.6 Cleft palate, medial	Germany 0091	October 2001	Major	January 2003
Delete code and title	Q35.8 Cleft palate, unspecified, bilateral	NORDIC	October 1997		January 1999
Modify title	Q35.9 Cleft palate, unspecified, unilateral	NORDIC	October 1997		January 1999
Revise code description	Q36.1 Cleft lip, <u>median</u>	Germany 0092	October 2001	Minor	January 2003
Modify title	Q37.0 Cleft hard palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.1 Cleft hard palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.2 Cleft soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.3 Cleft soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.4 Cleft hard and soft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.5 Cleft hard and soft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.8 Unspecified cleft palate with <u>bilateral</u> cleft lip	NORDIC	October 1997		January 1999
Modify title	Q37.9 Unspecified cleft palate with <u>unilateral</u> cleft lip	NORDIC	October 1997		January 1999
Delete inclusion term	Q40.2 Other specified congenital malformations of stomach Congenital: -cardiospasm	WHO Corrigenda			January 1995
Revise descriptor	Q61.1 Polycystic kidney, <u>autosomal recessive</u> <u>Polycystic kidney, infantile type</u>	Australia 0070	October 2001	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term Revise descriptor Add inclusion term	Q61.2 Polycystic kidney, <u>autosomal dominant</u> <u>Polycystic kidney, adult type</u>				
Add inclusions and exclusion	Q61.4 Renal dysplasia <u>Multicystic:</u> <ul style="list-style-type: none"> • <u>dysplastic kidney</u> • <u>kidney (developmental)</u> • <u>kidney disease</u> • <u>renal dysplasia</u> <u>Excludes: polycystic kidney disease (Q61.1-Q61.3)</u>	Canada 1448	October 2008	Minor	January 2010
Add inclusion terms	Q75.4 Mandibulofacial dysostosis <u>Syndrome:</u> <u>. Franceschetti</u> <u>. Treacher Collins</u>	France	October 1997		January 1999
Add inclusion term	Q77.4 Achondroplasia Hypochondroplasia <u>Osteosclerosis congenita</u>	Australia 0216	October 2004	Minor	January 2006
Delete inclusion term	Q87.0 Congenital malformation syndromes predominantly affecting facial appearance <u>Syndrome:</u> <u>. Treacher Collins</u>	France	October 1997		January 1999
Add	Q89.3 Situs inversus <u>Excludes: dextrocardia NOS (Q24.0)</u> <u>laevocardia (Q24.1)</u>	Germany	October 1999		January 2001

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term	Q93.5 Other deletions of part of a chromosome <u>Angelman syndrome</u>	France	October 1998		January 2000
Add inclusion terms	R00.0 Tachycardia, unspecified <u>Tachycardia:</u> <u>. sinoauricular NOS</u> <u>. sinus [sinusal] NOS</u>	Australia 0041)	October 2003	Major	January 2006
Add inclusion terms	R00.1 Bradycardia, unspecified <u>Bradycardia:</u> <u>. sinoatrial</u> <u>. sinus</u> <u>. vagal</u>				
Modify exclusion terms	R06 Abnormalities of breathing <i>Excludes:</i> respiratory <ul style="list-style-type: none"> • arrest (R09.2) • distress (syndrome)(of) <ul style="list-style-type: none"> • <u>syndrome of adult</u> (J80) • <u>in</u> newborn (P22.-) • failure (J96.-) <ul style="list-style-type: none"> • of newborn (P28.5) 	Netherlands 1085	October 2006	Minor	January 2008
Revise code	R06.1 Stridor <i>Excludes:</i> congenital laryngeal stridor (<u>P28.8</u>)	Australia 0060	October 2001	Major	January 2003
Add inclusion and exclusion	R10.1 Pain localized to upper abdomen <u>Dyspepsia NOS</u> Epigastric pain <u>Excludes:</u> functional dyspepsia (K30)	Japan 1333	October 2009	Major	January 2013
Revise exclusion	R12 Heartburn <i>Excludes:</i> dyspepsia: <ul style="list-style-type: none"> • <u>NOS (R10.1)</u> • <u>functional (K30)</u> 	Japan 1333	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify Add includes note	R19.5 Other faecal abnormalities Abnormal stool colour Bulky stools Mucus in stools <u>Occult blood in stools</u> <i>Excludes:</i> melaena (K92.1) • neonatal (P54.1)	Australia 0306	October 2005	Minor	January 2007
Add code and inclusions	R26 Abnormalities of gait and mobility <i>Excludes:</i> ataxia: • NOS (R27.0) • hereditary (G11.-) • locomotor (syphilitic) (A52.1) immobility syndrome (paraplegic) (M62.3) R26.0 Ataxic gait Staggering gait R26.1 Paralytic gait Spastic gait R26.2 Difficulty in walking, not elsewhere classified <u>R26.3 Immobility</u> <u>Bedfast</u> <u>Chairfast</u> R26.8 Other and unspecified abnormalities of gait and mobility Unsteadiness on feet NOS	MRG 1037	October 2006	Major	January 2010
Add new code inclusion term and excludes note	<u>R29.6 Tendency to fall, not elsewhere classified</u> <u>Tendency to fall because of old age or other unclear health problems</u> <i>Excludes:</i> accidents NOS (X59) <u>difficulty in walking (R26.2)</u> <u>dizziness and giddiness (R42)</u> <u>falls causing injury (W00-W19)</u> <u>falls due to diseases classified elsewhere</u> <u>syncope and collapse (R55)</u>	Nordic Centre 0263	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term Add excludes note	R45.8 Other symptoms and signs involving emotional state <u>Suicidal ideation (tendencies)</u> <u><i>Excludes:</i> suicidal ideation constituting part of a mental disorder (F00-F99)</u>	Australia 0064	October 2001	Major	January 2003
Modify includes and excludes notes	R46.8 Other symptoms and signs involving appearance and behaviours <u><i>Includes:</i> self neglect NOS</u> <u><i>Excludes:</i> insufficient intake of food and water due to self neglect (R63.6)</u>	MRG 1099	October 2006	Major	January 2010
Modify category title Delete code Delete code Add new code Add new instructional notation Add new code and inclusion terms	R50 Fever of <u>other and</u> unknown origin <i>Excludes:</i> fever of unknown origin (during)(in): <ul style="list-style-type: none"> • labour (O75.2) • newborn (P81.9) puerperal pyrexia NOS (O86.4) R50.0 Fever with chills Fever with rigors R50.1 Persistent fever R50.2 Drug-induced fever <u><i>Use additional external cause code (Chapter XX), if desired, to identify drug.</i></u> R50.8 Other specified fever <u>Fever with chills</u> <u>Fever with rigors</u> <u>Persistent fever</u> R50.9 Fever, unspecified Hyperpyrexia NOS Pyrexia NOS <i>Excludes:</i> malignant hyperthermia due to anaesthesia (T88.3)	Nordic Centre 0264	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete inclusion term	R53 Malaise and fatigue Asthenia NOS Debility: • NOS • chronic • nervous General physical deterioration	MRG 1706	October 2010	Minor	January 2012
Add code	R57 Shock, not elsewhere classified <u>R57.2 Septic shock</u>	MbRG 1240	October 2008	Major	January 2010
Add new code and excludes notes	R63 Symptoms and signs concerning food and fluid intake ... R63.5 Abnormal weight gain <i>Excludes:</i> excessive weight gain in pregnancy (O26.0) obesity (E66.-) <u>R63.6 Insufficient intake of food and water due to self neglect</u> <i>Excludes:</i> <u>starvation due to anorexia (R63.0)</u> <u>starvation due to privation of food (X53)</u> <u>thirst due to privation of water (X54)</u> <u>self neglect NOS (R46.8)</u> R63.8 Other symptoms and signs concerning food and fluid intake	MRG 1099	October 2006	Major	January 2010
Revise code in exclusion:	R64 Cachexia <i>Excludes:</i> HIV disease resulting in wasting syndrome (B22.2) Malignant cachexia (C80.-) Nutritional marasmus (E41)	MRG 1066	October 2007	Major	January 2010
Add new category and codes	<u>R65 Systemic Inflammatory Response Syndrome</u> <i>Note:</i> <u>This category should never be used in primary coding. The category is for use in multiple coding to identify this condition resulting from any cause. A code from another chapter should be assigned first to indicate the cause or underlying disease.</u> <u>R65.0 Systemic Inflammatory Response Syndrome of infectious origin without organ failure</u> <u>R65.1 Systemic Inflammatory Response Syndrome of infectious origin with organ</u>	North America 0332	October 2005	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>failure</u></p> <p><u>R65.2 Systemic Inflammatory Response Syndrome of non-infectious origin without organ failure</u></p> <p><u>R65.3 Systemic Inflammatory Response Syndrome of non-infectious origin with organ failure</u></p> <p><u>R65.9 Systemic Inflammatory Response Syndrome, unspecified</u></p>				
Add inclusion:	<p>R65.1 Systemic Inflammatory Response Syndrome of infectious origin with organ failure Severe sepsis</p>	MbRG 1239	October 2007	Minor	January 2010
Add exclusion term	<p>R68.3 Clubbing of fingers Clubbing of nails <i>Excludes:</i> congenital clubfinger (Q68.1) <u>congenital clubnail (Q84.6)</u></p>	Netherlands 1084	October 2006	Minor	January 2008
Add exclusion	<p>R71 Abnormality of red blood cells ... <i>Excludes:</i> anaemias (D50 –D64) polycythaemia: <ul style="list-style-type: none"> • <u>NOS (D75.1)</u> • benign (familial) (D75.0) • neonatorum (P61.1) • secondary (D75.1) • vera (D45) </p>	Australia 1350	October 2008	Major	January 2010
Add excludes note	<p>R75 Laboratory evidence of human immunodeficiency virus [HIV] Nonconclusive HIV-test finding in infants <i>Excludes:</i> asymptomatic human immunodeficiency virus [HIV] infection status (Z21) human immunodeficiency virus [HIV] disease (B20-B24) <u>human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O97.8)</u></p>	Canada 1187	October 2008	Major	January 2010
Revise code in exclusion	<p>R75 Laboratory evidence of human immunodeficiency virus [HIV]</p>	Canada 1596	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>Nonconclusive HIV-test finding in infants</p> <p>Excludes: asymptomatic human immunodeficiency virus [HIV] infection status (Z21)</p> <p>human immunodeficiency virus [HIV] disease (B20-B24)</p> <p>human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth and the puerperium (O97.8-O98.7)</p>				
Add instruction	<p>R83 Abnormal findings in cerebrospinal fluid <u>[See before R83 for subdivisions]</u></p>	Germany 0278	October 2005	Minor	January 2007
Add instruction	<p>R84 Abnormal findings in specimens from respiratory organs and thorax <u>[See before R83 for subdivisions]</u></p> <p>Abnormal findings in:</p> <ul style="list-style-type: none"> • bronchial washings • nasal secretions • pleural fluid • sputum • throat scrapings <p>Excludes: blood-stained sputum (R04.2)</p>				
	<p>R85 Abnormal findings in specimens from digestive organs and abdominal cavity <u>[See before R83 for subdivisions]</u></p> <p>Abnormal findings in:</p> <ul style="list-style-type: none"> • peritoneal fluid • saliva <p>Excludes: faecal abnormalities (R19.5)</p>				
Add instruction	<p>R86 Abnormal findings in specimens from male genital organs <u>[See before R83 for subdivisions]</u></p> <p>Abnormal findings in:</p> <ul style="list-style-type: none"> • prostatic secretions • semen, seminal fluid <p>Abnormal spermatozoa</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add instruction	<p>Excludes: azoospermia (N46) oligospermia (N46)</p> <p>R87 Abnormal findings in specimens from female genital organs <u>[See before R83 for subdivisions]</u> Abnormal findings in secretions and smears from:</p> <ul style="list-style-type: none"> • cervix uteri • vagina • vulva <p>Excludes: carcinoma in situ (D05-D07.3) dysplasia of:</p> <ul style="list-style-type: none"> • cervix uteri (N87.-) • vagina (N89.0-N89.3) • vulva (N90.0-N90.3) 				
Add instruction	<p>R89 Abnormal findings in specimens from other organs, systems and tissues <u>[See before R83 for subdivisions]</u> Abnormal findings in:</p> <ul style="list-style-type: none"> • nipple discharge • synovial fluid • wound secretions 				
Add instruction					
Modify	<p>R90.8 Other abnormal findings on diagnostic imaging of central nervous system Abnormal echoencephalogram <u>White matter disease NOS</u></p>	MRG 0315	October 2005	Minor	January 2007
Add inclusion term					
	Ill-defined and unknown causes of mortality (R95-R99)	MRG	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add new codes	<p><i>Excludes:</i> fetal death of unspecified cause (P95) obstetric death NOS (O95)</p> <p>R95 Sudden infant death syndrome</p> <p><u>R95.0 Sudden infant death syndrome with mention of autopsy</u></p> <p><u>R95.9 Sudden infant death syndrome without mention of autopsy</u> <u>Sudden infant death syndrome, unspecified</u></p>	1347			
Modify Add includes note Add excludes note	<p>R96.0 Instantaneous death</p> <p><u>Sudden unexplained death in adult</u> <i>Excludes:</i> sudden death of known aetiology (A00.0-Q99.9, U04.9, V01.0-Y89.9.)</p>	MRG 0316	October 2005	Major	January 2010
Modify inclusion term Modify inclusion terms	<p>Injury, poisoning and certain other consequences of external causes (S00-T98)</p> <p>Dislocation, sprain and strain including: laceration of <u>cartilage</u> sprain joint (capsule)</p> <p>Injury to muscle, <u>fascia</u> and tendon including: Avulsion cut of muscle, <u>fascia</u> and tendon laceration</p>	<p>Germany 0032</p> <p>Germany 0033</p>	<p>October 2000</p> <p>October 2000</p>	<p>Minor</p> <p>Minor</p>	<p>January 2002</p> <p>January 2002</p>
At chapter heading level, in the	Chapter XIX - Injury, poisoning and certain other consequences of external causes (S00-T98)	Canada 1134	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
preamble, add inclusion terms to the list of types of injuries applicable to muscles, fascia and tendons:	Injury to muscle, fascia and tendon, including: avulsion cut laceration <u>strain</u> traumatic rupture } of muscle, fascia and tendon				
Modify inclusion note	Injuries to the head (S00-S09) <i>Includes:</i> injuries of: . <u>temporomandibular</u> joint area	WHO Corrigenda			January 1995
Modify subcategory title	S05.9 Injury of eye and orbit, part unspecified	Dutch Committee on Translation of ICD-10 0082	October 2002	Minor	January 2004
Modify title	S37 Injury of <u>urinary and</u> pelvic organs	Australia	October 1997		January 1999
Add excludes note:	S37.8 Injury of other pelvic organs Adrenal gland Prostate Seminal vesicle Vas deferens <u>Excludes:</u> Open wound of other and unspecified external genital organs (S31.5)	Australia 1188	October 2007	Minor	January 2009
Delete parentheses	S43.4 Sprain and strain of shoulder joint Rotator cuff (capsule)	Australia 0090	October 2001	Major	January 2003
Add terms to code title	S46.0 Injury of <u>muscle(s)</u> and <u>tendon(s)</u> of the rotator cuff of shoulder	Canada 1452	October 2008	Minor	January 2010
Revise code title	S61.9 Open wound of wrist and hand-part, part unspecified	Canada 1597	October 2009	Minor	January 2011

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term	S76.1 Injury of quadriceps muscle and tendon <u>Patellar ligament (tendon)</u>	Germany 0034	October 2001	Major	January 2003
Modify excludes note	S78 Traumatic amputation of hip and thigh <i>Excludes:</i> traumatic amputation of <u>lower limb</u> , level unspecified (T13.6)	WHO Corrigenda			January 1995
Revise category title	S79 Other and <u>un</u>specified injuries of hip and thigh	Canada 1941	October 2012	Minor	January 2014
Add inclusion	S82.1 Fracture of upper end of tibia Tibial: } • condyles } • head } with or without mention of fracture of fibula <u>• plateau</u> } • proximal end } • tuberosity }	Australia 1737	October 2010	Minor	January 2012
Delete inclusion term Add excludes note	S83.6 Sprain and strain of other and unspecified parts of knee Patellar ligament <i>Excludes:</i> sprain of patellar ligament (S76.1)	Germany 0034	October 2001	Major	January 2003
Modify and add exclusion terms	S86 Injury of muscle and tendon at lower leg level <i>Excludes:</i> injury of: muscle and tendon at or below ankle (S96.-) <u>muscle and tendon at or below ankle (S96.-)</u> <u>patellar ligament (S76.1)</u>	Germany 0034	October 2001	Major	January 2003
Delete exclusion term Add exclusion term	Poisoning by drugs, medicaments and biological substances (T36-T50) <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG 0116	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add inclusion term:	T14.6 Injury of muscles and tendons of unspecified body region Avulsion Cut Injury Laceration <u>Sprain</u> <u>Strain</u> Traumatic rupture <i>Excludes:</i> multiple injuries of tendons and muscles NOS (T06.4)	Canada 1134	October 2007	Minor	January 2009
Amend note at category level	T31 Burns classified according to extent of body surface involved Note: This category is to be used as the primary code only when the site of the burn is unspecified. It may be used as a supplementary code with categories (T20-T29) <u>(T20-T25, T29)</u> when the site is specified.	Canada 1461	October 2008	Minor	January 2010
Amend note at category level	T32 Corrosions classified according to extent of body surface involved Note: This category is to be used as the primary code only when the site of the burn is unspecified. It may be used as a supplementary code with categories (T20-T29) <u>(T20-T25, T29)</u> when the site is specified.	Canada 1462	October 2008	Minor	January 2010
Delete exclusion term Add exclusion term	T40 Poisoning by narcotics and psychodysleptics <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG 0116	October 2002	Major	January 2006
Delete exclusion term Add exclusion term	T42 Poisoning by antiepileptic, sedative-hypnotic and antiparkinsonism drugs <i>Excludes:</i> drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>	MRG 0116	October 2002	Major	January 2006
	T43 Poisoning by psychotropic drugs, not elsewhere classified	MRG 0116	October 2002	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Delete exclusion term Add exclusion term	Excludes: drug dependence and related mental and behavioural disorders due to psychoactive substance use (F10-F19) <u>intoxication meaning inebriation (F10-F19)</u>				
Modify excludes note	T44.5 Predominantly β-adrenoreceptor agonists, not elsewhere classified Excludes: salbutamol β-adrenoreceptor agonists used in asthma therapy (T48.6)	Australia 0076	October 2002	Major	January 2006
Add inclusion term Modify excludes note	T48.6 Antiasthmatics, not elsewhere classified <u>β-adrenoreceptor agonists used in asthma therapy</u> Excludes: β -adrenoreceptor agonists <u>not used in asthma therapy</u> (T44.5)	Australia 0076	October 2002	Major	January 2006
Revise excludes note at category level and add includes note at code level	T56 Toxic effect of metals <i>Includes:</i> fumes and vapours of metals metals from all sources, except medicinal substances <i>Excludes:</i> arsenic and its compounds (T57.0) manganese and its compounds (T57.2) thallium (T60.4) T56.8 Other metals <u>Thallium</u>	Japan 1320	October 2008	Major	January 2010
Delete inclusion term	T60.4 Rodenticides Thallium	Japan 1320	October 2008	Major	January 2010
	T71 Asphyxiation Suffocation (by strangulation) Systemic oxygen deficiency due to: • low oxygen content in ambient air • mechanical threat to breathing Excludes: anoxia due to high altitude (T70.2) asphyxia from:	Netherlands 1086	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify exclusion terms	<ul style="list-style-type: none">• carbon monoxide (T58)• inhalation of food or foreign body (T17.-)• other gases, fumes and vapours (T59.-) respiratory distress (syndrome) in: <ul style="list-style-type: none">• <u>distress</u>• <u>syndrome in</u> adult (J80)• <u>in</u> newborn (P22.-)				
Modify exclusion terms and code	T79 Certain early complications of trauma, not elsewhere classified Excludes: complications of surgical and medical care NEC (T80–T88) respiratory distress syndrome of: <ul style="list-style-type: none">• distress• <u>syndrome of</u> adult (J80)• <u>in</u> newborn (P22.0)(P22.-) when occurring during or following medical procedures (T80–T88)	Netherlands 1087	October 2006	Minor	January 2008
Revise inclusion:	T80.2 Infections following infusion, transfusion and therapeutic injection Infection Sepsis Septic shock Septicaemia } following infusion, transfusion and therapeutic injection	MbRG 1238	October 2007	Major	January 2010
Delete inclusion and add instructional note	T80.2 Infections following infusion, transfusion and therapeutic injection Infection } Sepsis } following infusion, transfusion and therapeutic injection Septic shock } <u>Use additional code (R57.2), if desired, to identify septic shock</u>	MbRG 1240	October 2008	Major	January 2010
	T81 Complications of procedures, not elsewhere classified <i>Excludes:</i> adverse effect of drug NOS (T88.7) complication following: immunization (T88.0-T88.1) infusion, transfusion and therapeutic injection (T80.-) specified complications classified elsewhere, such as: complications of prosthetic devices, implants and grafts (T82-T85)	Germany 1165	October 2007	Minor	January 2009

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add exclusion:	dermatitis due to drugs and medicaments (L23.3, L24.4, L25.1, L27.0-L27.1) <u>failure and rejection of transplanted organs and tissues (T86)</u> poisoning and toxic effects of drugs and chemicals (T36-T65)				
Delete non-essential modifier and add instructional note	T81.1 Shock during or resulting from a procedure, not elsewhere classified Collapse NOS } during or following a procedure Shock (endotoxic)(hypovolaemic) (septic) } Postprocedural shock NOS <u>Use additional code (R57.2), if desired, to identify septic shock</u>	MbRG 1240	October 2008	Major	January 2010
Revise inclusion:	T81.4 Infection following a procedure, not elsewhere classified Abscess • intra-abdominal • stitch • subphrenic • wound <u>Sepsis</u> <u>Septicaemia</u> } postprocedural	MbRG 1238	October 2007	Major	January 2010
Add instructional note	T81.4 Infection following a procedure, not elsewhere classified Abscess: • intra-abdominal • stitch } postprocedural • subphrenic • wound Sepsis <u>Use additional code, if desired, to identify other manifestations of</u>	Canada 1297	October 2008	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>infection, such as sepsis or abscess.</u>				
Revise code title and delete inclusion:	T82.8 Other <u>specified</u> complications of cardiac and vascular prosthetic devices, implants and grafts <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> Complication Embolism Fibrosis Haemorrhage Pain Stenosis Thrombosis </div> <div style="font-size: 3em; margin-right: 10px;">}</div> <div> due to cardiac and vascular prosthetic devices, implants and grafts </div> </div>	Germany 1144	October 2007	Minor	January 2009
Revise inclusion:	T88.0 Infection following immunization <div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> Sepsis Septicaemia </div> <div style="font-size: 3em; margin-right: 10px;">}</div> <div> following immunization </div> </div>	MbRG 1238	October 2007	Major	January 2010
Revise and add text:	Sequelae of injuries, of poisoning and of other consequences of external causes (T90-T98) <i>Note: These categories T90-T98 are to be used to indicate conditions in S00-S99 and T00-T88 as the cause of late effects, which are themselves classified elsewhere. The “sequelae” include those specified as such, or as late effects, and those present one year or more after the acute injury.</i> <u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u>	MRG 1221	October 2007	Minor	January 2009
Modify inclusion term	T93.1 Sequelae of fracture of femur Sequelae of injury classifiable <u>to</u> S72.-	Netherlands 1088	October 2006	Minor	January 2008
Page 1013 Replace deleted text with underlined text	Place of occurrence code The following fourth character subdivisions <u>categories are provided for to be used as separate variables in addition to</u> with ICD categories W00-Y34 except Y06. and Y07. to identify the place of occurrence of the external cause where relevant: <i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i>	MRG 0197	October 2003	Major	Deferred (see note*)

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Page 1017 Replace deleted text with underlined text	<p>Activity code</p> <p>The following subclassification- categories <u>is</u> are provided for optional <u>to be used in a supplementary character position with as separate variables</u> in addition to ICD categories V01-Y34 to indicate the activity of the injured person at the time the event occurred. This subclassification- supplementary classification should not be confused with, or be used instead of, the recommended fourth character subdivisions <u>categories</u> provided to indicate the place of occurrence of events classifiable to W00-Y34.</p> <p><i>*Note: It was decided at the 2003 meeting in Cologne that the activity code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made an implemented until such time as an electronic version of ICD-10 is available.</i></p>	MRG (URC:0197)	October 2003	Major	Deferred (see note*)
Add text (p.1018)	<p>CHAPTER XX</p> <hr/> <p><u>Accidents</u> <u>(V01-□X59)</u> Transport accidents (V01-□V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-□V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p>	Germany 0218	October 2004	Minor	January 2006
Page 1018	<p>Transport accidents (V01-V99)</p> <p><i>Note:</i> This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p>	MRG 0153	October 2003	Minor	January 2005

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add exclusion terms	<p><i>Excludes:</i> <u>accidents to persons engaged in the maintenance or repair of transport equipment or vehicle not in motion not on a public highway (W00-X59)</u></p> <p>assault by crashing of motor vehicle (Y03.-) event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>				
Revise wording Add text to excludes note	<p>Transport accidents (V01-V99)</p> <p>Note: This section is structured in 12 groups. Those relating to land transport accidents (V01-V89) reflect the victim's mode of transport and are subdivided to identify the victim's "counterpart" or the type of event. The vehicle of which the injured person is an occupant is identified in the first two characters since it is seen as the most important factor to identify for prevention purposes.</p> <p><i>Excludes:</i> <u>accidents to persons engaged in the maintenance or repair of transport equipment or vehicle (not in motion) not on a public highway unless injured by another vehicle in motion (W00-X59)</u> <u>accidents involving vehicles, but unrelated to the hazards associated with the means of transportation</u> <u>[e.g., injuries received in a fight on board ship; transport vehicle involved in a cataclysm; finger crushed when shutting car door] (W00-X59)</u> assault by crashing of motor vehicle (Y03.-) event of undetermined intent (Y32-Y33) intentional self-harm (X82-X83) transport accidents due to cataclysm (X34-X38)</p>	MRG 0255	October 2004	Minor	January 2006
	Transport accidents	MRG	October 2005	Minor	January 2007

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise codes	<p>(V01-V99) ... Excludes: ... event of undetermined intent (Y32 Y31-Y33) intentional self-harm (X82 X81-X83)</p>	0335			
Page 1021	<p>(m) A <i>three-wheeled motor vehicle</i> is a motorized tricycle designed primarily for on-road use.</p> <p>Includes: motor-driven tricycle motorized rickshaw three-wheeled motor car</p> <p>Excludes: motorcycle with sidecar – see definition (k) special all-terrain vehicle – see definition (w)(x)</p> <p>(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons.</p> <p>Includes: minibus</p> <p><u>(o) A <i>motor vehicle</i> or <i>vehicle</i> may refer to various transport vehicles. The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for “unspecified.”</u></p> <p>(op) A <i>pick-up truck</i> or <i>van</i> (pq) A <i>heavy transport vehicle</i> (qr) A <i>bus</i> (rs) A <i>railway train</i> or <i>railway vehicle</i> is any device, with or without cars coupled to it, designed for traffic on a railway.</p> <p>Includes: interurban: • electric car } (operated chiefly on its own right-of-way, • streetcar } not open to other traffic) railway train, any power [diesel] [electric] [steam]: • funicular • monorail or two-rail • subterranean or elevated other vehicle designed to run on a railway track</p>	MRG 0177	October 2003	Minor	January 2005
Revise cross referencing					
Add definition					
Revise lettering					

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise cross referencing Revise lettering Revise cross referencing	<p>Excludes: interurban electric cars [streetcars] specified to be operating on a right-of-way that forms part of the public street or highway – see definition (st)</p> <p>(st) A <i>streetcar</i></p> <p>(tu) A <i>special vehicle mainly used on industrial premises</i></p> <p>(uv) A <i>special vehicle mainly used in agriculture</i></p> <p>(vw) A <i>special construction vehicle</i></p> <p>(wx) A <i>special all-terrain vehicle</i> is a motor vehicle of special design to enable it to negotiate rough or soft terrain or snow. Examples of special design are high construction, special wheels and tyres, tracks, and support on a cushion of air.</p> <p>Includes: hovercraft on land or swamp snowmobile</p> <p>Excludes: hovercraft on open water – see definition (xy)</p> <p>(xy) A <i>watercraft</i></p> <p>(yz) An <i>aircraft</i></p>				
Page 1021 Add text	(n) A <i>car [automobile]</i> is a four-wheeled motor vehicle designed primarily for carrying up to 10 persons. <u>A trailer or caravan being towed by a car is considered a part of the car.</u>	Australia 0214	October 2004	Minor	January 2006
Add text	(o) A motor vehicle or vehicle may refer to various transport vehicles. The local usage of the terms should be established to determine the appropriate code. If the terms are used ambiguously, use the code for 'unspecified'. <u>A trailer or caravan being towed by a vehicle is considered a part of the vehicle</u>				
	<p>Falls (W00-W19)</p> <p>[See pages 1013-1017 for fourth-character subdivisions]</p> <p>Excludes: assault (Y01–Y02) fall (in)(from):</p>	Nordic Centre 0263	October 2004	Major	January 2006

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add text to excludes note	<ul style="list-style-type: none"> • animal (V80.-) • burning building (X00) • into fire (X00–X04, X08–X09) • into water (with drowning or submersion) (W65–W74) • machinery (in operation) (W28–W31) • <u>repeated falls not resulting from accident (R29.6)</u> • transport vehicle (V01–V99) intentional self-harm (X80–X81) 				
Add instructions	<p>Falls (W00-W19) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to inanimate mechanical forces (W20-W49) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to animate mechanical forces (W50-W64) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental drowning and submersion (W65-W74) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Other accidental threats to breathing (W75-W84) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to smoke, fire and flames (X00-X09) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p>	Germany 0278	October 2005	Minor	January 2007

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p>Contact with heat and hot substances (X10-X19) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Contact with venomous animals and plants (X20-X29) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Exposure to forces of nature (X30-X39) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental poisoning by and exposure to noxious substances (X40-X49) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Overexertion, travel and privation (X50-X57) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Accidental exposure to other and unspecified factors (X58-X59) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Intentional self-harm (X60-X84) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Assault (X85-Y09) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p> <p>Event of undetermined intent (Y10-Y34) <u>[See at the beginning of this chapter for fourth-character subdivisions]</u></p>				
	W13 Fall from, out of or through building or structure	Netherlands	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify exclusion term	<p><i>Includes:</i> fall from, out of or through:</p> <ul style="list-style-type: none"> • balcony • bridge • building • etc. etc. etc. <p><i>Excludes:</i> collapse of a building or structure (W20.-) fall or jump from burning building <u>or structure</u> (X00.-)</p>	1089			
Add inclusions	<p>W17 Fall from one level to another</p> <p><i>Includes:</i> fall from or into:</p> <p>...</p> <ul style="list-style-type: none"> • <u>cherry picker</u> • hole • <u>lifting device</u> • <u>mobile elevated work platform [MEWP]</u> • pit • <u>sky lift</u> 	MRG 1724	October 2010	Major	January 2013
Modify excludes note	<p>W23 Caught, crushed, jammed or pinched in or between objects</p> <p>...</p> <p><i>Excludes:</i> injury caused by:</p> <ul style="list-style-type: none"> • Cutting or piercing instruments (W25-W27) • Lifting and transmission devices (W24.-) • Machinery (W28-W31) • Nonpowered hand tools (W27.-) • Transport vehicle <u>being used as a means of transportation</u> (V01-V99) <p>Struck by thrown, projected or falling object (W20.-)</p>	MRG 0255	October 2004	Minor	January 2006

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add excludes note Add new code	W27 Contact with nonpowered hand tool <u><i>Excludes:</i> hypodermic needle (W46.-)</u> W46 Contact with hypodermic needle	UK 0181	October 2004	Major	January 2006
Add exclusion term	W45 Foreign body or object entering through skin <i>Includes:</i> edge of stiff paper nail splinter tin-can lid <i>Excludes:</i> contact with: • hand tools (nonpowered)(powered) (W27–W29) • <u>hypodermic needle (W46.-)</u> • knife, sword or dagger (W26.-) • sharp glass (W25.-) struck by objects (W20–W22)	Netherlands 1090	October 2006	Minor	January 2008
Add inclusion	W80 Inhalation and ingestion of other objects causing obstruction of respiratory tract <i>Includes:</i> asphyxia by ... <u>aspiration NOS</u> aspiration and inhalation of foreign body, except food vomitus (into respiratory tract), NOS	MRG 1902	October 2012	Major	January 2016
Delete inclusion	W84 Unspecified threat to breathing <i>Includes:</i> asphyxiation NOS aspiration NOS suffocation NOS	MRG 1902	October 2012	Major	January 2016
Add excludes notes	Exposure to electric current, radiation and extreme ambient air temperature and pressure (W85-W99) <i>Excludes:</i> <u>abnormal reaction to a complication of treatment, without mention of misadventure (Y84.2)</u> <u>Misadventure to patient in surgical and medical procedures</u>	Australia 0062	October 2000	Minor	January 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	(Y63.2-Y63.5)				
Modify code title	X25 Contact with other specified-venomous arthropods	Dutch Committee on Translation of ICD-10 0082	October 2002	Major	January 2006
Add codes and inclusion:	X34 Victim of earthquake X34.0 Victim of cataclysmic earth movements caused by earthquake <u>Includes: trapped in or injured by collapsing building or other structure</u> X34.1 Victim of tsunami X34.8 Victim of other specified effects of earthquake X34.9 Victim of unspecified effect of earthquake	MRG 1016	October 2007	Major	January 2010
Revise code	X39 Exposure to other and unspecified forces of nature <i>Includes:</i> natural radiation NOS tidal wave NOS <i>Excludes:</i> exposure NOS (X59.9)	MRG 0201	October 2003	Major	January 2006
Add exclusion:	X39 Exposure to other and unspecified forces of nature ... Excludes: ... exposure NOS (X59.9) tsunami (X34.1)	MRG 1016	October 2007	Major	January 2010
Add text to includes note	Accidental poisoning by and exposure to noxious substances (X40-X49) [See pages 1013-1017 for fourth-character subdivisions] <i>Includes:</i> (self-inflicted) poisoning, when not specified whether accidental or with intent to harm. <u>Follow legal rulings when available (See note p1095)</u>	MRG 0161	October 2003	Minor	January 2005
Need to	X47 Accidental poisoning by and exposure to other	MRG	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
create, delete or correct an index entry	gases and vapours <i>Includes:</i> carbon monoxide <u>helium (nonmedicinal) NEC</u> lacrimogenic gas [tear gas]	1579			
Revise excludes note	X53 Lack of food <i>Includes:</i> lack of food as the cause of: <ul style="list-style-type: none"> • inanition • insufficient nourishment • starvation <i>Excludes:</i> neglect or abandonment by others (Y06.-) <u>insufficient intake of food and water due to self neglect (R63.6)</u> <u>self neglect NOS (R46.8)</u>	MRG 1099		Major	January 2010
Delete includes note Add subcategory Add subcategory Add includes note	X59 Exposure to unspecified factor * <i>Includes:</i> accident NOS exposure NOS X59.0 Exposure to unspecified factor causing fracture X59.9 Exposure to unspecified factor causing other and <u>unspecified injury</u> <i>Includes:</i> <u>accident NOS</u> <u>exposure NOS</u> <i>*Note: It was decided at the 2003 meeting in Cologne that the place of occurrence code should be separated from the three-character Chapter XX code. However for technical reasons, the actual changes will not be made and implemented until such time as an electronic version of ICD-10 is available (SeeURC:0197)</i>	MRG 0201	October 2003	Major	January 2006
Need to create, delete or correct an index entry	X67 Intentional self-poisoning by and exposure to other gases and vapours <i>Includes:</i> carbon monoxide <u>helium (nonmedicinal) NEC</u> lacrimogenic gas [tear gas]	MRG 1579	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add text to note	Event of undetermined intent (Y10-Y34) [See pages 1013-1017 for fourth-character subdivisions] <i>Note:</i> This section covers events where available information is insufficient to enable a medical or legal authority to make a distinction between accident, self-harm or assault. It includes self-inflicted injuries, but not poisoning, when not specified as accidental or with intent to harm (X40-X49). <u>Follow legal rulings when available.</u>	MRG 0161	October 2003	Minor	January 2005
Revise category title :	Y07 Other maltreatment syndromes	Canada 120)	October 2007	Minor	January 2009
Add inclusion	Y17 Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent <i>Includes:</i> ... <u>helium (nonmedicinal) NEC</u> hormones and synthetic substitutes	MRG 1579	October 2009	Major	January 2013
Add includes note	Y35 Legal intervention <i>Includes:</i> <u>injuries inflicted by the police or other law-enforcing agents, including military on duty, in the course of arresting or attempting to arrest lawbreakers, suppressing disturbances, maintaining order, and other legal action.</u>	MRG 0154	October 2003	Minor	January 2005
Delete inclusion term Modify inclusion term Delete inclusion term	Y35.0 Legal intervention involving firearm discharge Gunshot wound Injury by: <u>Legal intervention with:</u> Shot NOS	WHO Corrigenda			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Modify inclusion term	Y35.1 Legal intervention involving explosives Injury by: <u>Legal intervention with:</u>	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.2 Legal intervention involving gas Asphyxiation by gas } Injury by tear gas } <u>due to legal intervention</u> Poisoning by gas }	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.3 Legal intervention involving blunt objects Hit, stuck by: . baton } . blunt object } <u>during legal intervention</u> . stave }	WHO Corrigenda			January 1995
Modify inclusion terms	Y35.4 Legal intervention involving sharp objects Cut } Injured by bayonet } <u>during legal intervention</u> Stabbed }	WHO Corrigenda			January 1995
Delete inclusion terms Add	Y36.2 War operations involving other explosions and fragments Blast NOS Explosion (of): -NOS Add qualifier <u>during war operations</u> to all inclusion terms	WHO Corrigenda			January 1995
Modify title	Y45.8 Other analgesics <u>and</u> antipyretics and anti-inflammatory drugs	WHO Corrigenda			January 1995
Modify excludes note	Misadventures to patients during surgical and medical care (Y60–Y69) Excludes: medical devices associated with adverse incidents in diagnostic and therapeutic use <u>breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70–Y82)</u> surgical and medical procedures as the cause of abnormal reaction of the patient, without mention of misadventure at the time of the procedure <u>(Y83–Y84)</u>	MRG 0155	October 2004	Minor	January 2006

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
<p>Add includes note</p> <p>Add excludes note</p>	<p>MEDICAL DEVICES ASSOCIATED WITH ADVERSE INCIDENTS IN DIAGNOSTIC AND THERAPEUTIC USE (Y70–Y82)</p> <p><u>Includes: breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use)</u></p> <p><u>Excludes: misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-Y69)</u></p> <p><u>later complications following use of medical devices without mention of breakdown or malfunctioning of medical device (Y83-Y84)</u></p> <p>The following fourth-character subdivisions are for use with categories Y70–Y82:</p> <ul style="list-style-type: none"> .0 Diagnostic and monitoring devices .1 Therapeutic (nonsurgical) and rehabilitative devices .2 Prosthetic and other implants, materials and accessory devices .3 Surgical instruments, materials and devices (including sutures) .8 Miscellaneous devices, not elsewhere classified <p>SURGICAL AND OTHER MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF THE PATIENT, OR OF LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF THE PROCEDURE (Y83–Y84)</p> <p><u>Excludes: misadventures to patients during surgical and medical care, classifiable to Y60-Y69 (Y60-69)</u></p> <p><u>breakdown or malfunctioning of medical device (during procedure) (after implantation) (ongoing use) (Y70-Y82)</u></p>				
<p>Add excludes notes in Volume 1 at block level</p>	<p>Misadventures to patients during surgical and medical care (Y60-Y69)</p> <p><u>Excludes: breakdown and malfunctioning ... (ongoing use) (Y70-Y82)</u></p> <p><u>surgical and medical procedure ... time of the procedure (Y83-Y84)</u></p> <p><u>medical devices associated with adverse</u></p>	<p>MRG 1474</p>	<p>October 2009</p>	<p>Minor</p>	<p>January 2011</p>

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u>				
Add excludes notes in Volume I at block level	Medical devices associated with adverse incident in diagnostic and therapeutic use (Y70-Y82) <i>Excludes:</i> misadventure to patients ... classifiable to Y60-Y69 (Y60-Y69) later complications to patients ... malfunctioning of medical device (Y83-Y84) <u>medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u>	MRG 1474	October 2009	Minor	January 2011
Add excludes notes in Volume I at block level	Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure (Y83-Y84) <i>Excludes:</i> misadventure to patients ... classifiable to Y60-Y69 (Y60-Y69) breakdown and malfunctioning ... (ongoing use) (Y70-Y82) <u>medical devices associated with adverse incidents due to external causes classified elsewhere (V01-Y59, Y85-Y87, Y89)</u>	MRG 1474	October 2009	Minor	January 2011
Add text:	Sequelae of external causes of morbidity and mortality (Y85-Y89) <i>Note:</i> Categories Y85-Y89 are to be used to indicate circumstances as the cause of death, impairment or disability from sequelae or “late effects”, which are themselves classified elsewhere. The sequelae include conditions reported as such, or occurring as “late effects” one year or more after the originating event. <u>Not to be used for chronic poisoning and harmful exposure. Code these to current poisoning and harmful exposure.</u>	MRG 1221	October 2007	Minor	January 2009
Add excludes note	Z21 Asymptomatic human immunodeficiency virus [HIV] infection status HIV positive NOS Excludes: contact with or exposure to human immunodeficiency virus [HIV] (Z20.6) human immunodeficiency virus [HIV] disease (B20-B24) <u>human immunodeficiency virus [HIV] disease complicating pregnancy, childbirth</u>	Canada 1187	October 2008	Major	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>and the puerperium (O98.7)</u> laboratory evidence of human immunodeficiency virus [HIV] (R75)				
Add note at block level	Z22.3 Carrier of other specified bacterial diseases <u>Use additional code, if desired, to identify resistance to antimicrobial and antineoplastic drugs (U82-U85)</u>	Canada 1467	October 2009	Major	January 2013
Delete note	Z22.3 Carrier of other specified bacterial diseases <u>Use additional code, if desired, to identify resistance to antimicrobial and antineoplastic drugs (U82-U85)</u>	Canada 1729	October 2010	Minor	January 2012
Revise title and inclusion term	Z45.0 Adjustment and management of cardiac pacemaker devices Checking and testing and adjusting of pulse generator [battery] cardiac devices	Japan 1871	October 2011	Minor	January 2013
Add parentheses:	Z51.3 Blood transfusion (without reported diagnosis)	France 1115	October 2007	Minor	January 2009
Add inclusion note	Z52.0 Blood donor <i><u>Includes:</u> blood components such as lymphocytes, platelets or stem cells</i>	Australia 0111	October 2001	Minor	January 2003
Add subcategory	Z52.6 Liver donor	Australia	October 1997		January 1999
Add subcategory	Z52.7 Heart donor	Australia	October 1997		January 1999
Add excludes note	Z58.1 Exposure to air pollution <i><u>Excludes:</u> tobacco smoke (Z58.7)</i>	UK 0182	October 2004	Major	January 2006
Add new code and includes note	Z58.7 Exposure to tobacco smoke <u>Passive smoking</u> <i><u>Excludes:</u> Mental and behavioural disorders due to the use of tobacco (F17.-)</i> <i><u>Personal history of psychoactive substance abuse (Z86.4)</u></i> <i><u>Tobacco use (Z72.0)</u></i>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code title and delete excludes notes	Persons encountering health services in other circumstances (Z70–Z76) Z74 Problems related to care-provider dependency Z74 Problems related to care-provider dependency <i>Excludes:</i> dependence on enabling machines or devices NEC (Z99.-) Z74.0 Need for assistance due to reduced mobility Bedfast Chairfast Z74.1 Need for assistance with personal care Z74.2 Need for assistance at home and no other household member able to render care Z74.3 Need for continuous supervision Z74.8 Other problems related to care-provider dependency Z74.9 Problem related to care-provider dependency, unspecified	MRG 1037	October 2006	Major	January 2010
Revise inclusion	Z80.9 Family history of malignant neoplasm, unspecified Conditions classifiable to C80._	MRG 1066	October 2007	Major	January 2010
Add code to inclusion	Z83.0 Family history of human immunodeficiency virus [HIV] disease Conditions classifiable to B20-B24, <u>Q98.7</u>	Canada 1187	October 2008	Major	January 2010
Add code to inclusion:	Z83.3 Family history of diabetes mellitus Conditions classifiable to E10-E14, <u>O24</u>	Germany 1197	October 2007	Minor	January 2009
Revise inclusion	Z85.9 Personal history of malignant neoplasm, unspecified Conditions classifiable to C80._	MRG 1066	October 2007	Major	January 2010
Add excludes note	Z87.8 Personal history of other specified conditions Conditions classifiable to S00-T98 <u><i>Excludes:</i> personal history of self harm (Z91.5)</u>	Australia 0135	October 2003	Minor	January 2005
Add new code	<u>Z92.6 Personal history of chemotherapy for neoplastic disease</u>	Germany 0252	October 2004	Major	January 2006
Add inclusion term:	Z94.8 Other transplanted organ and tissue status Bone marrow Intestine Pancreas <u>Stem cells</u>	France 1109	October 2007	Minor	January 2010

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Revise code title and notes	<p>Z95 Presence of cardiac and vascular implants and grafts <i>Excludes:</i> complications of cardiac and vascular devices, implants and grafts (T82.-)</p> <p>Z95.0 Presence of <u>electronic cardiac pacemaker devices</u> <u>Presence of :</u></p> <ul style="list-style-type: none"> • <u>cardiac pacemaker</u> • <u>cardiac resynchronization therapy defibrillator (CRT-D)</u> • <u>cardiac resynchronization therapy (CRT) pacemaker</u> • <u>cardioverter-defibrillator (ICD)</u> <p><i>Excludes:</i> adjustment or management of cardiac pacemaker devices (Z45.0) <u>dependence on artificial heart (Z99.4)</u></p>	Japan 1872	October 2011	Minor	January 2013
Add new code	<p>Z99 Dependence on enabling machines and devices, not elsewhere classified</p> <p>Z99.0 Dependence on aspirator</p> <p>Z99.1 Dependence on respirator</p> <p>Z99.2 Dependence on renal dialysis Presence of arteriovenous shunt for dialysis Renal dialysis status <i>Excludes:</i> Dialysis preparation, treatment or session (Z49.-)</p> <p>Z99.3 Dependence on wheelchair</p> <p>Z99.4 Dependence on artificial heart</p> <p>Z99.8 Dependence on other enabling machines and devices</p> <p>Z99.9 Dependence on unspecified enabling machine and device</p>	Japan 1866	October 2011	Major	January 2013
Add text Add new code range Add new category Add new code	<p><u>Chapter XXII</u> <u>Codes for special purposes</u> <u>(U00-U99)</u></p> <p><u>This chapter contains the following block:</u> <u>U00-U49 Provisional assignment of new diseases of uncertain etiology</u></p> <p><u>Provisional assignment of new diseases of uncertain etiology</u> <u>(U00-49)</u></p> <p><u>U04 Severe acute respiratory syndrome [SARS]</u></p> <p><u>U04.9 Severe acute respiratory syndrome [SARS], unspecified</u></p>	MRG 0204	October 2003	Major	October 2003

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add new categories and revise block title	<p>Provisional assignment of new diseases of uncertain etiology <u>or emergency use</u> (U00-U49)</p> <p>U04 Severe acute respiratory syndrome [SARS] U04.9 Sever acute respiratory syndrome, unspecified U06 Emergency use of U06 <u>Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U06 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.</u> <u>U06.0 Emergency use of U06.0</u> <u>U06.1 Emergency use of U06.1</u> <u>U06.2 Emergency use of U06.2</u> <u>U06.3 Emergency use of U06.3</u> <u>U06.4 Emergency use of U06.4</u> <u>U06.5 Emergency use of U06.5</u> <u>U06.6 Emergency use of U06.6</u> <u>U06.7 Emergency use of U06.7</u> <u>U06.8 Emergency use of U06.8</u> <u>U06.9 Emergency use of U06.9</u></p> <p>U07 Emergency use of U07 <u>Codes U00-U49 are to be used by WHO for the provisional assignment of new diseases of uncertain etiology. In emergency situations codes are not always accessible in electronic systems. The specification of category U07 in the way it is done here will make sure this category and the subcategories are available in every electronic system at any time and that they can be used upon instruction by WHO, immediately.</u> <u>U07.0 Emergency use of U07.0</u> <u>U07.1 Emergency use of U07.1</u> <u>U07.2 Emergency use of U07.2</u> <u>U07.3 Emergency use of U07.3</u></p>	WHO 1749	October 2010	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<u>U07.4</u> Emergency use of U07.4 <u>U07.5</u> Emergency use of U07.5 <u>U07.6</u> Emergency use of U07.6 <u>U07.7</u> Emergency use of U07.7 <u>U07.8</u> Emergency use of U07.8 <u>U07.9</u> Emergency use of U07.9				
Add note Add category, codes and code descriptions Add category, codes and code descriptions Add category Add note Add category,	<p><u>Bacterial agents resistant to antibiotics (U80-U89)</u></p> <p><u><i>Note:</i> These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere</u></p> <p><u>U80 Agent resistant to penicillin and related antibiotics</u> <u>U80.0 Penicillin resistant agent</u> <u>U80.1 Methicillin resistant agent</u> <u>U80.8 Agent resistant to other penicillin-related antibiotic</u></p> <p><u>U81 Agent resistant to vancomycin and related antibiotics</u> <u>U81.0 Vancomycin resistant agent</u> <u>U81.8 Agent resistant to other vancomycin-related antibiotic</u></p> <p><u>U88 Agent resistant to multiple antibiotics</u></p> <p><u><i>Note:</i> This category is provided for use when a bacterial agent is resistant to two or more antibiotics but there is insufficient detail to determine which antibiotic is contributing most to the “main condition”. It should also be used for primary tabulation purposes when it is more convenient to record a single code; otherwise each specific antibiotic-resistant agent should be coded separately.</u></p> <p><u>U89 Agent resistant to other and unspecified antibiotics</u> <u>U89.8 Agent resistant to other single specified antibiotic</u> <u>U89.9 Agent resistant to unspecified antibiotic</u></p>	Australia/ NORDIC 0026	October 2002	Major	January 2006

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
codes and code descriptions					
Revise block title	<p>Chapter XXII Codes for special purposes (U00 – U99) This chapter contains the following blocks: U00 – U49 Provisional assignment of new diseases of uncertain etiology U80-U89 Bacterial agents resistant to antibiotics <u>U82-U85 Resistance to antimicrobial and antineoplastic drugs</u></p> <p>Bacterial agents resistant to antibiotics (U80-U89)</p> <p>Note: These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the antibiotic to which a bacterial agent is resistant, in bacterial infection classified elsewhere</p>	Canada 1467	October 2009	Major	January 2013
Delete block	<p>U80 Agent resistant to penicillin and related antibiotics U80.0 Penicillin resistant agent U80.1 Methicillin resistant agent U80.8 Agent resistant to other penicillin-related antibiotic</p> <p>U81 Agent resistant to vancomycin and related antibiotics U81.0 Vancomycin resistant agent U81.8 Agent resistant to other vancomycin-related antibiotic</p> <p>U88 Agent resistant to multiple antibiotics</p> <p>Note: This category is provided for use when a bacterial agent is resistant to two or more antibiotics but there is insufficient detail to determine which antibiotic is contributing most to the “main condition”. It should also be used for primary tabulation purposes when it is more convenient to record a single code; otherwise each specific antibiotic-resistant agent should be coded separately.</p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
Add block	<p>U89 — Agent resistant to other and unspecified antibiotics U89.8 — Agent resistant to other single specified antibiotic U89.9 — Agent resistant to unspecified antibiotic</p> <p><u>U82-U85 Resistance to antimicrobial and antineoplastic drugs</u></p> <p><u>Note: These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistant properties of infectious agent(s), which are themselves classified elsewhere.</u></p>				
Revise note at block level	<p>U82-U85 Resistance to antimicrobial and antineoplastic drugs <i>Note:</i> These categories should never be used in primary coding. The codes are provided for use as supplementary or additional codes when it is desired to identify the resistant properties of infectious agents, which are themselves classified elsewhere <u>resistance, non-responsiveness and refractive properties of a condition to antimicrobials and antineoplastic drugs.</u></p>	Canada 1729	October 2010	Minor	January 2012
Create new categories, codes and inclusion terms	<p><u>U82 Resistance to betalactam antibiotics</u></p> <p><u>Use additional code (B95-B98), if desired, to identify agents resistant to betalactam antibiotic treatment.</u></p> <p><u>U82.0 Resistance to penicillin</u> <u>Resistance to:</u> <u>Amoxicillin</u> <u>Ampicillin</u></p> <p><u>U82.1 Resistance to methicillin</u> <u>Resistance to:</u> <u>cloxacillin</u> <u>flucloxacillin</u> <u>oxacillin</u></p> <p><u>U82.2 Extended spectrum betalactamase (ESBL) resistance</u></p>	Canada 1467	October 2009	Major	January 2013

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>U82.8 Resistance to other betalactam antibiotics</u></p> <p><u>U82.9 Resistance to betalactam antibiotics, unspecified</u></p> <p><u>U83 Resistance to other antibiotics</u></p> <p><u>Use additional code (B95-B98), if desired, to identify agents resistant to other antibiotic treatment.</u></p> <p><u>U83.0 Resistance to vancomycin</u></p> <p><u>U83.1 Resistance to other vancomycin related antibiotics</u></p> <p><u>U83.2 Resistance to quinolones</u></p> <p><u>U83.7 Resistance to multiple antibiotics</u></p> <p><u>U83.8 Resistance to other single specified antibiotic</u></p> <p><u>U83.9 Resistance to unspecified antibiotic</u> <u>Resistance to antibiotics NOS</u></p> <p><u>U84 Resistance to other antimicrobial drugs</u> <u>Use additional code (B95-B98), if desired, to identify agents resistant to antimicrobial drugs.</u></p> <p><u>Excludes:</u> <u>Resistance to antibiotics (U82 - U83)</u></p> <p><u>U84.0 Resistance to antiparasitic drug(s)</u> <u>Resistance to quinine and related compounds:</u></p> <p><u>U84.1 Resistance to antifungal drug(s)</u></p> <p><u>U84.2 Resistance to antiviral drug(s)</u></p> <p><u>U84.3 Resistance to tuberculostatic drug(s)</u></p> <p><u>U84.7 Resistance to multiple antimicrobial drugs</u> <u>Excludes:</u> <u>Resistance to multiple antibiotics only (U83.7)</u></p>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

Instruction	Tabular list entries	Source	Date approved	Major/Minor update	Implementation date
	<p><u>U84.8 Resistance to other specified antimicrobial drug</u></p> <p><u>U84.9 Resistance to unspecified antimicrobial drugs</u> <u>Drug resistance NOS</u></p> <p><u>U85 Resistance to antineoplastic drugs</u></p>				
Add inclusion	<p>U85 Resistance to antineoplastic drugs <u>Includes:</u> <u>Non-responsiveness to antineoplastic drugs</u> <u>Refractory cancer</u></p>	Canada 1729	October 2010	Minor	January 2012

Morphology of Neoplasms

Instruction	Morphology list entries	Source	Date approved	Major/Minor update	Implementation date
Delete text	<p>MORPHOLOGY OF NEOPLASMS Note:</p> <p>Occasionally a problem arises...C25.9 (pancreas, unspecified). ... For neoplasms of lymphoid, haematopoietic and related tissue (M959-M998) the relevant codes from C81-C96 and D45-D47 are given. These Chapter II codes should be used irrespective of the stated site of the neoplasm.</p>	Canada 1702	October 2010	Minor	January 2012
Add code	M8160/0 Bile duct adenoma (D13.4, <u>D13.5</u>)	WHO			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

		Corrigenda			
Revise code	M8162/3 Klatzkin's tumour (C22.4 <u>C24.0</u>)	Germany 1705	October 2011	Major	January 2013
	Morphology of neoplasms M814-M838 Adenomas and adenocarcinomas	Germany 1916	October 2012	Minor	January 2014
Revise code M8202/0 Microcystic adenoma (D13. 7 <u>6</u>)				
Revise title and delete code:	M844-M849 Cystic, mucinous and serous neoplasms M8480/0 Mucinous adenoma M8480/3 Mucinous adenocarcinoma M8480/6 <u>Mucinous adenocarcinoma, metastatic [Pseudomyxoma peritonei]</u> (C78.6)	Australia 1191	October 2007	Minor	January 2009
Revise code	M8522/2 Intraductal carcinoma and lobular carcinoma in situ (<u>D05.7</u>)	WHO Corrigenda			January 1995
Revise code	M8761/1 Giant pigmented naevus NOS (<u>D48.5</u>)	WHO Corrigenda			January 1995
Revise code	M8773/3 Spindle cell melanoma, type A (<u>C69.4</u>)	WHO Corrigenda			January 1995
Revise code	M8774/3 Spindle cell melanoma, type B (<u>C69.4</u>)	WHO Corrigenda			January 1995
Revise code	M8930/3 Endometrial stromal sarcoma (<u>C54.-</u>)	WHO Corrigenda			January 1995
Revise code	M8941/3 Carcinoma in pleomorphic adenoma (<u>C07</u> , C08.-)	WHO Corrigenda			January 1995
Revise code	M9124/3 Kupffer cell sarcoma (<u>C22.3</u>)	WHO Corrigenda			January 1995
Delete code	M9141/0 Angiokeratoma (D48.0)	WHO Corrigenda			January 1995
Delete code	M9150/0 Haemangiopericytoma, benign (D48.0)	WHO Corrigenda			January 1995
Delete code	M9160/0 Angiofibroma NOS (D48.0)	WHO Corrigenda			January 1995
Delete code	M9261/3 Adamantinoma of long bones (C40.-, C41.-)	WHO Corrigenda			January 1995
Add code	M9350/1 Craniopharyngioma (<u>D44.3</u> , D44.4)	WHO Corrigenda			January 1995
Add code	M9590/3 Malignant lymphoma NOS (<u>C84.5</u> , C85.9)	WHO Corrigenda			January 1995
Add code	M9593/3 Reticulosarcoma NOS (<u>C83.3</u> , C83.9)	WHO			January 1995

		Corrigenda			
	Morphology of neoplasms	Germany 1230	October 2008	Major	January 2010
Delete morphology codes	M959-M971 Hodgkin's and non-Hodgkin's lymphoma				
	M959 <i>Malignant lymphomas NOS or diffuse</i>				
	M9590/3 Malignant lymphoma NOS (C84.5, C85.9)				
	M9591/3 Malignant lymphoma, non Hodgkin's NOS (C84.5, C85.9)				
	M9592/3 Lymphosarcoma NOS (C85.0)				
	M9593/3 Reticulosarcoma NOS (C83.3, C83.9)				
	M9594/3 Microglioma (C85.7)				
	M9595/3 Malignant lymphoma, diffuse NOS (C83.5.)				
	 M965-M966 <i>Hodgkin's disease</i>				
	M9650/3 Hodgkin's disease NOS (C81.9)				
	M9652/3 Hodgkin's disease, mixed cellularity NOS (C81.2)				
	M9653/3 Hodgkin's disease, lymphocytic depletion NOS (C81.3)				
	M9654/3 Hodgkin's disease, lymphocytic depletion, diffuse fibrosis (C81.3)				
	M9655/3 Hodgkin's disease, lymphocytic depletion, reticular (C81.3)				
	M9657/3 Hodgkin's disease, lymphocytic predominance NOS (C81.0)				
	M9658/3 Hodgkin's disease, lymphocytic predominance, diffuse (C81.0)				
	M9659/3 Hodgkin's disease, lymphocytic predominance, nodular (C81.0)				
	M9660/3 Hodgkin's paraganuloma NOS (C81.7)				
	M9661/3 Hodgkin's granuloma (C81.7)				
	M9662/3 Hodgkin's sarcoma (C81.7)				
	M9663/3 Hodgkin's disease nodular sclerosis NOS (C81.1)				
	M9664/3 Hodgkin's disease, nodular sclerosis, cellular phase (C81.1)				
	M9665/3 Hodgkin's disease, nodular sclerosis, lymphocytic predominance (C81.1)				
	M9666/3 Hodgkin's disease, nodular sclerosis, mixed cellularity (C81.1)				
	M9667/3 Hodgkin's disease, nodular sclerosis, lymphocytic depletion (C81.1)				
	 M967-M968 <i>Malignant lymphoma, diffuse or NOS, specified type</i>				
	M9670/3 Malignant lymphoma, small lymphocytic NOS (C83.0)				
	M9671/3 Malignant lymphoma, lymphoplasmaeytic (C83.8)				
	M9672/3 Malignant lymphoma, small cleaved cell, diffuse (C83.1)				
	M9673/3 Malignant lymphoma, lymphocytic, intermediate differentiation, diffuse (C83.8)				
	M9674/3 Malignant lymphoma, centrocytic (C83.8)				
	M9675/3 Malignant lymphoma, mixed small and large cell, diffuse (C83.2)				

M9676/3	Malignant lymphoma, centroblastic-centrocytic, diffuse (C83.8)			
M9677/3	Malignant lymphomatous polyposis (C83.8)			
M9680/3	Malignant lymphoma, large cell, diffuse NOS (C83.3)			
M9681/3	Malignant lymphoma, large cell, cleaved, diffuse (C83.3)			
M9682/3	Malignant lymphoma, large cell, noncleaved, diffuse (C83.3)			
M9683/3	Malignant lymphoma, centroblastic, diffuse (C83.8)			
M9684/3	Malignant lymphoma, immunoblastic NOS (C83.4)			
M9685/3	Malignant lymphoma, lymphoblastic (C83.5)			
M9686/3	Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, C83.6)			
M9687/3	Burkitt's lymphoma NOS (C83.7)			
M969	Malignant lymphoma, follicular or nodular, with or without diffuse areas			
M9690/3	Malignant lymphoma, follicular NOS (C82.9)			
M9691/3	Malignant lymphoma, mixed small cleaved and large cell, follicular (C82.4)			
M9692/3	Malignant lymphoma, centroblastic-centrocytic, follicular (C82.8)			
M9693/3	Malignant lymphoma, lymphocytic, well differentiated, nodular (C82.8)			
M9694/3	Malignant lymphoma, lymphocytic, intermediate differentiation, nodular (C82.8)			
M9695/3	Malignant lymphoma, small cleaved cell, follicular (C82.0)			
M9696/3	Malignant lymphoma, lymphocytic, poorly differentiated, nodular (C82.8)			
M9697/3	Malignant lymphoma, centroblastic, follicular (C82.8)			
M9698/3	Malignant lymphoma, large cell, follicular NOS (C82.2)			
M970	Specified cutaneous and peripheral T-cell lymphomas			
M9700/3	Myeosis fungoides (C84.0)			
M9701/3	Sézary's disease (C84.1)			
M9702/3	Peripheral T-cell lymphoma NOS (C84.4)			
M9703/3	T-zone lymphoma (C84.2)			
M9704/3	Lymphoepithelioid lymphoma (C84.3)			
M9705/3	Peripheral T-cell lymphoma, ALD (angioimmunoblastic lymphadenopathy with dysproteinaemia) (C84.4)			
M9706/3	Peripheral T-cell lymphoma, pleomorphic small cell (C84.4)			
M9707/3	Peripheral T-cell lymphoma, pleomorphic medium and large cell (C84.4)			
M9709/3	Cutaneous lymphoma (C84.5)			
M971	Other specified non-Hodgkin's lymphomas			
M9711/3	Monocytoid B-cell lymphoma (C85.7)			

M9712/3	Angioendotheliomatosis (C85.7)				
M9713/3	Angiocentric T cell lymphoma (C85.7)				
M9714/3	Large cell (Ki-1+) lymphoma (C85.7)				
M972	Other lymphoreticular neoplasms				
M9720/3	Malignant histiocytosis (C96.1)				
M9722/3	Letterer-Siwe disease (C96.0)				
M9723/3	True histiocytic lymphoma (C96.3)				
M973	Plasma-cell tumours				
M9731/3	Plasmaeytoma NOS (C90.2)				
M9732/3	Multiple myeloma (C90.0)				
M974	Mast cell tumours				
M9740/1	Mastocytoma NOS (D47.0)				
M9740/3	Mast cell sarcoma (C96.2)				
M9741/3	Malignant mastocytosis (C96.2)				
M976	Immunoproliferative diseases				
M9760/3	Immunoproliferative disease NOS (C88.9)				
M9761/3	Waldenström's macroglobulinaemia (C88.0)				
M9762/3	Alpha heavy chain disease (C88.13)				
M9763/3	Gamma heavy chain disease (C88.2)				
M9764/3	Immunoproliferative small intestinal disease (C88.3)				
M9765/1	<u>Monoclonal gammopathy of undetermined significance (MGUS) (D47.2)</u>				
M9766/1	Angiocentric immunoproliferative lesion (D47.7 <u>C83.8</u>)				
M9767/1	Angioimmunoblastic lymphadenopathy (D47.7 <u>C86.5</u>)				
M9768/1	T gamma lymphoproliferative disease (D47.7 9)				
M980-M994	Leukaemias				
<i>M980</i>	<i>Leukaemias NOS</i>				
M9800/3	Leukaemia NOS (C95.9)				
M9801/3	Acute leukaemia NOS (C95.0)				
M9802/3	Subacute leukaemia NOS (C95.2)				
M9803/3	Chronic leukaemia NOS (C95.1)				
M9804/3	Aleukaemic leukaemia NOS (C95.7)				

<i>M982</i>	<i>Lymphoid leukaemias</i>				
M9820/3	Lymphoid leukaemia NOS (C91.9)				
M9821/3	Acute lymphoblastic leukaemia NOS (C91.0)				
M9822/3	Subacute lymphoid leukaemia (C91.2)				
M9823/3	Chronic lymphocytic leukaemia (C91.1)				
M9824/3	Atypical lymphoid leukaemia (C91.7)				
M9825/3	Prolymphocytic leukaemia (C91.3)				
M9826/3	Burkitt's cell leukaemia (C91.7)				
M9827/3	Adult T cell leukaemia/lymphoma (C91.5)				
<i>M983</i>	<i>Plasma cell leukaemia</i>				
M9830/3	Plasma cell leukaemia (C90.1)				
<i>M984</i>	<i>Erythroleukaemias</i>				
M9840/3	Erythroleukaemia (C94.0)				
M9841/3	Acute erythraemia (C94.0)				
M9842/3	Chronic erythraemia (C94.0)				
<i>M985</i>	<i>Lymphosarcoma cell leukaemia</i>				
M9850/3	Lymphosarcoma cell leukaemia (C94.7)				
<i>M986</i>	<i>Myeloid (granulocytic) leukaemias</i>				
M9860/3	Myeloid leukaemia NOS (C92.9)				
M9861/3	Acute myeloid leukaemia (C92.0)				
M9862/3	Subacute myeloid leukaemia (C92.2)				
M9863/3	Chronic myeloid leukaemia (C92.1)				
M9864/3	Atypical myeloid leukaemia (C92.7)				
M9866/3	Acute promyelocytic leukaemia (C92.4)				
M9867/3	Acute myelomonocytic leukaemia (C92.5)				
M9868/3	Chronic myelomonocytic leukaemia (C92.7)				
<i>M987</i>	<i>Basophilic leukaemia</i>				
M9870/3	Basophilic leukaemia (C92.)				
<i>M988</i>	<i>Eosinophilic leukaemia</i>				
M9880/3	Eosinophilic leukaemia (C92.)				
<i>M989</i>	<i>Monoeytic leukaemias</i>				

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

	<p>M9890/3 Monocytic leukaemia NOS (C93.9)</p> <p>M9891/3 Acute monocytic leukaemia (C93.0)</p> <p>M9892/3 Subacute monocytic leukaemia (C93.2)</p> <p>M9893/3 Chronic monocytic leukaemia (C93.1)</p> <p>M9894/3 Aleukaemic monocytic leukaemia (C93.7)</p> <p>M990—M994 <i>Other leukaemias</i></p> <p>M9900/3 Mast cell leukaemia (C94.3)</p> <p>M9910/3 Acute megakaryoblastic leukaemia (C94.2)</p> <p>M9930/3 Myeloid sarcoma (C92.3)</p> <p>M9931/3 Acute panmyelosis (C94.4)</p> <p>M9932/3 Acute myelofibrosis (C94.5)</p> <p>M9940/3 Hairy-cell leukaemia (C91.4)</p> <p>M9941/3 Leukaemic reticuloendotheliosis (C91.4)</p> <p>M995—M997 Miscellaneous myeloproliferative and lymphoproliferative disorders</p> <p>M9950/1 Polycythaemia vera (D45)</p> <p>M9960/1 Chronic myeloproliferative disease (D47.1)</p> <p>M9961/1 Myelofibrosis with myeloid metaplasia (D47.1)</p> <p>M9962/1 Idiopathic thrombocythaemia (D47.3)</p> <p>M9970/1 Lymphoproliferative disease NOS (D47.9)</p> <p>M995—M997 Miscellaneous myeloproliferative and lymphoproliferative disorders</p> <p>M9950/1 Polycythaemia vera (D45)</p> <p>M998 Myelodysplastic syndrome</p> <p>M9980/1 Refractory anaemia NOS (D46.4)</p> <p>M9981/1 Refractory anaemia without sideroblasts (D46.0)</p> <p>M9982/1 Refractory anaemia with sideroblasts (D46.1)</p> <p>M9983/1 Refractory anaemia with excess of blasts (D46.2)</p> <p>M9984/1 Refractory anaemia with excess of blasts with transformation (D46.3)</p> <p>M9989/1 Myelodysplastic syndrome NOS (D46.9)</p>				
Add code	M9686/3 Malignant lymphoma, small cell, noncleaved, diffuse (C83.0, <u>C83.6</u>)	WHO Corrigenda			January 1995
Revise code	M9870/3 Basophilic leukaemia (<u>C92.-</u>)	WHO Corrigenda			January 1995
Revise code	M9880/3 Eosinophilic leukaemia (<u>C92.-</u>)	WHO			January 1995

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

		Corrigenda			
--	--	------------	--	--	--

Special tabulation lists for mortality and morbidity

Instruction	Tabulation list entries	Source	Date approved	Major/Minor update	Implementation date
Revise spelling and code range	<i>Mortality tabulation list 1</i> General mortality Condensed list 1-043 Non-Hodgkin's lymphoma C82 <u>C83-C85</u>	Germany 1230	2008	Major	January 2010
Revise range	1-066 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995
Revise range	1-073 Influenza I10 <u>J09-J11</u>	URC 0349	October 2005	Major	October 2005
Revise range	2-052 Hypertensive diseases <u>I10-I13</u>	WHO Corrigenda			January 1995
Revise range	2-058 Influenza I10 <u>J09-J11</u>	URC 0349	October 2005	Major	October 2005
Revise category	Tabulation list for morbidity 163 Haemorrhoids I84 <u>K64</u>	Sweden 1731	October 2010	Major	January 2013
Revise range	<i>Tabulation list for morbidity</i> 168 Influenza I10 <u>J09-J11</u>	URC 0349	October 2005	Major	October 2005
Add codes	Special tabulation lists for mortality and morbidity Mortality tabulation list 1 General mortality Condensed list 1-073 Influenza <u>J09-J10-J11</u> <u>1-901 SARS U04</u> Mortality tabulation list 2 General mortality Selected list 2-058 Influenza <u>J09</u> I10 <u>J11</u> <u>2-901 SARS U04</u> Mortality tabulation list 3 Infant and child mortality Condensed list <u>3-901 SARS U04</u>	Japan 1045	October 2006	Minor	January 2008

Includes proposals ratified by WHO-FIC Network at the annual meeting in Brasilia, October 2012

	Mortality tabulation list infant and child mortality Selected list <u>4-901 SARS U04</u> Tabulation list for morbidity 168 Influenza <u>J09 J10-J11</u> <u>901 SARS U04</u>				
Add code	Tabulation list for morbidity (298 causes) <i>Note:</i> These lists were adopted by the World Health Assembly in 1990 for the tabulation of data. They are described, and their use is explained, in Volume 2, the Instruction Manual. Tabulation list for morbidity 129 Other diseases of the nervous system G10–G13 <u>G14</u> , G21–G26, G31–G32, G36–G37, G46–G47, G60–G73, G90–G99	Brazil 1116	October 2008	Major	January 2010

Definitions

Instruction	Tabulation list entries	Source	Date approved	Major/Minor update	Implementation date
Revise text:	4. Definitions related to maternal mortality <i>4.3. Pregnancy related death Death occurring during pregnancy, childbirth and puerperium</i> <u>A pregnancy related death occurring during pregnancy, childbirth and puerperium</u> is the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the cause of death (obstetric and non obstetric).	MRG 1242	October 2007	Minor	January 2009