



Influenza A(H5) vaccines for preparedness and response

Presentation to the WHO R&D Blueprint, Preparing for containment and mitigation of pandemic H5N1 influenza: Uses of Statistical and Mathematical Modeling

14 November 2024

Christine M. Oshansky, Ph.D.

Influenza and Emerging Infectious Diseases Division (IEIDD)

Biomedical Advanced Research and Development Authority (BARDA)

Administration for Strategic Preparedness and Response (ASPR)

U.S. Department of Health and Human Services (HHS)

Unclassified

ASPR's mission:
Assist the country in
preparing for,
responding to,
and **recovering**
from public health
emergencies and
disasters.



The BARDA Model

BARDA develops and makes available medical countermeasures (MCMs) by forming unique public-private partnerships to drive innovation off the bench to the patient to save lives.



Flexible, nimble authorities

Multi-year funding


Cutting edge expertise

Facilitate partnerships

Promote innovation

Pandemic Preparedness Policy


The U.S. government has established several pandemic preparedness goals under plans, such as:



These goals include:

- » Delivery of first finished doses of pandemic vaccine within 3 months of a pandemic declaration;
- » Having a sufficient supply to meet public demand within 4 months of a pandemic declaration; and
- » Manufacture, fill, finish, release, and deliver enough vaccine for the entire U.S. population within 6 months of a Public Health Emergency (PHE) declaration

To enable rapid response and meet these goals, BARDA continuously maintains influenza virus vaccine seed lots and small quantities of antigen and adjuvant, manufactures clinical trial vaccine lots, and conducts clinical trials to understand the immune response



Goal 1: Preparedness

Rapidly develop safe, effective medical countermeasures accessible to all Americans

Goal 2: Response

Maintain a sustainable, mission-ready response posture

Goal 3: Partnerships




Leverage mechanisms to foster flexible partnerships

Current Pandemic Influenza Virus Vaccine Response Plan*


- **CSL Seqirus:** cell-based influenza virus vaccine antigen + MF59 adjuvant
 - AUDENZ is approved for use in persons 6 months of age and older
 - Co-formulated antigen and MF59 adjuvant in pre-filled syringes or multidose vials
- **Sanofi, GSK:** Sanofi egg-based influenza virus vaccine antigen + GSK AS03 adjuvant
 - Sanofi is the largest supplier of influenza virus vaccine antigen in the U.S.
 - Sanofi influenza A(H5) virus vaccine (antigen only) is indicated for use in persons 18 to 64 years of age
 - Will require clinical data to support an emergency use authorization (EUA)
 - Will require a bedside mix of antigen and adjuvant
- **GSK:** GSK egg-based antigen is not a major part of the response plan in the U.S.
 - Influenza A (H5N1) Virus Monovalent Vaccine, Adjuvanted is approved for use in persons 6 months of age and older
 - Antigen is manufactured outside the U.S., with pandemic commitments to other markets; however, the U.S. has procured some antigen final containers and bulk antigen
- mRNA-based vaccines are not a part of the current preparedness activities; however, BARDA is planning for potential future responses.
 - Nucleic acid-based seasonal influenza virus vaccines are not licensed yet in the U.S.
 - If the vaccines become licensed in the U.S., pandemic influenza vaccine response plans will be re-assessed

*subject to funding availability

Making Decisions about Pre-Pandemic Influenza Vaccines



Influenza A(H5) Virus Clade 2.3.4.4b Preparedness in the U.S.



Pandemic Readiness: Influenza A(H5) Virus Vaccine Clinical Trials, i.

Sponsor: GSK

Protocol Title: A Phase I/II Observer-blind, Randomized, Multi-center Trial to Evaluate the Safety and Immunogenicity of Different Formulations of Monovalent Influenza A/Astrakhan/3212/2020 Like (H5N8) Virus Vaccine With AS03 Adjuvant System (Referred to as Q-Pan H5N8), Given as a Two-dose Series to Adults 18 to 64 Years of Age and 65 Years of Age and Older

Status: Enrollment complete

Study Group (2 doses 21 days apart)	18–64 years*	>65 years*
3.75mcg HA + AS03 _(half dose)	65	65
3.75mcg HA + AS03 _(full dose)	65	65
7.5mcg HA + AS03 _(half dose)	65	65
7.5mcg HA + AS03 _(full dose)	65	65

**Number of Participants*

Outcomes

- Safety: safety and reactogenicity of different formulations adjuvanted with full or half dose of AS03
- Immunogenicity: hemagglutination inhibition (HAI) antibody responses and microneutralization (MN) antibody responses against influenza A/Astrakhan/3212/2020 (H5N8)-like virus at days 1, 22, 43, 6 months following last dose

NCT05975840

Pandemic Readiness: Influenza A(H5) Virus Vaccine Clinical Trials, ii.

Sponsor: CSL Seqirus

Protocol Title: A Phase 2, Multi-Center, Randomized, Observer-Blind Study, to Evaluate Safety and Immunogenicity of Homologous or Heterologous Priming and Booster Vaccinations With H5N8 or H5N6 MF59-adjuvanted, Cell Culture-derived Influenza Vaccine in Healthy Subjects ≥18 Years of Age

Status: Enrollment complete

Study Group	Dose 1 (Day 1)	Dose 2 (Day 22)	Dose 3 (6 months)	18–64 years*	>65 years*
1	aH5N8c	aH5N8c	aH5N8c	120	120
2	aH5N8c	aH5N6c	aH5N8c	60	60
3	aH5N6c	aH5N8c	aH5N8c	60	60

**Number of Participants*

Outcomes

- Safety: safety and reactogenicity of different homologous and heterologous prime boosting regimens adjuvanted with MF59
- Immunogenicity: hemagglutination inhibition (HAI) antibody responses and microneutralization (MN) antibody responses against influenza A/Astrakhan/3212/2020 (H5N8)-like virus and influenza A/Guangdong/18SF020/2018 (H5N6)-like virus at Days 1, 22, 43, 6 months, and days 1 and 21 post dose #3

NCT05874713

Pandemic Readiness: Influenza A(H5) Virus Vaccine Clinical Trials, iii.

Sponsor: Biomedical Advanced Research and Development Authority (BARDA)

Protocol Title: Randomized, Double-Blind, Phase 2 Study to Assess Safety and Immunogenicity of A/H5 Inactivated Monovalent Influenza Vaccines at Different Antigen Dose Levels Adjuvanted with AS03® or MF59®

Status: Recruiting

Sanofi Egg-based Antigen	Adjuvant	Antigen Dose	18–64 years*	≥65 years*
A/Astrakhan/3212/2020 (H5N8)	AS03 Full Dose	3.75 µg	60	0
		7.5 µg	60	60
		15 µg	60	60
A/Astrakhan/3212/2020 (H5N8)	AS03 Half Dose	3.75 µg	60	0
		7.5 µg	60	60
		15 µg	60	60
A/Astrakhan/3212/2020 (H5N8)	MF59	3.75 µg	60	0
		7.5 µg	60	60
		15 µg	60	60
A/bar-headed goose/Qinghai/1A/2005 (H5N1)	AS03 Full Dose	3.75 µg	60	0
		7.5 µg	60	60
		15 µg	0	60
A/bar-headed goose/Qinghai/1A/2005 (H5N1)	MF59	3.75 µg	60	0
		7.5 µg	60	60
		15 µg	0	60

NCT06560151

*Number of Participants

Outcomes

- Safety:** safety and reactogenicity following each vaccination of different antigens and antigen doses of vaccine given with AS03 full dose, AS03 half dose, or MF59 adjuvant
- Immunogenicity:** hemagglutination inhibition (HAI) antibody responses and microneutralization (MN) antibody responses against influenza A/Astrakhan/3212/2020 (H5N8)-like virus and influenza A/bar-headed goose/Qinghai/1A/2005 (H5N1)-like virus at days 1, 22, 43, 6 months following last dose



*Thank
You!!*

Christine M. Oshansky, Ph.D.
Influenza and Emerging Infectious Diseases Division (IEIDD)
Biomedical Advanced Research and Development Authority (BARDA)
Administration for Strategic Preparedness and Response (ASPR)
U.S. Department of Health and Human Services (HHS)

<https://medicalcountermeasures.gov/barda/influenza-and-emerging-infectious-diseases/>



ASPR Website:

Check out ASPR's programs, news, and announcements



BARDA Website:

Learn about BARDA's programs, our annual industry day, and funding opportunities!




Solicitations:

See official announcements and info for government contract solicitations



DRIVE Website:


Learn about DRIVE, including open EZ-BAA solicitations



FOLLOW US!



X/Twitter:



LinkedIn:



Instagram:



Threads:

