

July 2, 2024; page 1

WHO and UNICEF estimates of national immunization coverage - next revision available July $15,\,2025$

BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

- *Burton et al. 2009. Bull World Health Organ.
- *Burton et al. 2012. PLoS One.
- *Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES.

- ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.
- OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.
- SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS


- BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.
- DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.
- Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.
- IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age. For countries utilizing IPV containing vaccine only, i.e., no recommended dose of OPV, WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

- **IPV2:** percentage of surviving infants who received a 2nd dose of inactivated polio vaccine. IPV2 coverage estimates produced for OPV using countries.
- MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.
- MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.
- RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Co verage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.
- HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.
- **HepB3:** percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.
- **Hib3:** percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.
- **RotaC:** percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.
- PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.
- YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.
- MengA: percentage of children who received one dose of meningococcal A conjugate vaccine. MengA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.






	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	87	86	92	94	88	91	90	91	87	48	79	80
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	87	86	92	94	88	91	90	91	87	48	79	80
Administrative	87	86	92	94	88	91	90	91	87	48	79	80
Survey	NA	NA	88	NA								

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 88 percent based on 1 survey(s). Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate informed by reported data. Estimate challenged by: D-
- 2012: Estimate informed by reported data. Estimate challenged by: $\operatorname{D-}$

Myanmar - HepBB



2018

2020

2022

	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	NA	NA	1	7	17	21	6	8	17
Estimate GoC	NA	NA	NA	NA	NA	••	••	••	••	••	••	••
Official	NA	NA	NA	NA	NA	1	7	17	21	6	8	17
Administrative	NA	NA	NA	NA	NA	1	7	17	21	6	8	17
Survey	NA											

2016

2014

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Estimate based on reported data during period of introduction. GoC=R+D+
- 2017: Estimate informed by reported data. HepBB introduced in 2017 and country reports stockout of unspecified period. GoC=R+D+

2012

Myanmar - DTP1





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	89	90	92	94	94	94	95	93	87	45	81	80
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	89	90	92	94	94	94	95	93	87	45	81	80
Administrative	89	90	92	94	94	94	95	93	87	45	81	80
Survey	NA	NA	87	NA								


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Programme reports one month DTP containing vaccine stockout at national and subnational levels. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Programme reports 0.75 month vaccine stockout at national level. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 87 percent based on 1 survey(s). Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate informed by reported data. Estimate challenged by: D-
- 2012: Estimate informed by reported data. Estimate challenged by: D-





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	84	75	88	89	90	89	91	90	84	37	71	76
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	84	75	88	89	90	89	91	90	84	37	71	76
Administrative	85	75	88	89	90	89	91	90	84	37	71	76
Survey	NA	NA	62	NA								


- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Programme reports one month DTP containing vaccine stockout at national and subnational levels. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Programme reports 0.75 month vaccine stockout at national level. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 79 percent based on 1 survey(s). Myanmar Demographic and Health Survey 2015-2016 card or history results of 62 percent modifed for recall bias to 79 percent based on 1st dose card or history coverage of 87 percent, 1st dose card only coverage of 45 percent and 3rd dose card only coverage of 41 percent. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate informed by reported administrative data. Estimates based on administrative coverage. Estimate challenged by: D-
- 2012: Estimate informed by reported data. Estimate challenged by: D-

Myanmar - HepB3





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	58	75	88	89	90	89	91	90	84	37	71	76
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	NA	72	88	89	90	NA	91	90	84	37	71	76
Administrative	NA	75	88	89	90	89	91	90	84	37	71	76
Survey	NA	NA	62	NA								

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Programme reports 0.75 month vaccine stockout at national level. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2017: Estimate informed by reported administrative data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2016: Estimate informed by reported data. Programme reports a national level vaccine stockout of unspecified duration. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 79 percent based on 1 survey(s). Myanmar Demographic and Health Survey 2015-2016 card or history results of 62 percent modifed for recall bias to 79 percent based on 1st dose card or history coverage of 87 percent, 1st dose card only coverage of 45 percent and 3rd dose card only coverage of 41 percent. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate of 75 percent assigned by working group. Estimate is based on coverage for third dose of DTP containing vaccine. Vaccine presentation changed from monovalent HepB to DTP-HepB-Hib combination vaccine in November 2012. Stockout from HepB containing vaccines was reported at national level. Estimate challenged by: D-R-
- 2012: Reported data calibrated to 2006 and 2013 levels. Stockout in all 330 districts. Estimate

Myanmar - HepB3

challenged by: S-



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	75	88	89	90	89	91	90	84	37	71	76
Estimate GoC	NA	•	••	••	••	••	••	••	••	••	••	••
Official	NA	72	88	89	90	NA	91	90	84	37	71	76
Administrative	NA	72	92	89	90	89	91	90	84	37	71	76
Survey	NA	NA	62	NA								

2018

2020

2022

2016

2014

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Programme reports four months monovalent Hib vaccine stockout at national and subnational levels. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Programme reports 0.75 month vaccine stockout at national level. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2017: Estimate informed by reported administrative data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 79 percent based on 1 survey(s). Myanmar Demographic and Health Survey 2015-2016 card or history results of 62 percent modifed for recall bias to 79 percent based on 1st dose card or history coverage of 87 percent, 1st dose card only coverage of 45 percent and 3rd dose card only coverage of 41 percent. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate of 75 percent assigned by working group. Estimate is based on coverage for third dose of DTP containing vaccine. Hib vaccine introduced in November 2012. Reporting started in 2013. Estimate challenged by: D-R-

2012

Myanmar - RotaC





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	49	33	58	69							
Estimate GoC	NA	••	••	••	••							
Official	NA	49	33	58	69							
Administrative	NA	49	33	58	69							
Survey	NA											


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. Rotavirus vaccine introduced in February 2020. GoC=R+ D+

Myanmar - PcV3




	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	NA	14	89	91	90	86	40	57	78
Estimate GoC	NA	NA	NA	NA	••	••	••	••	••	••	••	••
Official	NA	NA	NA	NA	14	89	91	90	86	40	57	78
Administrative	NA	NA	NA	NA	14	89	91	90	86	40	57	78
Survey	NA											

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Programme reports four months PcV vaccine stockout at national and subnational levels. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. Pneumococcal conjugate vaccine introduced during 2016. Reporting began in 2016. GoC=R+D+




	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	87	76	88	89	89	89	91	90	86	43	75	80
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	87	76	88	89	89	89	91	90	86	43	75	80
Administrative	86	76	88	89	89	89	91	90	86	43	75	76
Survey	NA	NA	67	NA								

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. GoC=R+ D+
- 2017: Estimate informed by reported data. GoC=R+ D+
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data supported by survey. Survey evidence of 82 percent based on 1 survey(s). Myanmar Demographic and Health Survey 2015-2016 card or history results of 67 percent modifed for recall bias to 82 percent based on 1st dose card or history coverage of 90 percent, 1st dose card only coverage of 45 percent and 3rd dose card only coverage of 41 percent. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- $2013{:}$ Estimate informed by reported data. . Estimate challenged by: D-
- 2012: Estimate informed by reported data. Estimate challenged by: D-





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	8	72	12	82	90	86	46	71	78
Estimate GoC	NA	NA	NA	••	••	••	••	••	••	••	••	••
Official	NA	NA	NA	93	72	12	82	90	86	46	71	78
Administrative	NA	NA	NA	93	72	12	82	90	86	46	71	78
Survey	NA											

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Programme reports five months IPV vaccine stock-out at national and subnational levels. Reported data suggest partial recovery from prior year disruption to services. GoC=R+D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Programme appears to have recovered from prior year vaccine stockout. GoC=R+D+
- 2017: Estimate informed by reported data. Country reported stockout of unspecified period. GoC=R+D+
- 2016: Estimate informed by reported data. Programme reports a national level vaccine stock-out of unspecified duration. Estimate is based on reported data following introduction. GoC=R+D+
- 2015: Programme reports 93 percent coverage in 8 percent of the national target population. Estimate based on coverage achieved in total national annual birth cohort. Inactivated polio vaccine during December 2015. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.






	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	84	86	88	84	91	83	93	84	91	44	75	74
Estimate GoC	•	•	••	••	••	••	••	••	••	••	••	••
Official	84	86	88	84	91	83	93	84	91	44	75	74
Administrative	84	86	88	84	91	83	93	84	91	44	75	74
Survey	NA	NA	77	NA								

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+ D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+ D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Country reports a reduction measles-rubella vaccination in late 2017 during a Japanese Encephalitis (JE) vaccination campaign and conducting catch-up activities in early 2018. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2017: Estimate informed by reported data. Country reports a reduction measles-rubella vaccination in late 2017 during a Japanese Encephalitis (JE) vaccination campaign and conducting catch-up activities in early 2018. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate is based on the reported data consistent with other vaccines. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate informed by reported data. Estimate challenged by: D-
- 2012: Estimate informed by reported data. Estimate challenged by: D-






	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	84	91	83	93	84	91	44	75	74
Estimate GoC	NA	NA	NA	••	••	••	••	••	••	••	••	••
Official	NA											
Administrative	NA											
Survey	NA											

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

- For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.
- 2023: Estimate based on estimated MCV1. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate based on estimated MCV1. Reported data suggest partial recovery from prior year disruption to services. GoC=R+D+
- 2021: Estimate based on estimated MCV1. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+ D+
- 2020: Estimate based on estimated MCV1. GoC=R+D+
- 2019: Estimate based on estimated MCV1. GoC=R+ D+
- 2018: Estimate based on estimated MCV1. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2017: Estimate based on estimated MCV1. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2016: Estimate based on estimated MCV1. GoC=Assigned by working group. GoC revised for consistency with other vaccine doses.
- 2015: Estimate based on estimated MCV1. Rubella vaccine introduced during 2015. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.





	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	76	80	82	78	86	80	87	80	90	42	64	65
Estimate GoC	••	•	••	••	••	••	••	••	••	••	••	••
Official	NA	80	82	78	86	80	87	80	90	42	64	65
Administrative	76	80	82	78	86	80	87	80	90	42	64	65
Survey	NA											

- ••• Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- •• Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

- 2023: Estimate informed by reported data. No nationally representative household survey within the last 5 years. WHO and UNICEF are aware of an ongoing 2024 Demographic and Health Survey and await the final results. GoC=R+D+
- 2022: Estimate informed by reported data. Reported data suggest partial recovery from prior year disruption to services. GoC=R+D+
- 2021: Estimate informed by reported data. WHO and UNICEF are aware of a EPI coverage evaluation survey that started in 2020 but was interrupted due to Covid-19. Routine immunization performance was low for all antigens due to disruptions caused by Covid-19 and instability. GoC=R+D+
- 2020: Estimate informed by reported data. GoC=R+ D+
- 2019: Estimate informed by reported data. GoC=R+ D+
- 2018: Estimate informed by reported data. Country reports a reduction measles-rubella vaccination in late 2017 during a Japanese Encephalitis (JE) vaccination campaign and conducting catch-up activities in early 2018. GoC=R+ D+
- 2017: Estimate informed by reported data. Country reports a reduction measles-rubella vaccination in late 2017 during a Japanese Encephalitis (JE) vaccination campaign and conducting catch-up activities in early 2018. GoC=R+D+
- 2016: Estimate informed by reported data. GoC=R+ D+
- 2015: Estimate informed by reported data. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2014: Estimate informed by reported data. Reported coverage levels for 2014 computed using target population data from preliminary 2014 census results. GoC=Assigned by working group. In spite of what appear to be inconsistent reported number of children vaccinated and target population suggesting problems with the recording and monitoring system and/or incomplete reporting, the results of the 2015-16 Demographic and Health Survey support reported coverage levels. However, there is concern that less than half of the survey results are derived from documented evidence.
- 2013: Estimate informed by reported data. Estimate challenged by: D-
- 2012: Estimate informed by reported administrative data. GoC=R+

NOTE: A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated 1 or 2 years prior to the survey field work.

2014 Myanmar Demographic and Health Survey 2015-2016

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	44.8	12-23 m	383	45
BCG	Card <12 months	86.6	12-23 m	852	45
BCG	Card or History	87.8	12-23 m	852	45
DTP1	Card	44.8	$12\text{-}23~\mathrm{m}$	383	45
DTP1	Card < 12 months	85.5	$12\text{-}23~\mathrm{m}$	852	45
DTP1	Card or History	86.9	$12\text{-}23 \mathrm{\ m}$	852	45
DTP3			$12\text{-}23~\mathrm{m}$	383	45
DTP3	Card <12 months	60.2	12-23 m	852	45
DTP3	Card or History	62.3	$12\text{-}23 \mathrm{\ m}$	852	45
HepB1	Card	44.8	$12\text{-}23~\mathrm{m}$	383	45
HepB1	Card < 12 months	85.5	$12\text{-}23~\mathrm{m}$	852	45
HepB1	Card or History	86.9	$12\text{-}23 \mathrm{\ m}$	852	45
HepB3	Card	40.6	$12\text{-}23~\mathrm{m}$	383	45
HepB3	Card < 12 months	60.2	$12\text{-}23~\mathrm{m}$	852	45
HepB3	Card or History	62.3	$12\text{-}23~\mathrm{m}$	852	45
Hib1	Card	44.8	$12\text{-}23~\mathrm{m}$	383	45
Hib1	Card < 12 months	85.5	$12\text{-}23~\mathrm{m}$	852	45
Hib1	Card or History	86.9	$12\text{-}23~\mathrm{m}$	852	45
Hib3	Card	40.6	$12\text{-}23~\mathrm{m}$	383	45
Hib3	Card < 12 months	60.2	$12\text{-}23~\mathrm{m}$	852	45
Hib3	Card or History	62.3	$12\text{-}23~\mathrm{m}$	852	45
MCV1	Card	38.7	$12\text{-}23~\mathrm{m}$	383	45
MCV1	Card < 12 months	61.2	$12\text{-}23~\mathrm{m}$	852	45
MCV1	Card or History	77.1	$12\text{-}23~\mathrm{m}$	852	45

Pol1	Card	44.8	$12\text{-}23~\mathrm{m}$	383	45
Pol1	Card < 12 months	88.8	12-23 m	852	45
Pol1	Card or History	90.3	12-23 m	852	45
Pol3	Card	40.9	12-23 m	383	45
Pol3	Card < 12 months	64.9	12-23 m	852	45
Pol3	Card or History	67	12-23 m	852	45

2013 Myanmar Demographic and Health Survey 2015-2016

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card < 12 months	87.6	$24\text{-}35~\mathrm{m}$	782	-
DTP1	Card < 12 months	86.2	$24\text{-}35~\mathrm{m}$	782	-
DTP3	Card < 12 months	64.5	$24\text{-}35~\mathrm{m}$	782	-
HepB1	Card < 12 months	86.2	$24-35~\mathrm{m}$	782	-
HepB3	Card < 12 months	64.5	$24\text{-}35~\mathrm{m}$	782	-
Hib1	Card < 12 months	86.2	$24\text{-}35~\mathrm{m}$	782	-
Hib3	Card < 12 months	64.5	$24\text{-}35~\mathrm{m}$	782	-
MCV1	Card < 12 months	74.3	$24\text{-}35~\mathrm{m}$	782	-
Pol1	Card < 12 months	89.5	$24-35~\mathrm{m}$	782	-
Pol3	Card < 12 months	68.5	$24\text{-}35~\mathrm{m}$	782	-

2008 Myanmar Multiple Indicator Cluster Survey 2009 - 2010

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	C or H $<$ 12 months	97.2	12-23 m	3207	96
BCG	Card	95.9	$12\text{-}23 \mathrm{\ m}$	3207	96
BCG	Card or History	98.3	$12\text{-}23 \mathrm{\ m}$	3207	96
BCG	History	2.4	$12\text{-}23 \mathrm{\ m}$	3207	96
DTP1	C or H $<$ 12 months	96.9	$12\text{-}23 \mathrm{\ m}$	3207	96
DTP1	Card	96	$12\text{-}23~\mathrm{m}$	3207	96
DTP1	Card or History	98.3	$12\text{-}23~\mathrm{m}$	3207	96
DTP1	History	2.3	$12\text{-}23~\mathrm{m}$	3207	96
DTP3	C or H $<$ 12 months	95.9	$12\text{-}23~\mathrm{m}$	3207	96
DTP3	Card	95.5	$12\text{-}23~\mathrm{m}$	3207	96
DTP3	Card or History	97.8	$12\text{-}23 \mathrm{\ m}$	3207	96
DTP3	History	2.4	$12\text{-}23 \mathrm{\ m}$	3207	96
HepB1	C or H < 12 months	96.9	12-23 m	3207	96

UanD1	Card	96	12-23 m	3207	96
HepB1			_		
HepB1	Card or History	98.3	12-23 m	3207	96
HepB1	History	2.3	$12\text{-}23~\mathrm{m}$	3207	96
HepB3	C or H $<$ 12 months	95.9	$12\text{-}23~\mathrm{m}$	3207	96
HepB3	Card	95.5	$12\text{-}23~\mathrm{m}$	3207	96
HepB3	Card or History	97.7	$12\text{-}23~\mathrm{m}$	3207	96
HepB3	History	2.2	$12\text{-}23~\mathrm{m}$	3207	96
MCV1	C or H $<$ 12 months	90.7	$12\text{-}23~\mathrm{m}$	3207	96
MCV1	Card	93.2	$12\text{-}23~\mathrm{m}$	3207	96
MCV1	Card or History	98	$12\text{-}23~\mathrm{m}$	3207	96
MCV1	History	4.7	$12\text{-}23~\mathrm{m}$	3207	96
Pol1	C or H $<$ 12 months	97.5	$12\text{-}23~\mathrm{m}$	3207	96
Pol1	Card	96.1	$12\text{-}23~\mathrm{m}$	3207	96
Pol1	Card or History	98.7	$12\text{-}23~\mathrm{m}$	3207	96
Pol1	History	2.6	$12\text{-}23~\mathrm{m}$	3207	96
Pol3	C or H $<$ 12 months	95.9	$12\text{-}23~\mathrm{m}$	3207	96
Pol3	Card	95.2	$12\text{-}23~\mathrm{m}$	3207	96
Pol3	Card or History	97.7	$12\text{-}23~\mathrm{m}$	3207	96
Pol3	History	2.4	$12\text{-}23~\mathrm{m}$	3207	96

2006 Myanmar 2007 Fertility and Reproductive Health Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	83.6	$12\text{-}23 \mathrm{\ m}$	767	26
DTP3	Card or History	81.9	$12\text{-}23 \mathrm{\ m}$	767	26
HepB3	Card or History	73	$12\text{-}23 \mathrm{\ m}$	767	26
MCV1	Card or History	83.6	$12\text{-}23 \mathrm{\ m}$	767	26
Pol3	Card or History	86.6	$12\text{-}23 \mathrm{\ m}$	767	26

$2005~{\rm Myanmar}$ 2007 Fertility and Reproductive Health Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	84.2	$24\text{-}35~\mathrm{m}$	905	-
DTP3	Card or History	81.2	$24\text{-}35~\mathrm{m}$	905	-
HepB3	Card or History	72.4	$24\text{-}35~\mathrm{m}$	905	-
MCV1	Card or History	84.4	$24\text{-}35~\mathrm{m}$	905	-
Pol3	Card or History	86	$24\text{-}35~\mathrm{m}$	905	-

2004 Myanmar 2007 Fertility and Reproductive Health Survey

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	82.9	$36\text{-}47~\mathrm{m}$	940	-
DTP3	Card or History	79.6	$36\text{-}47~\mathrm{m}$	940	-
HepB3	Card or History	68.7	$36\text{-}47~\mathrm{m}$	940	-
MCV1	Card or History	82.6	$36\text{-}47~\mathrm{m}$	940	-
Pol3	Card or History	86	$36\text{-}47~\mathrm{m}$	940	-

2003 Myanmar 2007 Fertility and Reproductive Health Survey

Vaccine	$Confirmation\ method$	Coverage	Age cohort	Sample	Cards seen
BCG	Card or History	83.1	$48\text{-}59~\mathrm{m}$	984	-
DTP3	Card or History	80.6	$48\text{-}59~\mathrm{m}$	984	-
HepB3	Card or History	71.1	$48\text{-}59~\mathrm{m}$	984	-
MCV1	Card or History	82.9	$48\text{-}59~\mathrm{m}$	984	-
Pol3	Card or History	83	$48\text{-}59~\mathrm{m}$	984	-

2002 Myanmar Multiple Indicator Cluster Survey (2003)

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
BCG	Card	40.1	$12\text{-}23 \mathrm{\ m}$	2480	52
BCG	Card < 12 months	98.1	$12\text{-}23 \mathrm{\ m}$	2480	52
BCG	Card or history	92.7	$12\text{-}23 \mathrm{\ m}$	2480	52
BCG	History	52.6	$12\text{-}23~\mathrm{m}$	2480	52
DTP1	Card	40.1	$12\text{-}23~\mathrm{m}$	2480	52
DTP1	Card < 12 months	98.5	$12\text{-}23~\mathrm{m}$	2480	52
DTP1	Card or history	91.4	$12\text{-}23~\mathrm{m}$	2480	52
DTP1	History	51.3	$12\text{-}23 \mathrm{\ m}$	2480	52
DTP3	Card	38.3	$12\text{-}23~\mathrm{m}$	2480	52
DTP3	Card < 12 months	97.1	$12\text{-}23~\mathrm{m}$	2480	52
DTP3	Card or history	83	$12\text{-}23~\mathrm{m}$	2480	52
DTP3	History	44.7	$12\text{-}23~\mathrm{m}$	2480	52
MCV1	Card	37	$12\text{-}23~\mathrm{m}$	2480	52
MCV1	Card < 12 months	94.2	$12\text{-}23~\mathrm{m}$	2480	52
MCV1	Card or history	83.1	$12\text{-}23~\mathrm{m}$	2480	52

MCV1 Pol1 Pol1 Pol1 Pol3 Pol3 Pol3 Pol3	History Card Card <12 months Card or history History Card Card <12 months Card or history History History	46.1 40 98.5 94.3 54.3 38.1 97.2 89.9 51.8	12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m	2480 2480 2480 2480 2480 2480 2480 2480	52 52 52 52 52 52 52 52 52 52 52	BCG DTP1 DTP1 DTP3 DTP3 DTP3 MCV1 MCV1 MCV1 Pol1	History Card Card or History History Card	42 51.3 92.4 41.1 47.3 82.9 35.6 47 87.2 40.2 51.1	12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m 12-23 m	2831 2831 2831 2831 2831 2831 2831 2831	52 52 52 52 52 52 52 52 52 52 52 52 52
1999 My	yanmar Multiple In	dicator (Cluster Sur	rvey 200	00	Pol1 Pol1	Card or History History	96.4 45.3	12-23 m 12-23 m	2831 2831	52 52
Vaccine BCG BCG	Confirmation method Card Card or History	Coverage 51.4 93.4	Age cohort 12-23 m 12-23 m	Sample 2831 2831	Cards seen 52 52	Pol3 Pol3 Pol3	Card Card or History History	46.8 89.7 42.9	12-23 m 12-23 m 12-23 m 12-23 m	2831 2831 2831 2831	52 52 52 52

Further information and estimates for previous years are available at:

https://data.unicef.org/topic/child-health/immunization/

https://immunizationdata.who.int/listing.html