

BACKGROUND NOTE: Each year WHO and UNICEF jointly review reports submitted by Member States regarding national immunization coverage, finalized survey reports as well as data from published and grey literature. Based on these data, with due consideration to potential biases and the views of local experts, WHO and UNICEF attempt to distinguish between situations where available empirical data accurately reflect immunization system performance and those where the data are likely compromised and present a misleading view of coverage.

WHO and UNICEF estimates are country-specific; that is to say, each country's data are reviewed individually, and data are not borrowed from other countries in the absence of data. Estimates are not based on ad hoc adjustments to reported data; in some instances empirical data are available from a single source, usually the nationally reported coverage data. In cases where no data are available for a given country/vaccine/year combination, data are considered from earlier and later years and interpolated to estimate coverage for the missing year(s). In cases where data sources are mixed and show large variation, an attempt is made to identify the most likely estimate with consideration of the possible biases in available data. For methods see:

*Burton et al. 2009. Bull World Health Organ.

*Burton et al. 2012. PLoS One.

*Danovaro-Holliday et al. 2021. Gates Open Res.

DATA SOURCES.

ADMINISTRATIVE coverage: Reported by national authorities and based on aggregated administrative reports from health service providers on the number of vaccinations administered during a given period (numerator data) and reported target population data (denominator data). May be biased by inaccurate numerator and/or denominator data.

OFFICIAL coverage: Estimated coverage reported by national authorities that reflects their assessment of the most likely coverage based on any combination of administrative coverage, survey-based estimates or other data sources or adjustments. Approaches to determine OFFICIAL coverage may differ across countries.

SURVEY coverage: Based on estimated coverage from population-based household surveys among children aged 12-23 or 24-35 months following a review of survey methods and results. Information is based on the combination of vaccination history from documented evidence or caregiver recall. Survey results are considered for the appropriate birth cohort based on data collection period.

ABBREVIATIONS

BCG: percentage of births who received one dose of Bacillus Calmette Guerin vaccine.

DTP1 / DTP3: percentage of surviving infants who received the 1st / 3rd dose, respectively, of diphtheria and tetanus toxoid with pertussis containing vaccine.

Pol3: percentage of surviving infants who received the 3rd dose of polio containing vaccine. May be either oral or inactivated polio vaccine.

IPV1: percentage of surviving infants who received at least one dose of inactivated polio vaccine. In countries utilizing an immunization schedule recommending either (i) a primary series of three doses of oral polio vaccine (OPV) plus at least one dose of IPV where OPV is included in routine immunization and/or campaign or (ii) a sequential schedule of IPV followed by OPV, WHO and UNICEF estimates for IPV1 reflect coverage with at least one routine dose of IPV among infants <1 year of age. For countries utilizing IPV containing vaccine only, i.e., no recommended dose of OPV, WHO and UNICEF estimate for IPV1 corresponds to coverage for the 1st dose of IPV.

Production of IPV coverage estimates, which begins in 2015, results in no change of the estimated coverage levels for the 3rd dose of polio (Pol3). For countries recommending routine immunization with a primary series of three doses of IPV alone, WHO and UNICEF estimated Pol3 coverage is equivalent to estimated coverage with three doses of IPV. For countries with a sequential schedule, estimated Pol3 coverage is based on that for the 3rd dose of polio vaccine regardless of vaccine type.

IPV2: percentage of surviving infants who received a 2nd dose of inactivated polio vaccine. IPV2 coverage estimates produced for OPV using countries.

MCV1: percentage of surviving infants who received the 1st dose of measles containing vaccine. In countries where the national schedule recommends the 1st dose of MCV at 12 months or later based on the epidemiology of disease in the country, coverage estimates reflect the percentage of children who received the 1st dose of MCV as recommended.

MCV2: percentage of children who received the 2nd dose of measles containing vaccine according to the nationally recommended schedule.

RCV1: percentage of surviving infants who received the 1st dose of rubella containing vaccine. Coverage estimates are based on WHO and UNICEF estimates of coverage for the dose of measles containing vaccine that corresponds to the first measles-rubella combination vaccine. Nationally reported coverage of RCV is not taken into consideration nor are the data represented in the accompanying graph and data table.

HepBB: percentage of births which received a dose of hepatitis B vaccine within 24 hours of delivery. Estimates of hepatitis B birth dose coverage are produced only for countries with a universal birth dose policy. Estimates are not produced for countries that recommend a birth dose to infants born to HepB virus-infected mothers only or where there is insufficient information to determine whether vaccination is within 24 hours of birth.

HepB3: percentage of surviving infants who received the 3rd dose of hepatitis B containing vaccine following the birth dose.

Hib3: percentage of surviving infants who received the 3rd dose of Haemophilus influenzae type b containing vaccine.

RotaC: percentage of surviving infants who received the final recommended dose of rotavirus vaccine, which can be either the 2nd or the 3rd dose depending on the vaccine.

PcV3: percentage of surviving infants who received the 3rd dose of pneumococcal conjugate vaccine. In countries where the national schedule recommends two doses during infancy and a booster dose at 12 months or later based on the epidemiology of disease in the country, coverage estimates may reflect the percentage of surviving infants who received two doses of PcV prior to the 1st birthday.


YFV: percentage of surviving infants who received one dose of yellow fever vaccine in countries where YFV is part of the national immunization schedule for children or is recommended in at risk areas; coverage estimates are annualized for the entire cohort of surviving infants.

MengA: percentage of children who received one dose of meningococcal A conjugate vaccine. MengA coverage estimates produced for countries in the meningitis belt of sub-Saharan Africa.

Disclaimer: All reasonable precautions have been taken by the World Health Organization and United Nations Children's Fund to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization or United Nations Children's Fund be liable for damages arising from its use.

Trinidad and Tobago - DTP1

TTO - DTP1



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	97	94	93	98	97	96	99	97	98	95	97	99
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●
Official	87	94	93	91	97	87	100	91	92	95	92	99
Administrative	92	94	93	91	97	87	100	91	92	95	92	99
Survey	NA	NA	NA	NA	NA	NA	NA	NA	64.6	71.2	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: DTP1 coverage estimated based on DTP3 coverage of 93. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: DTP1 coverage estimated based on DTP3 coverage of 96. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: DTP1 coverage estimated based on DTP3 coverage of 93. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: DTP1 coverage estimated based on DTP3 coverage of 89. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: DTP1 coverage estimated based on DTP3 coverage of 96. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: DTP1 coverage estimated based on DTP3 coverage of 92. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - DTP3

TTO - DTP3



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	92	92	92	96	97	89	99	93	96	94	93	96
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	92	92	92	96	97	89	100	93	96	94	93	96
Administrative	92	92	92	96	97	89	100	93	96	94	93	96
Survey	NA	NA	NA	NA	NA	NA	NA	NA	64.6	71.1	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:


- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 71 percent modified for recall bias to 71 percent based on 1st dose card or history coverage of 71 percent, 1st dose card only coverage of 71 percent and 3rd dose card only coverage of 71 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 65 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 65 percent and 3rd dose card only coverage of 65 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. . GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with

Trinidad and Tobago - DTP3

expressed concern around divergent information sources.

Trinidad and Tobago - HepB3

TTO - HepB3



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	92	92	92	90	97	89	99	93	96	94	93	96
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	92	92	92	90	97	89	100	93	96	94	93	96
Administrative	92	92	92	90	97	89	100	93	96	94	93	96
Survey	NA	NA	NA	NA	NA	NA	NA	NA	64.6	71.1	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:


- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 71 percent modified for recall bias to 71 percent based on 1st dose card or history coverage of 71 percent, 1st dose card only coverage of 71 percent and 3rd dose card only coverage of 71 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 65 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 65 percent and 3rd dose card only coverage of 65 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. . GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with

Trinidad and Tobago - HepB3

expressed concern around divergent information sources.

Trinidad and Tobago - Hib3

TTO - Hib3



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	92	92	92	90	97	89	99	93	96	94	93	96
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	92	92	92	90	97	89	100	93	96	94	93	96
Administrative	92	92	92	90	97	89	100	93	96	94	93	96
Survey	NA	NA	NA	NA	NA	NA	NA	NA	64.6	71.1	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 71 percent modified for recall bias to 71 percent based on 1st dose card or history coverage of 71 percent, 1st dose card only coverage of 71 percent and 3rd dose card only coverage of 71 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 65 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 65 percent and 3rd dose card only coverage of 65 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. . GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with

Trinidad and Tobago - Hib3

expressed concern around divergent information sources.

Trinidad and Tobago - RotaC



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Trinidad and Tobago - PcV3

TTO - PcV3



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	39	80	95	93	91	93	99	93	95	95	93	94
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	39	80	95	NA	91	93	100	93	95	95	93	94
Administrative	39	80	95	NA	91	93	100	93	95	95	93	94
Survey	NA	NA	NA	NA	NA	NA	NA	NA	61.3	71.4	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:


- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 71 percent modified for recall bias to 71 percent based on 1st dose card or history coverage of 73 percent, 1st dose card only coverage of 73 percent and 3rd dose card only coverage of 71 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023.Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 61 percent modified for recall bias to 62 percent based on 1st dose card or history coverage of 64 percent, 1st dose card only coverage of 64 percent and 3rd dose card only coverage of 61 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by interpolation between reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. Pneumococcal conjugate vaccine introduced in 2012.

Trinidad and Tobago - PcV3

GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - Pol3

TTO - Pol3



Description:

- 2023: Estimate based on extrapolation from data reported by national government. Reported data excluded due to sudden change in coverage from 926 level to 96 percent. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate based on extrapolation from data reported by national government. Reported data excluded because 926 percent greater than 100 percent. Reported data excluded due to an increase from 94 percent to 926 percent with decrease 96 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 66 percent modified for recall bias to 67 percent based on 1st dose card or history coverage of 72 percent, 1st dose card only coverage of 71 percent and 3rd dose card only coverage of 66 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 card or history results of 64 percent modified for recall bias to 65 percent based on 1st dose card or history coverage of 65 percent, 1st dose card only coverage of 65 percent and 3rd dose card only coverage of 64 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. Programme reports two months stockout. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. Programme reports two months stockout at national level. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	91	94	94	88	84	94	99	93	93	94	94	94
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	91	94	94	88	84	94	100	93	93	94	926	96
Administrative	91	92	99	88	84	94	100	93	93	94	926	96
Survey	NA	NA	NA	NA	NA	NA	NA	NA	64.4	66	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Trinidad and Tobago - Pol3

- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - IPV1

TTO - IPV1



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	6	96	90	99	92	92	96	97	99
Estimate GoC	NA	NA	NA	•	•	•	•	•	•	•	•	•
Official	NA	NA	NA	108	96	90	100	92	92	96	92	99
Administrative	NA	NA	NA	108	96	90	100	92	92	96	92	99
Survey	NA	NA	NA	NA	NA	NA	NA	NA	65.9	68.5	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

Estimates for a dose of inactivated polio vaccine (IPV) begin in 2015 following the Global Polio Eradication Initiative's Polio Eradication and Endgame Strategic Plan: 2013-2018 which recommended at least one full dose or two fractional doses of IPV into routine immunization schedules as a strategy to mitigate the potential consequences should any re-emergence of type 2 poliovirus occur following the planned withdrawal of Sabin type 2 strains from oral polio vaccine (OPV).

2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2022: Estimate informed by DTP1 coverage estimate as IPV1 is recommended at the same age. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.


2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2016: Estimate informed by reported data. Estimate is based on reported coverage following introduction. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2015: Inactivated polio vaccine. introduced in December 2015. Programme reports one-hundred percent coverage achieved in six percent of the national birth cohort. Estimate is based on complete annual birth cohort. Reported data excluded because 108 percent greater than 100 percent. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - IPV2

TTO - IPV2



Description:

Estimates for a second dose of inactivated polio vaccine (IPV) begin in 2021 following a Strategic Advisory Group of Experts on Immunization (SAGE) recommendation in October 2020 that a second IPV dose increases protection against all polioviruses, including protection against paralysis caused by vaccine derived polio virus (type 2) (VDPV2). The addition of IPV2 is the next step towards complete OPV withdrawal. IPV2 coverage estimates produced for OPV using countries.

2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2022: Estimate is based on relative relationship between estimated and reported coverage for IPV1 applied to reported coverage for IPV2. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

2021: Estimate informed by reported data. Second dose of inactivated polio vaccine introduced prior to 2021. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	NA	NA	NA	NA	NA	NA	NA	NA	NA	86	96	97
Estimate GoC	NA	NA	NA	NA	NA	NA	NA	NA	NA	●	●	●
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	86	91	97
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	86	91	97
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA


The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Trinidad and Tobago - MCV1

TTO - MCV1



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	85	91	96	89	86	93	90	99	91	93	92	90
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●
Official	85	91	96	89	86	93	90	99	91	93	92	90
Administrative	86	91	91	89	86	93	90	99	91	93	92	90
Survey	NA	NA	NA	NA	NA	NA	NA	NA	63.4	58.1	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.


In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. Programme reports three months stockout. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. Programme reports three months stockout at national level. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - RCV1

TTO - RCV1



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	85	91	96	89	86	93	90	99	91	93	92	90
Estimate GoC	●	●	●	●	●	●	●	●	●	●	●	●
Official	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Administrative	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Survey	NA	NA	NA	NA	NA	NA	NA	NA	63.4	58.1	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

For this revision, coverage estimates for the first dose of rubella containing vaccine are based on WHO and UNICEF estimates of coverage of measles containing vaccine. Nationally reported coverage of rubella containing vaccine is not taken into consideration nor are they represented in the the accompanying graph and data table.

- 2023: Estimate based on estimated MCV1. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate based on estimated MCV1. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate based on estimated MCV1. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate based on estimated MCV1. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - MCV2

TTO - MCV2



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	85	86	93	79	65	90	92	92	90	88	92	91
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	85	86	93	79	65	90	92	92	90	88	92	91
Administrative	NA	86	92	79	65	90	92	92	90	88	92	91
Survey	NA	NA	NA	NA	NA	NA	NA	NA	NA	53.5	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.


Description:

Coverage estimates for the second dose of measles containing vaccine are for children by the nationally recommended age.

- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. Programme reports three months stockout. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. Programme reports three months stockout at national level. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - YFV

TTO - YFV



	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
Estimate	85	89	96	91	85	95	88	98	89	91	93	90
Estimate GoC	•	•	•	•	•	•	•	•	•	•	•	•
Official	85	89	96	91	85	95	88	98	89	91	93	90
Administrative	87	89	95	91	85	95	88	98	89	91	93	90
Survey	NA	NA	NA	NA	NA	NA	NA	NA	61.4	NA	NA	NA

The WHO and UNICEF estimates of national immunization coverage (wuenic) are based on data and information that are of varying, and, in some instances, unknown quality. Beginning with the 2011 revision we describe the grade of confidence (GoC) we have in these estimates. As there is no underlying probability model upon which the estimates are based, we are unable to present classical measures of uncertainty, e.g., confidence intervals. Moreover, we have chosen not to make subjective estimates of plausibility/certainty ranges around the coverage. The GoC reflects the degree of empirical support upon which the estimates are based. It is not a judgment of the quality of data reported by national authorities.

- Estimate is supported by reported data [R+], coverage recalculated with an independent denominator from the World Population Prospects: 2022 revision from the UN Population Division (D+), and at least one supporting survey within 2 years [S+]. While well supported, the estimate still carries a risk of being wrong.
- Estimate is supported by at least one data source; [R+], [S+], or [D+]; and no data source, [R-], [D-], or [S-], challenges the estimate.
- There are no directly supporting data; or data from at least one source; [R-], [D-], [S-]; challenge the estimate.

In all cases these estimates should be used with caution and should be assessed in light of the objective for which they are being used.

Description:

- 2023: Estimate informed by reported data. WHO and UNICEF encourage a comprehensive review of programme coverage data in light of survey coverage results, which suggest meaningfully lower levels of access and utilization of immunization services compared to reported data. Recalculated coverage levels using the reported number of doses administered and an independent target population also suggest lower coverage levels. WHO and UNICEF look forward to supporting programme staff in such a data review to understand observed complex patterns. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2022: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2021: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2020: Estimate informed by reported data. Survey results ignored. Sample size 296 less than 300. Trinidad and Tobago Multiple Indicator Cluster Survey 2022 results ignored by working group. Results ignored pending comprehensive review of programme coverage data. See explanatory note in 2023. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2019: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2018: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2017: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2016: Estimate informed by reported data. Programme reports three months stockout. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2015: Estimate informed by reported data. Programme reports three months stockout at national level. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2014: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2013: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.
- 2012: Estimate informed by reported data. GoC=Assigned by working group. Consistent with expressed concern around divergent information sources.

Trinidad and Tobago - survey details

NOTE: A survey to measure vaccination coverage for infants (i.e., children aged 0-11 months) will sample children aged 12-23 months at the time of survey to capture the youngest annual cohort of children who should have completed the vaccination schedule. Because WUENIC are for infant vaccinations, survey data in this report are presented to reflect the birth year of the youngest survey cohort. For example, results for a survey conducted during December 2020 among children aged 12-23 months at the time of the survey reflect the immunization experience of children born in 2019. Depending on the timing of survey field work, results may reflect the immunization experience of children born and vaccinated 1 or 2 years prior to the survey field work.

2021 Trinidad and Tobago Multiple Indicator Cluster Survey 2022

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	C or H <12 months	71.2	12-23 m	316	75
DTP1	Card	71	12-23 m	316	75
DTP1	Card or History	71.2	12-23 m	316	75
DTP1	History	0.2	12-23 m	316	75
DTP3	C or H <12 months	68.3	12-23 m	316	75
DTP3	Card	71	12-23 m	316	75
DTP3	Card or History	71.1	12-23 m	316	75
DTP3	History	0.1	12-23 m	316	75
HepB1	C or H <12 months	71.2	12-23 m	316	75
HepB1	Card	71	12-23 m	316	75
HepB1	Card or History	71.2	12-23 m	316	75
HepB1	History	0.2	12-23 m	316	75
HepB3	C or H <12 months	68.3	12-23 m	316	75
HepB3	Card	71	12-23 m	316	75
HepB3	Card or History	71.1	12-23 m	316	75
HepB3	History	0.1	12-23 m	316	75
Hib1	C or H <12 months	71.2	12-23 m	316	75
Hib1	Card	71	12-23 m	316	75
Hib1	Card or History	71.2	12-23 m	316	75
Hib1	History	0.2	12-23 m	316	75
Hib3	C or H <12 months	68.3	12-23 m	316	75
Hib3	Card	71	12-23 m	316	75
Hib3	Card or History	71.1	12-23 m	316	75
Hib3	History	0.1	12-23 m	316	75

IPV1	C or H <12 months	68.5	12-23 m	316	75
IPV1	Card	67.3	12-23 m	316	75
IPV1	Card or History	68.5	12-23 m	316	75
IPV1	History	1.2	12-23 m	316	75
MCV1	C or H <12 months	27.8	12-23 m	316	75
MCV1	Card	58	12-23 m	316	75
MCV1	Card or History	58.1	12-23 m	316	75
MCV1	History	0.1	12-23 m	316	75
MCV2	C or H <12 months	34.8	24-35 m	296	68
MCV2	Card	53.5	24-35 m	296	68
MCV2	Card or History	53.5	24-35 m	296	68
MCV2	History	0	24-35 m	296	68
PcV1	C or H <12 months	72.6	12-23 m	316	75
PcV1	Card	72.6	12-23 m	316	75
PcV1	Card or History	72.6	12-23 m	316	75
PcV1	History	0.1	12-23 m	316	75
PcV3	C or H <12 months	68	12-23 m	316	75
PcV3	Card	71.3	12-23 m	316	75
PcV3	Card or History	71.4	12-23 m	316	75
PcV3	History	0.1	12-23 m	316	75
Pol1	C or H <12 months	71.7	12-23 m	316	75
Pol1	Card	70.5	12-23 m	316	75
Pol1	Card or History	71.7	12-23 m	316	75
Pol1	History	1.2	12-23 m	316	75
Pol3	C or H <12 months	56.3	12-23 m	316	75
Pol3	Card	65.8	12-23 m	316	75
Pol3	Card or History	66	12-23 m	316	75
Pol3	History	0.2	12-23 m	316	75

2020 Trinidad and Tobago Multiple Indicator Cluster Survey 2022

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	C or H <12 months	64.6	24-35 m	296	68
DTP1	Card	64.6	24-35 m	296	68
DTP1	Card or History	64.6	24-35 m	296	68
DTP1	History	0	24-35 m	296	68
DTP3	C or H <12 months	61.7	24-35 m	296	68
DTP3	Card	64.6	24-35 m	296	68
DTP3	Card or History	64.6	24-35 m	296	68

Trinidad and Tobago - survey details

DTP3	History	0	24-35 m	296	68
HepB1	C or H <12 months	64.6	24-35 m	296	68
HepB1	Card	64.6	24-35 m	296	68
HepB1	Card or History	64.6	24-35 m	296	68
HepB1	History	0	24-35 m	296	68
HepB3	C or H <12 months	61.7	24-35 m	296	68
HepB3	Card	64.6	24-35 m	296	68
HepB3	Card or History	64.6	24-35 m	296	68
HepB3	History	0	24-35 m	296	68
Hib1	C or H <12 months	64.6	24-35 m	296	68
Hib1	Card	64.6	24-35 m	296	68
Hib1	Card or History	64.6	24-35 m	296	68
Hib1	History	0	24-35 m	296	68
Hib3	C or H <12 months	61.7	24-35 m	296	68
Hib3	Card	64.6	24-35 m	296	68
Hib3	Card or History	64.6	24-35 m	296	68
Hib3	History	0	24-35 m	296	68
IPV1	C or H <12 months	65.9	24-35 m	296	68
IPV1	Card	65.6	24-35 m	296	68
IPV1	Card or History	65.9	24-35 m	296	68
IPV1	History	0.3	24-35 m	296	68
MCV1	C or H <12 months	62.6	24-35 m	296	68
MCV1	Card	63.1	24-35 m	296	68
MCV1	Card or History	63.4	24-35 m	296	68
MCV1	History	0.3	24-35 m	296	68
PcV1	C or H <12 months	61.6	24-35 m	296	68
PcV1	Card	63.6	24-35 m	296	68
PcV1	Card or History	63.9	24-35 m	296	68
PcV1	History	0.3	24-35 m	296	68
PcV3	C or H <12 months	57.3	24-35 m	296	68
PcV3	Card	61.3	24-35 m	296	68
PcV3	Card or History	61.3	24-35 m	296	68
PcV3	History	0	24-35 m	296	68
Pol1	C or H <12 months	65.3	24-35 m	296	68
Pol1	Card	65	24-35 m	296	68
Pol1	Card or History	65.3	24-35 m	296	68
Pol1	History	0.3	24-35 m	296	68
Pol3	C or H <12 months	59.3	24-35 m	296	68
Pol3	Card	64.4	24-35 m	296	68
Pol3	Card or History	64.4	24-35 m	296	68

Pol3	History	0	24-35 m	296	68
YFV	C or H <12 months	60.6	24-35 m	296	68
YFV	Card	61.4	24-35 m	296	68
YFV	Card or History	61.4	24-35 m	296	68
YFV	History	0	24-35 m	296	68

2004 Trinidad and Tobago Multiple Indicator Cluster Survey 3, 2006

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	C or H <18 months	74.1	18-29 m	215	79
DTP1	Card	73.1	18-29 m	215	79
DTP1	Card or History	85.6	18-29 m	215	79
DTP1	History	12.5	18-29 m	215	79
DTP3	C or H <18 months	72.5	18-29 m	215	79
DTP3	Card	68.7	18-29 m	215	79
DTP3	Card or History	76.9	18-29 m	215	79
DTP3	History	8.3	18-29 m	215	79
HepB1	C or H <18 months	77.6	18-29 m	215	79
HepB1	Card	68.1	18-29 m	215	79
HepB1	Card or History	81.9	18-29 m	215	79
HepB1	History	13.8	18-29 m	215	79
HepB3	C or H <18 months	70	18-29 m	215	79
HepB3	Card	65.1	18-29 m	215	79
HepB3	Card or History	74	18-29 m	215	79
HepB3	History	8.9	18-29 m	215	79
Hib1	C or H <18 months	79.1	18-29 m	215	79
Hib1	Card	73.3	18-29 m	215	79
Hib1	Card or History	84.4	18-29 m	215	79
Hib1	History	11.1	18-29 m	215	79
Hib3	C or H <18 months	14.6	18-29 m	215	79
Hib3	Card	10.3	18-29 m	215	79
Hib3	Card or History	16.2	18-29 m	215	79
Hib3	History	5.9	18-29 m	215	79
MCV1	C or H <18 months	88.9	18-29 m	215	79
MCV1	Card	78.6	18-29 m	215	79
MCV1	Card or History	90.7	18-29 m	215	79
MCV1	History	12.1	18-29 m	215	79
Pol1	C or H <18 months	95.1	18-29 m	215	79
Pol1	Card	80	18-29 m	215	79

Trinidad and Tobago - survey details

Pol1	Card or History	95.7	18-29 m	215	79
Pol1	History	15.7	18-29 m	215	79
Pol3	C or H <18 months	81.9	18-29 m	215	79
Pol3	Card	79	18-29 m	215	79
Pol3	Card or History	86.2	18-29 m	215	79
Pol3	History	7.2	18-29 m	215	79
YFV	C or H <18 months	35.2	18-29 m	215	79
YFV	Card	77.1	18-29 m	215	79
YFV	Card or History	89.2	18-29 m	215	79
YFV	History	12.1	18-29 m	215	79

1999 Trinidad and Tobago Multiple Indicator Cluster Survey 2000, Preliminary Report

Vaccine	Confirmation method	Coverage	Age cohort	Sample	Cards seen
DTP1	C or H <12 months	87.1	12-23 m	187	74
DTP1	Card	71.7	12-23 m	187	74

DTP1	Card or History	91	12-23 m	187	74
DTP1	History	19.3	12-23 m	187	74
DTP3	C or H <12 months	72	12-23 m	187	74
DTP3	Card	71.7	12-23 m	187	74
DTP3	Card or History	80.8	12-23 m	187	74
DTP3	History	9.1	12-23 m	187	74
MCV1	C or H <12 months	21.9	12-23 m	187	74
MCV1	Card	56.1	12-23 m	187	74
MCV1	Card or History	58.2	12-23 m	187	74
MCV1	History	2.1	12-23 m	187	74
Pol1	C or H <12 months	87.1	12-23 m	187	74
Pol1	Card	71.7	12-23 m	187	74
Pol1	Card or History	91	12-23 m	187	74
Pol1	History	19.3	12-23 m	187	74
Pol3	C or H <12 months	72	12-23 m	187	74
Pol3	Card	71.7	12-23 m	187	74
Pol3	Card or History	80.8	12-23 m	187	74
Pol3	History	9.1	12-23 m	187	74

Trinidad and Tobago - survey details

Further information and estimates for previous years are available at:

<https://data.unicef.org/topic/child-health/immunization/>

<https://immunizationdata.who.int/listing.html>