


Guinea-Bissau

African Region



I. Epidemiological profile

Population (UN Population Division)	2023	%	Parasites and vectors
High transmission (>1 case per 1000 population)	2.2M	100	Major plasmodium species (indigenous cases):
Low transmission (0-1 case per 1000 population)	-	-	<i>P. falciparum</i> : 100 (%)*, <i>P. vivax</i> : 0 (%)
Malaria free (0 cases)	-	-	Major anopheles species:
Total	2.2M	-	<i>An. gambiae</i> s.l., <i>An. arabiensis</i> , <i>An. funestus</i> s.l., <i>An. melas</i>
			* includes mixed infections and other species of Plasmodium
Reported cases and deaths			Estimates
Presumed and confirmed cases	120 841		Estimated cases:
Total confirmed cases:	118 080		223.9K [71.5K, 549.3K]
Confirmed cases from public sector:	105 491		Estimated deaths:
Confirmed cases from private sector:	7107		885 [753, 1.1K]
Confirmed cases at community level:	5482		
Confirmed cases in combined health sectors:	-		
Reported deaths:	318		

II. Intervention policies and strategies

Intervention	Policies/Strategies	Yes/ No	Year adopted	Antimalaria treatment policy					Medicine	Year adopted	
ITN	ITNs/LLINs distributed free of charge	Yes	2005	First-line treatment of unconfirmed malaria					AL	-	
	ITN distributed by mass campaign	Yes	-	First-line treatment of <i>P. falciparum</i>					AL-PQ	-	
IRS	IRS is recommended	Yes*	-	Second-line treatment <i>P. falciparum</i>					QN	-	
	DDT is used for IRS	No	-	Treatment of severe malaria					QN	-	
Larval control	Use of Larval Control	-	-	Treatment of <i>P. vivax</i>					NA	-	
IPT	IPT used to prevent malaria during pregnancy	Yes	2005	Dosage of primaquine for radical treatment of <i>P. vivax</i>							
Diagnosis	Malaria diagnosis using RDT is free of charge in the public sector	-	-	Type of RDT used (public)					Pf + all species (Combo)		
	Malaria diagnosis using microscopy is free of charge in the public sector	-	-	Therapeutic efficacy tests (clinical and parasitological failure, %)							
	Malaria diagnosis is free in the private sector	-	-	Medicine	Year	Min	Median	Max	Follow-up	No. of studies	Species
Treatment	ACT is free for all ages in public sector	Yes	2015	Resistance status by insecticide class (2018-2023) and use of class for malaria vector control (2023)							
	The sale of oral artemisinin-based monotherapies (oAMTs)	banned	2006	Insecticide class		(%) sites ¹		Vectors ²		Used ³	
	Single low dose of primaquine (0.75 mg base/kg) with ACT to reduce transmissibility of <i>P. falciparum</i>	Yes	-	Carbamates						No	
	Primaquine is used for radical treatment of <i>P. vivax</i>	NA	-	Neonicotinoids						No	
	G6PD test is a requirement before treatment with primaquine	NA	-	Organophosphates						No	
	Directly observed treatment with primaquine is undertaken	NA	-	Pyrethroids						Yes	
	System for monitoring of adverse reaction to antimalarials exists	Yes*	2010	¹ Percent of sites for which resistance is confirmed and total number of sites that reported data							
Surveillance	Malaria is a notifiable disease	-	-	² Vectors reported to exhibit resistance to insecticide class							
	ACD for case investigation (reactive)	-	-	³ Class reported as used for malaria control in 2023 (note if data were not available, data were reported from last year reported)							
	ACD at community level of febrile cases (pro-active)	-	-								
	Mass screening is undertaken	Yes*	-								
	Uncomplicated <i>P. falciparum</i> cases routinely admitted	-	-								
	Uncomplicated <i>P. vivax</i> cases routinely admitted	-	-								
	Case investigation undertaken	-	-								
	Foci investigation undertaken	-	-								
	Case reporting from private sector is mandatory	Yes	2000								

Yes* = Policy adopted, but not implemented in 2023


Disc = Discontinued

Earliest year that policy is adopted was adjusted based on the earliest year that the WHO policy was recommended


III. Estimated and reported cases



Treatment seeking and reporting completeness




IV. Cases tested and treated




Source: 2014,2018

Test positivity




Source: 2014

V. Confirmed malaria cases per 1000 population at risk and ABER




ABER=smeas examined in a year X100 / Total population. Includes cases that are imported and introduced

Malaria inpatients and deaths




V. Coverage of ITN and IRS




Source: 2010,2014

Sources of financing



VI. Government expenditure by intervention in 2023



Footnotes
(est.) : WHO estimates based on the survey
Country profiles are generated automatically based on data reported by countries. They are available for all current malaria endemic countries and territories asked to report to the Global Malaria Programme annually. Country profiles are based on data validated by the countries as of 14 November 2024.
Further information on the methods used to estimate malaria cases and an explanation for the gap between estimated and reported confirmed indigenous cases is provided [mpac-april2018-erg-report-malaria-burden-session6.pdf \(who.int\)](#)