

Honduras

Region of the Americas



I. Epidemiological profile

Population (UN Population Division)	2023	%
High transmission (>1 case per 1000 population)	2.7M	25
Low transmission (0-1 case per 1000 population)	6.9M	65
Malaria free (0 cases)	1M	9
Total	10.6M	

Reported cases and deaths

Presumed and confirmed cases	2631
Reported indigenous confirmed cases:	2590
Indigenous deaths:	0

Parasites and vectors

Major plasmodium species (indigenous cases): *P. falciparum*: 22 (%), *P. vivax*: 78 (%)

Major anopheles species: *An. albimanus*, *An. vestitipennis*, *An. pseudopunctipennis*

* includes mixed infections and other species of Plasmodium

II. Intervention policies and strategies

Intervention	Policies/Strategies	Yes/No	Year adopted
ITN	ITNs/LLINs distributed free of charge	Yes	2012
	ITN distributed by mass campaign	Yes*	2012
IRS	IRS is recommended	Yes	-
	DDT is used for IRS	No	-
Larval control	Use of Larval Control	No	-
IPT	IPT used to prevent malaria during pregnancy	NA	-
Diagnosis	Malaria diagnosis using RDT is free of charge in the public sector	Yes	-
	Malaria diagnosis using microscopy is free of charge in the public sector	Yes	-
	Malaria diagnosis is free in the private sector	Yes	-
Treatment	ACT is free for all ages in public sector	Yes	2010
	The sale of oral artemisinin-based monotherapies (oAMTs)	never allowed	-
	Single low dose of primaquine (0.75 mg base/kg) with ACT to reduce transmissibility of <i>P. falciparum</i>	No	-
	Primaquine is used for radical treatment of <i>P. vivax</i>	Yes	2010
	G6PD test is a requirement before treatment with primaquine	No	-
	Directly observed treatment with primaquine is undertaken	Yes	-
	System for monitoring of adverse reaction to antimalarials exists	Yes*	-
	Malaria is a notifiable disease	Yes	2010
Surveillance	ACD for case investigation (reactive)	Yes	-
	ACD at community level of febrile cases (pro-active)	Yes	2010
	Mass screening is undertaken	No	-
	Uncomplicated <i>P. falciparum</i> cases routinely admitted	Yes	-
	Uncomplicated <i>P. vivax</i> cases routinely admitted	Yes	2010
	Case investigation undertaken	Yes	2010
	Foci investigation undertaken	Yes	2019
	Case reporting from private sector is mandatory	Yes	2010

Yes* = Policy adopted, but not implemented in 2023

Disc = Discontinued

Earliest year that policy is adopted was adjusted based on the earliest year that the WHO policy was recommended

Antimalaria treatment policy	Medicine	Year adopted
First-line treatment of unconfirmed malaria	NA	-
First-line treatment of <i>P. falciparum</i>	CQ+PQ	2023
Second-line treatment <i>P. falciparum</i>	ART-PPQ	2023
Treatment of severe malaria	AS	2023
Treatment of <i>P. vivax</i>	CQ+PQ	2023
Dosage of primaquine for radical treatment of <i>P. vivax</i>	0.50 mg/Kg (7 days)	
Type of RDT used (public)	-	

Therapeutic efficacy tests (clinical and parasitological failure, %)

Medicine	Year	Min	Median	Max	Follow-up	No. of studies	Species
----------	------	-----	--------	-----	-----------	----------------	---------

Resistance status by insecticide class (2018-2023) and use of class for malaria vector control (2023)


Insecticide class	(%) sites ¹	Vectors ²	Used ³
Carbamates	0% (0/3)		Yes
Neonicotinoids			No
Organophosphates			No
Pyrethroids	75% (3/4)	<i>An. albimanus</i>	Yes

¹Percent of sites for which resistance is confirmed and total number of sites that reported data


²Vectors reported to exhibit resistance to insecticide class

³Class reported as used for malaria control in 2023 (note: if data were not available, data from the previous year were used)


III. Estimated and reported cases



Treatment seeking and reporting completeness




IV. Cases tested and treated




Source: 2011,2019

Test positivity




Imported and introduced malaria cases are included

V. Confirmed malaria cases per 1000 population at risk and ABER




ABER=smeas examined in a year X100 / Total population. Includes cases that are imported and introduced


Cases by classification




V. Coverage of ITN and IRS



Sources of financing



VI. Government expenditure by intervention in 2023



Footnotes
(est.) : WHO estimates based on the survey

Country profiles are generated automatically based on data reported by countries. They are available for all current malaria endemic countries and territories asked to report to the Global Malaria Programme annually. Country profiles are based on data validated by the countries as of 14 November 2024. Further information on the methods used to estimate malaria cases and an explanation for the gap between estimated and reported confirmed indigenous cases is provided [mpac-april2018-ero-report-malaria-burden-session6.pdf \(who.int\)](#)