
## **VIET NAM**



	52 1	100 LIVES CAN	BE S	AVED BY SAME BY IMPLEMENTING ALL OF THE W	ULO UDECT DILVE			
	NATI	ONAL TARGET		AVED BY 2025 BY IMPLEMENTING ALL OF THE W	DATA YEAR	MALES	FEMALES	TOTAL
OR	TALITY*	ONAL TARGET	SE I		DATA FEAR	MALES	FEMALES	IOIA
_	Premature mortality			Total NCD deaths	2016	225 300	198 600	424 00
	from NCDs	<b>V</b>		Risk of premature death between 30-70 years (%)	2016	23	11	17
	Suicide mortality	-		Suicide mortality rate (per 100 000 population)	2016	-	-	7
SK	FACTORS							
	Harmful use of alcohol	✓		Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	15	2	8
	Physical inactivity	<b>✓</b>		Physical inactivity, adults aged 18+ (%)	2016	19	30	25
	Salt/Sodium intake	<b>✓</b>		Mean population salt intake, adults aged 20+ (g/day)	2010	12	11	12
	Tobacco use	✓		Current tobacco smoking, adults aged 15+ (%)	2016	47	1	23
3	Raised blood pressure	✓		Raised blood pressure, adults aged 18+ (%)	2015	23	22	22
	Diabetes	✓		Raised blood glucose, adults aged 18+ (%)	2014	5	5	5
1	Ohority	,		Obesity, adults aged 18+ (%)	2016	2	3	2
A)	Obesity	✓		Obesity, adolescents aged 10-19 (%)	2016	2	1	2
7	Ambient air pollution	-		Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	3
3	Household air pollution	-		Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	33
50								RE
			_	50	50			
40	***************************************		tion	50				XL
	***************************************	·····•	pulation	40				
30		·····	e population	30	40 30			
		<b>o</b>	of the population	40	40 40 30 20 20 20 20 20 20 20 20 20 20 20 20 20			
30		• • • • • • • • • • • • • • • • • • •	% of the population	30	40 30			
30 20		••••••••••••••••••••••••••••••••••••••		30 20	% of the population % of the population % 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2005 2010	2015 2020	•••
30 20 10		⊙		20 2000 2005 2010 2015 2020 2025  Past trends Projected linear trends Global targets	% of the population % of the population % 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2005 2010		•••
30 20 10 0	2000 2005 2010 2015 2	⊙	<b>%</b> Male	20 2000 2005 2010 2015 2020 2025  Past trends Projected linear trends Global targets	% of the population % of the population % 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2005 2010		•••
30 20 10 0		⊙	<b>%</b> Male	20 2000 2005 2010 2015 2020 2025  Past trends Projected linear trends Global targets	% of the population % of the population % 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2005 2010		•••
30 20 10 0	2000 2005 2010 2015 2  ONAL SYSTEMS RESPONSE  Drug therapy to prevent	2025	<b>%</b> Male	Proportion of population at high risk for CVD or with	2015	2005 2010	2015 2020	•••
30 20 10 0	2000 2005 2010 2015 2	⊙	<b>%</b> Male	Proportion of population at high risk for CVD or with existing CVD (%)  Proportion of high risk persons receiving any drug therapy	40 40 40 40 40 40 40 40 40 40 40 40 40 4	2005 2010	2015 2020	•••
30 20 10 0	2000 2005 2010 2015 2  ONAL SYSTEMS RESPONSE  Drug therapy to prevent heart attacks and	2025	<b>%</b> Male	Proportion of population at high risk for CVD or with existing CVD (%)  Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)  Proportion of primary health care centres reported as	2015 2015	2005 2010	2015 2020 13 29	•••
30 20 10 0	2000 2005 2010 2015 2  ONAL SYSTEMS RESPONSE  Drug therapy to prevent heart attacks and strokes  Essential NCD medicines		<b>%</b> Male	Proportion of population at high risk for CVD or with existing CVD (%)  Proportion of pigh risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)  Proportion of primary health care centres reported as offering CVD risk stratification  Reported having CVD guidelines that are utilized in at	2015 2017	2005 2010	2015 2020 13 29 Less than 25%	•••
30 20 10 0	2000 2005 2010 2015 2  ONAL SYSTEMS RESPONSE  Drug therapy to prevent heart attacks and strokes	2025	<b>%</b> Male	Proportion of population at high risk for CVD or with existing CVD (%)  Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)  Proportion of primary health care centres reported as offering CVD risk stratification  Reported having CVD guidelines that are utilized in at least 50% of health facilities  Number of essential NCD medicines reported as	2015 2015 2017 2017	2005 2010	2015 2020 13 29 Less than 25%	•••