


Côte d'Ivoire


Total population (2016): 23 254 184 ► Population aged 15 years and older (15+): 58% ► Population in urban areas: 56% ► Income group (World Bank): Lower-middle income

ALCOHOL CONSUMPTION: LEVELS AND PATTERNS

Recorded alcohol per capita (15+) consumption, 1961–2016



Recorded alcohol per capita (15+) consumption (in litres of pure alcohol) by type of alcoholic beverage, 2016 or latest year available



Alcohol per capita (15+) consumption (in litres of pure alcohol)

	2010*		2016*	
Recorded	4.5		4.8	
Unrecorded	3.0		3.6	
Total**	7.5		8.4	
Total males / females	12.3	2.3	14.0	2.4
WHO African Region	6.3		6.3	

* Three-year averages of recorded and unrecorded for 2009–2011 and 2015–2017; **adjusted for tourist consumption.

Total alcohol per capita (15+) consumption, drinkers only (in litres of pure alcohol), 2016

	Litres
Males (15+)	26.8
Females (15+)	10.0
Both sexes (15+)	21.7

Prevalence of heavy episodic drinking* (%), 2016

	Population (15+ years)	Drinkers only (15+ years)	Population (15–19 years)	Drinkers only (15–19 years)
Males	29.7	56.9	22.1	60.7
Females	5.6	23.1	3.5	24.8
Both sexes	17.9	46.6	12.8	50.9

* Consumed at least 60 grams or more of pure alcohol on at least one occasion in the past 30 days.

Abstainers (%), 2016

	Males	Females	Both sexes
Lifetime abstainers (15+)	45.7	68.3	56.7
Former drinkers* (15+)	2.0	7.6	4.7
Abstainers (15+), past 12 months	47.7	75.9	61.5

* Persons who used to drink alcoholic beverages but have not done so in the past 12 months.

HEALTH CONSEQUENCES: MORTALITY AND MORBIDITY

Age-standardized death rates (ASDR) and alcohol-attributable fractions (AAF), 2016

	ASDR*		AAF (%)		AAD** (Number)
Liver cirrhosis, males / females	94.5	70.7	68.4	44.1	4 866
Road traffic injuries, males / females	53.9	22.4	32.9	23.6	1 737
Cancer, males / females	146.7	129.7	6.6	2.5	482

* Per 100 000 population (15+); **alcohol-attributable deaths, both sexes.

Years of life lost (YLL) score*, 2016

LEAST < 1 2 3 4 **5** > MOST

* Based on alcohol-attributable years of life lost.

Prevalence of alcohol use disorders and alcohol dependence (%), 2016*

	Alcohol use disorders**	Alcohol dependence
Males	15.6	5.3
Females	4.1	1.6
Both sexes	10.0	3.5
WHO African Region	3.7	1.3

* 12-month prevalence estimates (15+); **including alcohol dependence and harmful use of alcohol.

POLICIES AND INTERVENTIONS

Written national policy (adopted/revised) / National action plan	Yes (1964/1999) / Yes
Excise tax on beer / wine / spirits	Yes / Yes / Yes
National legal minimum age for off-premise sales of alcoholic beverages (beer / wine / spirits)	No / 18 / 18
National legal minimum age for on-premise sales of alcoholic beverages (beer / wine / spirits)	14 / 14 / 14
Restrictions for on-/off-premise sales of alcoholic beverages (any): Hours, days / places, density	No, No / No No
Specific events / intoxicated persons / petrol stations	Yes / Yes / No

National maximum legal blood alcohol concentration (BAC) when driving a vehicle (general / young / professional), in %	0.08 / 0.08 / 0.08
Legally binding regulations on alcohol advertising / product placement (any)	Yes / Yes
Legally binding regulations on alcohol sponsorship / sales promotion (any)	Yes / No
Legally required health warning labels on alcohol advertisements / containers (any)	No / No
National government support for community action (any)	Yes
National monitoring system(s) (any)	Yes