


List of Essential medicines 2024



MINISTRY OF HEALTH

HEALTH CARE AGENCY

Explanatory notes

The **core list** presents a list of minimum medicine needs for a basic health-care system in Seychelles, listing the most efficacious, safe and cost-effective medicines for priority conditions. Priority conditions are selected on the basis of current and estimated future public health relevance, and potential for safe and cost-effective treatment. The Health Care Agency has adopted and adapted the WHO Model Essential Medicine List 2023

The **specialist medicines** presents essential medicines for priority diseases, for which specialized diagnostic or monitoring facilities, and/or specialist medical care, and/or specialist training are needed.

Dosage Forms

| Mode of administration | Term to be used |
|------------------------|---|
| To the eye | Eye drops, eye ointments. |
| Topical | For liquids: lotions, paints. For semi-solids: cream, ointment |
| Rectal | Suppositories, gel or solution. |
| Vaginal | Pessaries or vaginal tablets |
| Inhalation | Powder for inhalation, pressurized inhalation, nebulizer |

| | |
|--------------------|--|
| Capsules | Refers to hard or soft capsules Gastro-resistant (such capsules may sometimes be described as enteric-coated or as delayed-release), prolonged-release or another modified-release form. |
| Granules | Preparations that are issued to patient as granules to be swallowed without further preparation, to be chewed, or to be taken in or with water or another suitable liquid The term 'granules' without further qualification is <i>never</i> intended to allow any type of modified-release granules |
| Oral powder | Preparations that are issued to patient as powder (usually as single-dose) to be taken in or with water or another suitable liquid |
| Oral liquid | Liquid preparations intended to be <i>swallowed</i> i.e. oral solutions, suspensions, emulsions and oral drops, including those constituted from powders or granules, but <i>not</i> those preparations intended for <i>oromucosal administration</i> e.g. gargles and mouthwashes Oral liquids presented as powders or granules may offer benefits in the form of better stability and lower transport costs. If more than one type of oral liquid is available on the same market (e.g. solution, suspension, granules for reconstitution), they may be interchanged and in such cases should be bioequivalent. It is preferable that oral liquids do not contain sugar and that solutions for children do not contain alcohol. |

| 1. ANAESTHETICS | |
|--|--|
| 1.1 General anaesthetics and oxygen | |
| Isoflurane 250ml | Inhalation |
| Sevoflurane 250ml | Inhalation (Paediatric Use) |
| Nitrous Oxide | Inhalation |
| Oxygen, Compressed Air | Inhalation (medical gas) |
| 1.1.1 Injectable medicines (Hospital) | |
| Etomidate | Injection 2mg /1ml, 10ml Ampoule |
| Ketamine | Injection 10mg MI 20ml |
| Propofol Injection | Injection 1% 10mg/MI |
| Thiopentone Sodium | Injection 500mg/Vial (rarely used) |
| 1.2 Local anaesthetics | |
| Bupivacaine | Injection 0.5%, 10ml Ampoule Injection for Spinal Bupivacaine Heavy 5mg & 80mg/MI Glucose 4ml Ampoule),(Hospital) |
| Lignocaine | Injection HCl2% 30ml Ampoule Gel 2% HCl Spray 10mg /Dose, 800 Doses Unit |
| Lignocaine + Adrenaline | Injection Lignocaine 2% + Adrenaline 1:200000 20ml Dental Cartridges Lignocaine 2% + Adrenaline 1: 10000 1.8ml |
| Ethyl Chloride | Spray |
| Mepivacain | Dental Cartridges Mepivacaine 3% 1.8ml |
| Mepivacaine HCl + Adrenalin | Dental Cartridges Mepivacaine 2% + Adrenaline 1: 10000 2.2ml |
| Prilocaine | Dental Cartridges 3% 1.8ml |
| Ephedrine | Injection 30mg (HCl) per 1ml Ampoule <i>(For use in spinal anaesthesia during delivery, to prevent hypotension),(Hospital)</i> |
| 1.3 Preoperative medication and sedation for short-term procedures | |
| Atropine | Injection 1mg/ml, 1ml Ampoule |
| Fentanyl | Injection 50 Mcg/MI, 2ml Ampoule |
| Midazolam | Injection 5mg/ml, 3ml Ampoule |
| Morphine Sulphate | Injection 10mg/ml (sulphate), 1ml Ampoule |
| 2. ANALGESICS, ANTIPYRETICS, NON-STEROIDAL ANTI-INFLAMMATORY MEDICINES (NSAIMs), MEDICINES USED TO TREAT GOUT, DISEASE MODIFYING AGENTS IN RHEUMATOID DISORDERS (DMARDs) AND NEUROPATHIC PAIN | |
| 2.1 Non-opioids and non-steroidal anti-inflammatory medicines (NSAIMs) | |

| | |
|---|--|
| Acetylsalicylic acid | Tablet 300mg |
| Diclofenac Sodium | Injection 25mg/MI 3ml Ampoules |
| Ibuprofen | Tablet (scored) 400mg Syrup 200mg /5ml 100ml (a) (not in children less than 3 months) |
| Indomethacin | Capsule 25mg (keep) |
| Naproxen | Tablet 250mg |
| Paracetamol | Tablet(scored) 500mg Elixir 120mg/5ml, 100ml Bottle Suppositories 125mg ; 250mg; 1g * Not recommended for anti-inflammatory use due to lack of proven benefit to that effect |
| Paracetamol | Injection 500mg & 1g/Vial),(Hospital) |
| 2.2 Opioid analgesics | |
| Codeine Phosphate | Tablet 30mg |
| Fentanyl | Injection 50mcg /MI, 2ml Ampoule Transdemal patch – 25mgc/hour & 50mcg/hour |
| Morphine | Oral Solution 2mg/MI (300ml Bottle) Tablet Sustained Release 10mg & 30mg Injection 10mg /MI, 1ml Ampoule |
| Pethidine Hcl (for Obstetric use only) | Injection 50mg /MI, 1.1ml Ampoule |
| Tramadol Hcl (For palliative and post –op short course – max 10 days) | Tablet 50mg (S –oncology, surg) |
| 2.3 Medicines used to treat gout | |
| Allopurinol | Tablet 100mg & 300mg |
| Colchicine | Tablet 1mg |
| 2.4 Disease modifying agents used in rheumatoid disorders (DMARDs) | |
| Azathioprine | Tablet 50mg (S – phys; haemat; Onco) |
| Hydroxychloroquine | Tablet 200mg (S – phys; haemat |
| Methotrexate | Tablet 2.5mg (S – phys; haemat; Onco)) |
| Sulphasalazine | Tablet 500mg EC (S - phys) |
| 2.5 Medicines used to treat neuropathic pain | |
| Gabapentin | Tablet 300mg (S- neuro; ortho) |
| Pregabalin | Tablet 75mg (S- neuro; ortho) |
| 3. ANTIALLERGICS AND MEDICINES USED IN ANAPHYLAXIS | |
| Adrenaline | Injection 1mg/MI, 1ml Ampoule |
| Cetirizine | Tablet 10mg |

| | |
|---|---|
| | Syrup 5mg/5ml 30ml (S- Ent, Derma. Paed) |
| Chlorpheniramine | Tablet 4mg Syrup 2mg/5ml 50ml Injection 10mg/MI 1ml |
| Hydrocortisone | Powder For Injection, 100mg |
| Prednisolone | Tablet 5mg & 20mg (soluble tablets) |
| Promethazine Hcl | Injection 25mg /MI, 1ml Ampoule |
| Hydroxyzine | Tablet 25mg (S- nephro, Onco) |
| 4. ANTIDOTES AND OTHER SUBSTANCES USED IN POISONINGS | |
| 4.1 Non-specific | |
| Charcoal, | Activated Powder, 25g |
| 4.2 Specific | |
| Acetylcysteine | Injection 200mg/MI, 10ml Ampoule <i>(Hospital)</i> |
| Atropine | Injection 1mg/MI, 1ml Ampoule |
| Calcium gluconate | Injection 10% 100mg/ml 10ml Ampoule |
| Desferrioxame | Injection 500mg/Vial |
| Flumazenyl | Injection 100mcg/MI 5ml Ampoule <i>(Hospital)</i> |
| Naloxone | Injection 0.4mg/1ml & 0.04mg/2ml Ampoule |
| Pralidoxime | Injection 200mg/MI, 5ml Ampoule <i>(Hospital)</i> |
| 5. ANTICONVULSANTS/ANTIEPILEPTICS | |
| Carbamazepine | Tablet (scored) 200mg Syrup 100mg/5ml 100ml Bottle (S- paed) |
| Clonazepam | Tablet (scored)2mg (S- Phys, Psyc; neuro) Syrup 2.5mg/ml 20ml Bottle (S-paediatric) |
| Diazepam | Injection 10mg/1ml Ampoule Rectal solution 2mg/ml 2.5ml |
| Gabapentin | Tablet 400mg Tab (S- phys ; neuro; orthop) |
| Lamotrigine | Tablet 100mg & 25mg dispersible Tab (S- phys ; neuro; paed) |
| Levetiracetam | Tablet 500mg (S- phys ; neuro ; paed) Syrup 100mg/ml 100ml Bottle (S – neuro; paed) |
| Magnesium Sulphate | Injection 500mg/MI <i>For use in eclampsia and severe pre-eclampsia and not for other convulsant disorders.</i> |
| Phenobarbitone | Tablet (scored)30mg Injection 200 Mg/MI, 1ml Ampoule |
| Phenytoin | Tablet 100mg Injection 50mg /MI, 5ml Ampoule |
| Prebagalin | Tablet 75mg (S- neuro) |
| Sodium Valproate | Tablet 200mg EC Syrup 200mg /5ml, 300ml Bottle (S- Paed) |

| | |
|---|--|
| Topiramate | Tablets 25mg; 50mg & 100mg (S-neuro; physician) |
| 6. ANTI-INFECTIVE MEDICINES | |
| 6.1.1 Intestinal anthelmintics | |
| Albendazole | Tablet 400mg |
| Ivermectin | Tablet 3mg |
| Pyrantel Pamoate | Suspension 50mg/5ml 10ml (Paed) |
| 6.1.2 Antifilarials | |
| Albendazole | Tablet 400mg |
| Ivermectin | Tablet 3mg |
| 6.2 Antibacterials | |
| 6.2.1 Beta Lactam medicines | |
| Amoxicillin | Capsule 250mg & 500mg Suspension 125mg /5ml; 250mg/5ml 100ml Bottle Injection 1g Vial |
| Benzathine Penicillin | Injection 1.44g (1.2mu/Vial) |
| Benzyl Penicillin | Injection 600mg (1.0mu/Vial) |
| Cloxacillin | Capsule 250mg & 500mg Suspension 125mg /5ml, 100ml Bottle Injection 500mg /Vial |
| Co-Amoxycylav (extended spectrum antibiotic) (Can be prescribed by GP only for bites and community acquired pneumonia) | Capsule Amoxicillin500mg + Clavulanic 125mg (S-) Suspension Amoxicillin 250mg + Amoxycillin 62.5mg /5ml 100ml (S) Injection Amoxicillin 1g + Clavulanic 200mg/Vial).(Hospital) |
| Cephalexin | Capsule 500mg Suspension 250mg /5ml, 100ml Bottle |
| Cefazolin | Injection 1g Vial Iv (S- Ortho) |
| Cefixime | Tablet 400mg Only listed for single-dose treatment of uncomplicated anogenital gonorrhoea |
| Phenoxymethylpenicillin | Tablet 250mg Syrup 125mg/5ml, 100ml Bottle |
| Reserve Beta Lactam Only listed for the treatment of life-threatening hospital-based infection due to suspected or proven multidrug-resistant infection. | |
| Cefotaxime | Injection 250mg (paediatric use) |
| Ceftazidime | Injection 1g Vial).(Hospital) |
| Ceftriaxone | Injection 250mg /1g Iv Vial |

| | |
|--|---|
| | * Do not administer with calcium and avoid in infants with hyperbilirubinemia).(Hospital) |
| Piperacillin/Tazobactam | Injection 4.5g Vials).(Hospital) |
| 6.2.2 Other Antibacterials | |
| Azithromycin | Tablet 500mg Syrup 200mg/5ml Single-dose treatment of genital <i>Chlamydia trachomatis</i> and of trachoma |
| Ciprofloxacin (extended spectrum antibiotic) | Tablet 500mg * Administer to adults only |
| Levofloxacin (for hospital use) extended spectrum antibiotic | Tablet 500mg).(Hospital) |
| Clindamycin (extended spectrum antibiotic) | Capsule 300mg & 150mg (S) |
| Clarithromycin (extended spectrum antibiotic) | Capsule 500mg Caps (S) *For use in combination regimens for eradication of <i>H. Pylori</i> in adults |
| Co-Trimoxazole | Tablet 480mg & 960mg Syrup 240mg/5ml 100ml Injection 96mg/ML, 5ml Ampoule |
| Doxycycline | Capsule 100mg *Use in children <8 years only for life-threatening infections when no alternative exists. |
| Erythromycin | Suspension 125mg /5ml, 100ml Bottle |
| Gentamycin | Injection 40mg /ML, 2ml Ampoule |
| Metronidazole | Tablet 400mg Vaginal Tablet 500mg Suspension 125mg/5ml 100ml Injection 5mg /ML, 100ml Bottle |
| Nitrofurantoin | Tablet 100mg |
| RESERVE Other Antibacterials Only listed for the treatment of life-threatening hospital-based infection due to suspected or proven multidrug-resistant infection. | |
| Ciprofloxacin | Injection 200mg/100ml Iv).(Hospital) |
| Colistin | Injection 1 million I.U. Iv).(Hospital) |
| Levofloxacin | Injection 500mg/100ml Iv).(Hospital) |
| Clindamycin | Injection 150mg/ML 2ml).(Hospital) |
| Meropenem | Injection 500mg & 1g Vial).(Hospital) |
| 6.2.3 Antileprosy medicines | |
| Clofazimine | Tablet 100mg (S) |
| Dapsone | Tablet 100mg (S) |
| 6.2.4 Antituberculosis medicines | |
| Ethambutol | Tablet 400mg (S) |
| Isoniazid | Tablet 100mg (S) |
| Rifampicin | Tablet 300mg (S) |

| | |
|---|--|
| Rifampicin /Isoniazid | Tablet Rifampicin 300mg + Isoniazid 150mg (S) |
| Ethambutol/Isoniazide/Pyrazinamide/Rifampicine | Tablet Combination Ethambutol 275mg/ Isoniazide 75mg /Pyrazinamide 400mg /Rifampicine 150mg (S) |
| Streptomycin | Injection 1G/vial (S) |
| 6.3 Antifungal Medicines | |
| Clotrimazole | Pessaries 100mg Cream 1% |
| Fluconazole | Capsule 50mg & 150mg (S) |
| Terbinafine | Tablet 250mg |
| Nystatin | Suspension 100,000iu / MI, 30ml Bottle |
| RESERVE Antifungal medicines <i>Only listed for the treatment of life-threatening hospital-based Infection</i> | |
| Amphotericin B | Injection 50mg Vial).(Hospital) |
| Fluconazole | Injection 200mg/100ml).(Hospital) |
| 6.4 Antiviral medicines | |
| Acyclovir | Tablet 400mg scored Cream 15g |
| RESERVE Antiviral medicines <i>Only listed for the treatment of life-threatening hospital-based infection</i> | |
| Acyclovir | Injection 25mg/MI 10ml).(Hospital) |
| 6.4.2 Antiretrovirals | |
| 6.4.2.1 Nucleoside/Nucleotide reverse transcriptase inhibitors | |
| Abacavir (ABC) | Tablet 300mg (S) |
| Emtricitabine + Tenofovir (FTC) | Tablet Emtricitabine 200mg + Tenofovir 300mg (S) |
| Efavirenz + Emtricitabine + Tenofovir | Tablet : Efavirenz 600mg + Emtricitabine 200mg + Tenofovir 300mg (S) |
| Lamivudine + Zidovudine | Capsules Lamivudine 150mg + Zidovudine 300mg (S) |
| Lamivudine (3TC) | Tablet 150mg (S) Oral Solution 10mg/5ml 240ml (S) |
| Tenofovir Disoproxil (TDF) | Tablet 245mg (S) |
| Zidovudine (ZDV or AZT) | Capsule 100mg (S) Syrup 10mg/5ml 200 MI (S) Injection 10mg/MI 20ml Ampoule |
| 6.4.2.2 Non-nucleoside reverse transcriptase inhibitors | |

| | |
|--|---|
| Efivarens (EFV or EFZ) | Capsule 200mg & 600mg (S) |
| Nevirapine (NVP) | Tablet 200mg Oral liquid |
| 6.4.2.3 Protease inhibitors | |
| Darunavir | Tablet 600mg (S) |
| Lopinavir + Ritonavir (LPV/r) | Tablet Lopinavir 200mg + Ritonavir 50mg (S) Syrup Lopinavir 100mg + Ritonavir 25 mg per 5ml (S) |
| Ritonavir | Tablet 100mg (S) |
| 6.4.2.4 HIV – Integrase inhibitors | |
| Dolutegravir | Tablet 50mg (S) |
| Tenofovir disoproxil fumarate + lamivudine +dolutegravir | Tablet: Tenofovir disoproxil fumarate 300mg+lamivudine300mg+dolutegravir 50mg (S) |
| 6.5 Antiprotozoal medicines | |
| 6.5.1 Antiamoebic and anti giardiasis medicines | |
| Diloxanide | Tablet 500mg |
| Metronidazole | Tablet 250mg Suspension 125mg/5ml 100ml Injection 5mg /Ml, 100ml Bottle |
| 6.5.2 Antimalarial medicines | |
| 6.5.2.1 For curative treatment | |
| Artemether + Lumefantrine | Tablet Artemether 20mg + Lumefantrine 120mg <i>Not recommended in the first trimester of pregnancy or in children below 5 kg.)(Hospital)</i> |
| Quinine Hydrochloride | Injection 300mg/Ml, 2ml Ampoule)(Hospital) |
| Quinine Sulphate | Tablet 300mg)(Hospital) |
| 6.5.2.2 For Prophylaxis | |
| Mefloquine | Tablet 250mg Infant >5 kg or >3 months |
| Proguanil HCl + Atovaquone | Tablet Proguanil HCl 100mg + Atovaquone 250 |
| Doxycycline | Tablet 100mg |
| 6.5.3 Antipneumocytosis and antitoxoplasmosis medicines | |

| | |
|--|--|
| Cotrimoxazole | Tablet 960mg Injection 96mg/ML, 5ml Ampoule |
| Pyrimethamine | Tablet 25mg |
| Sulphadiazine | Tablet 500mg (S) |
| 7. ANTIMIGRAINE MEDICINES | |
| 7.1 For treatment of acute attack | |
| Aspirin | Tablet: 300 Mg > 16 Years |
| Ibuprofen | Tablet (scored) 400mg |
| Ergotamine Tartrate | Tablet 1mg |
| Paracetamol | Tablet (scored) 500mg |
| 7.2 For prophylaxis | |
| Propranolol | Tablet(scored) 40mg |
| Pizotifen | Tablet 0.5mg (S Paed) |
| 8. ANTINEOPLASTIC, IMMUNOSUPPRESSIVES AND MEDICINES USED IN PALLIATIVE CARE | |
| 8.1 Immunosuppressive medicines | |
| Aziathropine | Tablet 50mg (S) |
| Cyclosporine | Capsule 100mg; 50mg;25mg (S-nepro; phys) |
| Mycophenolate Mofetil | Tablet 250mg & 500mg (S- Nephro) |
| Mycophenolic acid Acid | Tablet 360mg (S- Nephro) |
| Hydroxychloroquine | Tablet 200mg (S-phys) |
| Tacrolimus | Tablet 1mg (S- Nephro) |
| 8.2 Cytotoxic medicines and adjuvant medicines | |
| Bleomycin | Injection , 15IU amp (S) |
| Capecitabine | Tablet 500mg (S) |
| Calcium Folate | Injection , 50mg/5ml Vial (S) |
| Carboplatin | Injection , 450mg/45ml & 150mg/15ml Vials (S) |
| Cisplatin | Injection , 50mg/50ml Vial (S) |
| Cyclophosphamide | Injection , 500mg Vial (S) |
| Doxorubicin | Injection , 10mg/5ml & 50mg/25ml Vials (S) |
| Docetaxel | Injection , 20mg/0.5ml & 80mg/2ml Vials (S) |
| Filgrastim | Injection , 30iu Prefilled Syringes (S) |
| Folinic Acid | Injection ,50mg 5ml Vial (S) |
| Fluorouracil | Injection 50mg/ML, 10ml Ampoule (S) |
| Hydroxyurea | Capsule 500mg (S) |
| Methotrexate | Tablet 2.5mg (S) Injection , 50mg Vial |
| Oxaliplatin | Injection 50mg & 100mg Vials (S) |
| Paclitaxel | Injection 30mg & 100mg Vials (S) |

| | |
|--|---|
| Vincristine | Injection 1mg/MI, 1ml Ampoule (S) |
| 8.3 Biphosphonates | |
| Zolendronic Acid | Injection 4mg Vial (S) <i>Malignancy-related bone disease</i> |
| 8.4 Hormones and antihormones | |
| Bicalutamide | Tablet 50mg (S - Uro) |
| Cyproterone Acetate | Tablet 50mg (S – Uro) |
| Dexamethasone | Tablet 4mg (S- Onco) Injection 5mg/1ml Ampoule |
| Finasteride | Tablet 5mg (S - Uro) |
| Methylprednisolone Succinate | Injection 120mg Vial (hospital) |
| Prednisolone | Tablet (scored) 20mg |
| Letrozole | Tablet 2.5mg (S) |
| Tamoxifen | Tablet 10mg (S) |
| 8.5 Medicines used in palliative care | |
| Amitriptyline | Tablet (scored) 25mg |
| Codeine Phosphate | Tablet 30mg |
| Diazepam | Tablet (scored) 5mg |
| Dexamethasone | Tablet (scored) 4mg (S- Onco) |
| Fentanyl | Patches : 25mcg, 50 mcg (Specific for patients who cannot swallow) (S- Onco) |
| Haloperidol | Tablet 5mg & 1.5mg Injection 5mg /ml, 1ml Ampoule |
| Hyoscine butyl bromide | Injection 10mg /ml, 1ml Ampoule |
| Morphine | Oral Solution 2mg/MI (300ml Bottle) Tablet Sustained Release 10mg & 30mg Injection 10mg /MI, 1ml Ampoule |
| Tramadol Hcl | Tablet 50mg (S) |
| 9. ANTIPARKINSONISM MEDICINES | |
| Benzhexol | Tablet 2mg (S- Psych) |
| Levodopa / Carbidopa | Tablet Levodopa100mg + Carbidopa 25mg |
| Levodopa / Carbidopa | Tablet sustained release: Levodopa 200mg / Carbidopa 50mg (S) |
| Ropinirole | Tablet 0.25mg & 1mg immediate release ;(S- Phys, Neuro) Tablet 2mg SR and 4mg SR (Neuro- S) |
| 10. MEDICINES AFFECTING THE BLOOD | |
| 10.1. Antianaemia medicines | |

| | |
|---|--|
| Ferrous Sulphate | Tablet 200mg (65mg Iron) Syrup 60mg (12mg Iron)/5ml, 200ml Bottle |
| Ferrous Sulphate + Folic Acid | Tablet Ferrous Sulphate 200mg + Folic Acid 400mcg |
| Folic Acid | Tablet 5mg |
| Hydroxocobolamin (Vitamin B12) | Injection 1mg/ML, 1ml Ampoule |
| Iron Sucrose | Injection 20mg/ML, 5ml Ampoule Iv (S -Hdu) |
| Iron Dextran | Injection 50mg/ML 2ml IM |
| Epoetin Beta | Injection 5000IU and 2000IU (S- Nephro) |
| Methoxy Polyethylene Glycol-Epoetin Beta (Micera) | Prefilled Syringe 50mcg ; 75mcg (S- Nephro) |
| 10.2. Medicines affecting coagulation | |
| Etamsylate | Injection 125mg /ML, 2ml Ampoule (S) |
| Enoxiparin | Prefilled Syringe 20mg & 40mg (S) |
| Heparin Sodium | Injection 5,000iu/ML, 5ml Vial (Iv/Sc) |
| Protamine Sulphate | Injection 10mg / ML, 5ml Ampoule |
| Rivaroxaban | Tablet 10mg, 15mg & 20mg (Haematologist ; Phys, Orthopad) |
| Tranexamic Acid | Injection 100mg/ML, 5ml Ampoule (S) Tablet 500mg (S- Gynae ;ENT ; Maxilo; Surgeon) |
| Vitamin K (Phytomenadione) | Injection 10mg /ML, 1ml Ampoule Adult Injection 1mg/0.5ml Ampoule Paed |
| Warfarin | Tablet 1mg ; 3mg & 5mg |
| 11. BLOOD PRODUCTS AND BLOOD COMPONENTS | |
| 11.1 Plasma substitutes | |
| Human Plasma Albumin | Infusion 20%, 100ml Bottle (hospital) |
| 11.2. Blood coagulation factors | |
| Factor VIII Fraction | Bottle Dried Injection 500 Units |
| 11.3 Human immunoglobulins | |
| Anti-D immunoglobulin | Injection: 300 micrograms in single-dose vial (hospital) |
| Anti-tetanus immunoglobulin | Injection: 250 IU in vial. (hospital) |
| Normal immunoglobulin | Intravenous administration: 5% (5g) protein solution (hospital – S neurologist; Paed; haem) |
| 11.4 Plasma substitutes | |

| | |
|--|--|
| Oxypolygelatine | Infusion 5.5%, 500ml Bottle |
| 12. CARDIOVASCULAR MEDICINES | |
| 12.1 Antianginal medicines | |
| Bisoprolol | Tablet (scored) 5mg; (S- phys; cardio) (remove) |
| Carvedilol | Tablet (scored) 6.25mg; 12.5mg; 25mg (S- phy; cardio) |
| Isosorbide Dinitrate | Tablet Sublingual 5mg; S/R Tablets 20mg Injection 1mg /Ml, 10ml Ampoule (H) |
| Metoprolol | Tablet (scored) 50mg (S- phys; cardio) |
| Trimethazidime | Tablet 20mg (S- phys; Cardio) |
| Verapamil | Tablet (scored) 40mg (S- phys; Cardio) |
| 12.2 Antiarrhythmic medicines | |
| Amiodarone Hcl | Tablet 200 Mg (S- phys; cardio) Injection 50mg /Ml, 3ml Ampoule |
| Atenolol | Tablet (scored) 50mg |
| Carvedilol | Tablet (scored) 6.25mg; 12.5mg; 25mg (S- phys; cardio) |
| Digoxin | Tablet (scored) 0.25mg Elixir 50mcg /Ml, 60ml Bottle (S) Injection 0.250mg/Ml 2ml Ampoule |
| Isoprenaline | Injection 0.2mg/Ml, 2ml Ampoule (hospital) |
| Lignocaine Hcl | Injection Iv 20mg /Ml, 5ml |
| Metoprolol | Tablet(scored) 50mg (S- phys; cardio) |
| Sotalol | Tablet (scored) 80mg (S- Cardio) |
| Verapamil | Tablet (scored) 40mg Injection 2.5mg /Ml, 2ml Ampoule |
| 12.3 Antihypertensive medicines | |
| Amlodipine | Tablet (scored) 5mg & 10mg |
| Atenolol | Tablet (scored) 50mg |
| Hydrochlorthiazide | Tablet(scored) 25mg |
| Clonidine | Tablet 100mcg (S-Cardio) |
| Diltiazem | Tablet 60mg |
| Labetalol | Tablet 100mg (S –Cardio, Gynae) Injection 5mg /Ml, 20ml Ampoule (H) |
| Lisinopril | Tablet (scored) 5mg & 20mg |
| Losartan | Tablet 50mg & 100mg |
| Methyldopa | Tablet 250mg |
| Metoprolol | Tablet 50mg (S- Phys ; cardio) |
| Nicardipine | Injection 1mg /Ml, 10ml Ampoule (hospital) |
| Nifedipine | Tablet 20mg SR (S- Phys ; cardio) |
| Prazosin | Tablet 2mg & 5mg Sr (S-Cardio) |

| | |
|--|---|
| Propranolol | Tablet (scored) 40mg Injection 1mg /ml, 1ml Ampoule (H) |
| Amlodipine/Hydrochlorothiazide | Tablet fixed combination 5/ 12.5mg |
| Amlodipine /Losartan | Tablet fixed combination 5mg/ 50mg |
| Losartan/hydrochlorothiazide | Tablet fixed combination 50/ 12.5mg |
| 12.4 Medicines used in heart failure | |
| Bisoprolol | Tablet (scored) 5mg; (S- Phys ; cardio) |
| Carvedilol | Tablet (scored) 6.25mg; 12.5mg; 25mg (S- Phys ; cardio) |
| Digoxin | Tablet(scored) 0.25mg Elixir 50mcg /ml, 60ml Bottle (S) Injection 0.250mg/ml 2ml Ampoule |
| Furosemide | Tablet (scored) 40mg Paediatric Solution 10mg/ml 60ml (S) Injection 10mg/ml 2ml |
| Lisinopril | Tablet(scored) 5mg & 20mg |
| Losartan | Tablet(scored) 50mg & 100mg |
| Spirolactone | Tablet (scored) 25mg & 50mg |
| 12.5 Vasoconstrictors | |
| Ephedrine | Injection 30mg/ml 1ml (hospital) |
| Noradrenalin | Injection 2mg/ml 4ml (hospital) |
| 12.6 Cardiac stimulants Medicines | |
| Dobutamine | Injection 12.5mg/ml 20ml (hospital) |
| Dopamine | Injection 40mg/ml 5ml |
| 12.7 Antithrombotic medicines | |
| Aspirin | Tablet 300mg & 75mg EC |
| Clopidogrel | Capsule 75mg (S- Phys ; cardio) |
| Alteplase | Injection 50mg (hospital) |
| Tenecteplase | Injection 30mg and 30mg vials |
| 12.8 Lipid-lowering agents | |
| Atorvastatin | Tablet 10mg & 20mg |
| 12.9 Medicines used in Pulmonary Hypertension | |
| Sildenafil | Tablet 50mg (S- Phys, urologist; Endo) |
| 12.10 Peripheral vasodilators | |
| Pentoxifylline | Tablet 400mg SR (S-surg; phys;) |

| 13. DERMATOLOGICAL MEDICINES (TOPICAL) | |
|---|--|
| 13.1. Antifungal medicines | |
| Benzoic Acid 6% & Salicylic Acid 3% (Whitfield Ointment) | Ointment 30g |
| Clotrimazole | Cream 1% 15g |
| Ketoconazole | Cream 2% 15g (S -Derma) Shampoo 2% 30ml (S- Derma) |
| Terbinafine | Cream 1% 5g(S- Derma) |
| 13.2. Anti-infective medicines | |
| Neomycin Bacitracin | Ointment 15g |
| Mupirocin (MRSA) Treatment-With Positive Result Of Culture) | Cream 2% 15 G |
| Potassium Permanganate | Aqueous Solution 1: 10 000 |
| Silver Sulphadiazine | Cream 1%, 500g Jars |
| 13.3 Warts and Calluses | |
| Silver nitrate | Sticks/pencil: 95% |
| Podophyllin | Solution: Compound paint 20% BP |
| Salicylic acid | Solution: Paint 20% in compound Tincture Benzoin, 10ml Paint 10% in compound Tincture Benzoin, 10ml bottle |
| 13.4. Anti-inflammatory and antipruritic medicines | |
| Betamethasone | Cream/Ointment 0.1% 15g |
| Calamine | Lotion 100ml |
| Hydrocortisone | Cream /Ointment 1% 15g |
| 13.5. Astringent medicines | |
| Potassium Permanganate | Solution 1: 10000 100ml |
| 13.6. Emollients | |
| Aqueous Cream | Tub 100mg |
| Emulsifying Ointment | Tub 100mg |
| Oilatum preparation | Soap S -Derma) |
| Leave on emollient – liquid and white soft paraffin 50:50 ointment | Tub 100mg |
| 13.7. Medicines affecting skin differentiation and proliferation | |

| | |
|---|--|
| Coal Tar preparations | Ointment 100g |
| Calcipotriol 50mcg/g | Ointment 50mcg/g 50g (S -Derma) |
| Clobetazol | Cream 0.5% (Derma- S) |
| Clobetazol | Ointment 0.5% (Derma- S) |
| Clobetazol 0.5% + Salicylic 3% | Cream/Ointment: Clobetazol 0.5% + Salicylic 3% (S-Derma) |
| Podophyllin And Salicylic Acid | Solution |
| Salicylic Acid | Solution: 5% |
| 13.8. Scabicides and pediculicides | |
| Permethrin | Cream 5% 30g |
| 13.9. Preparations for acne | |
| 13.9.1. Oral preparations for acne | |
| Doxycycline | Capsule 100mg |
| 14. DIAGNOSTIC AGENTS | |
| 14.1 Ophthalmic medicines | |
| Fluorescein | Minims (0.5ml) 1% |
| 14.2 Radiocontrast media | |
| Barium Sulphate | Powder Packs 1200g For Reconstitution |
| Gastrofin | Solution: 100ml |
| 14. 2.1 MRI /CT Contrast Media | |
| Iohexol (Omnipaque) | Solution 300 Mg I/MI Provides 623.4 Mg/MI Iopromide 50ml & 100ml Bottles |
| Gadodiamide (OmniScan) | Solution: 20ml vial |
| 15. DISINFECTANTS AND ANTISEPTICS | |
| 15.1 Antiseptics | |
| Boric Acid | Solution for dressing: 3% |
| Chlorhexidine | Solution 0.5% , In Alcohol 70% , 500ml & 4% , In Alcohol 70% , 100ml |
| Ethanol (Denatured) | SOLUTION 70% 100ml |
| Hydrogen Peroxide | Solution 6% 100ml |
| Povidone Iodine | Solution 10% 500ml |

| | |
|---|---|
| 15.2 Disinfectants | |
| Sodium Hypochlorite | Solution (0.3 – 0.4% Chlorine) 100ml |
| Ortho-phthalaldehyde (Cidex OPA) | Solution 0.55% |
| Alcohol based hand rub (Sterilium) | Solution: containing 2-propanol 45g; 1-propanol 30g; mectroniumetisulphate 0.2g; myristil alcohol; glycerol |
| 16. DIURETICS | |
| Hydrochlorthiazide | Tablet 25mg |
| Frusemide | Tablet 10mg Paediatric Solution 10mg/MI 60ml (S-Paed) Injection 10mg /MI, 2ml Ampoule 250mg/25ml ampoule (hospital) |
| Mannitol | Injection 10% & 20% 500ml |
| Spironolactone | Tablet 25mg & 50mg |
| 17. GASTROINTESTINAL MEDICINES | |
| 17.1 Antacids and other anti-ulcer medicines | |
| AluminiumHydroxide + Magnesium Trilicate + Simeticone | Tablet Chewable |
| Famotidine | Tablet 40mg |
| Omeprazole | Capsule 20mg Injection 40mg Vial hospital) |
| Ranitidine | Injection 50MG/2ML |
| 17.2 Antiemetic medicines | |
| Dexamethazone | Tablet 4mg (S- Onco) Injection 5mg/1ml Ampoule |
| Domperidone | Syrup 5mg/5ml 60ml (S-Paed) |
| Metoclopramide | Tablet 10mg Injection 5mg /MI, 2ml Ampoule |
| Prochlorperazine | Tablet 5mg Injection 12.5mg /MI, 1ml Ampoule |
| Granisetron | Injection 1mg/MI 3ml Ampoule (S- Onco) Tablet 1mg (S- Onco) |
| 17.3 Anti-inflammatory medicines | |
| Mesalazine | Tablet 400mg (S) |
| Sulphasalazine | Tablet 500mg EC (S) |
| Prednisolone | Tablet 20mg |

| 17.4 Laxatives | |
|---|---|
| Bisacodyl | Tablet 5mg Suppository 10mg |
| Citric acid anhydrous/Magnesium Carbonate heavy | Sachet: 17.79g/11.57g (Citramag effervescent powder) for bowel prep only |
| Glycerine | Suppositories: 1g & 2g |
| Lactulose | Solution 3.5g/5ml 200ml (S) |
| Liquid Paraffin Bp | Solution 100ml |
| Microlax | Enema 5ml Tube (hospital) |
| Senna | Tablet 7.5mg (S paed- surgeon) |
| 18.5 Pancreatic Enzymes | |
| Pancreatin (Creon) | Capsule 10000 Ph Eur Lipase, 8000 Ph Eur Amylase, 500 Ph Eur Protease (S- Phys ; Gastro) |
| 17.6 Medicines used in 18hydrat | |
| 17.6.1 Oral rehydration | |
| Oral Rehydrating Salt | Sachet Powder for dilution in 1 L. glucose: 75 mEq sodium: 75 mEq or mmol/L chloride: 65 mEq or mmol/L potassium: 20 mEq or mmol/L citrate: 10 mmol/L osmolarity: 245 mOsm/L glucose: 13.5 g/L sodium chloride: 2.6 g/L potassium chloride: 1.5 g/L trisodium citrate 18hydrate+: 2.9 g/L |
| 17.7. Antispasmodics | |
| Hyoscine Butyl Bromide | Tablet 10mg Injection 20mg /Ml, 1ml Ampoule |
| 17.8 Medicines used in gastrointestinal bleeding | |
| Omeprazole | Injection 40mg Vial |
| 18. HORMONES, OTHER ENDOCRINE MEDICINES AND CONTRACEPTIVES | |
| 18.1 Adrenal hormones and synthetic substitutes | |
| Hydrocortisone | Tablet 10mg (S- Endo) Injection 100mg Vial |
| 18.2 Androgens | |

| | |
|--|---|
| Testosterone (Sustanon) | Injection 250mg/ ml (S S- Phys ; Endo) |
| 18.2 Biphosphonates | |
| Alendronic Acid | Tablet 75mg (S- Onco) |
| 18.3 Contraceptives | |
| 18.3.1 Oral hormonal contraceptives | |
| 18.3.1.1 Combined oral contraceptives | |
| Ethinylloestradiol + Levonorgestrel (Microgynon 30 Ed) | Tablet 30mg +150mg |
| Ethinylloestradiol + Desogestrel (Marvelon 28) | Tablet 30mg + 150mg |
| Ethinylloestradiol 30/40mcg + Levonorgestrel 50/75/125 Mcg (Triquilar) | Tablet |
| 18.3.1.2 Progesterone oral contraceptives | |
| Norethisterone (Micronor) | Tablet 350mcg |
| Levonorgestrel (Microlut) | Tablet 30 Mcg |
| Desogestrel (Marvelon) | Tablet 150mcg |
| 18.3.2 Injectable hormonal contraceptives | |
| Norethisterone Enanthate (Noristerat) | Injection 200mg/1ml Amp |
| 18.3.4 Emergency Contraceptives | |
| Levonorgestrel | Tablet 750mcg |
| 18.3.5 Intrauterine devices | |
| Copper T 380 A | |
| Diaphragm Sizes 60 – 90mm | (Rising In Steps Of 5mm) |
| 18.3.6 Barrier Methods | |
| Condoms | FEMALE/ MALE |
| 18.4 Estrogens | |
| Congugated Oestrogen (Premarin) | Tablet 0.625mg (S – Gynae) Cream: |
| 17 β Estradiol (Oestrogel) | Gel : 0.06% (S- Gynae) |
| 18.5 Hypothalamic and pituitary hormones | |

| | |
|--|---|
| Danazole | Capsule 200mg (S- Gynae) |
| Vasopressin | Injection 20iu/MI 1 MI Ampoule (hospital) |
| 18.6 Insulins and other antidiabetic agents | |
| Soluble Insulin (Novorapid) | Vial 100 Units/MI,10ml Penset 100u/MI 3ml |
| Actraphane Insulin(Actrapid 30% + Protaphane 70%) | Penset 100u/MI 3ml |
| Novomix Insulin (Novorapid 30% + Protaphane 70%) | Penset 100u/MI 3ml (for Children only – Paed;Endo) |
| Intermediate Acting Insulin (Protaphane) | Vial 100 Units/MI,10ml Penset 100u/MI 3ml |
| Long acting insulin (Detemir) | Penset 100u/MI 3ml (S- endocrinologist) |
| Dapagliflozin | Tablet 10mg scored (S- endocrin ; phys) |
| Glicazide | Tablet 80mg |
| Metformin | Tablet 500mg & 1g SR |
| Metformin / Glicazide | Tablet 500mg/80mg |
| Sitagliptin | Tablet 50mg (S- endocrin ; phys) |
| 18.7 Ovulation inducers | |
| Clomiphene | Tablet 50mg (S- gynae) |
| 18.8 Progestogens | |
| Norethisterone | Tablet 5mg |
| 18.9 Thyroid hormones and antithyroid medicines | |
| Carbimazole | Tablet 5mg |
| Propranolol | Tablet 40mg |
| Thyroxin Sodium | Tablet 50mg & 100mg |
| 19. IMMUNOLOGICALS | |
| 19.1 Diagnostic agents | |
| Tuberculin, Purified Protein Derivative (Ppd) | Injection |
| 19.2 Sera and immunoglobulins | |
| Anti-D Immunoglobulin (Human) | Injection 300mcg/2ml Vial |
| Anti-Tetanus Immunoglobulin (Human) | Injection 500iu Vial |
| Human Immunoglobulin | Injection 5g Vial |
| 19.3 Vaccines | |

| | |
|---|--|
| 19.3.1. For universal immunisation | |
| Bacillus Clamette-Guerin (Bcg) | Vial 20 Doses |
| Diphtheria + Pertussis + Tetanus (Dpt) | Vial 10 Doses |
| Diphtheria + Tetanus | Vial 10 Doses |
| Hepatitis B Adults (Recombinant) | Vial Single Dose |
| Human Papillovirus (Quadrivalent) | Vial Single Dose |
| Measles + Mumps + Rubella (Mmr) | Vial Single Dose |
| Diphtheria + Tetanus (Dpt) + acellular Pertussis + Haemophilus influenza type B, poliovirus and hepatitis B (DTaP-Hib-IPV-HepB) | Vial Single Dose |
| Pneumococcal Conjugated 13 | Vial Single Dose |
| Poliomyelitis (Oral) | Vial 10 Doses |
| Rotavirus Vaccines Live oral suspension | pre-filled syringes: 1.5ml (one dose) |
| Yellow Fever | Vial 10 Doses |
| 20. MUSCLE RELAXANTS (PERIPHERALLY-ACTING) AND CHOLINESTERASE INHIBITORS | |
| Atracurium | Injection 10mg/MI, 5ml Ampoule (hospital) |
| Baclofen | Tablet 10mg (S- Ortho; Paed; Phys) |
| Neostigmine | Injection 2.5mg/MI, 1ml Ampoule (hospital) |
| Pyridostigmine | Tablet 60mg (S) |
| Suxamethonium | Injection 50mg /ml., 2ml Ampoule (hospital) |
| Vecuronium Bromide | Injection 4mg & 10mg Vial (hospital) |
| 21. OPHTHALMOLOGICAL PREPARATIONS | |
| 21.1 Anti-infective agents | |
| Acyclovir | Ointment 3%, 4.5g Tube (S) |
| Chloramphenicol | Drop 0.5%, 10ml Bottle Ointment 1%, 4g Tube |
| Ciprofloxacin | Drop 0.3%, 5ml Bottle (S) |
| Gentamycin | Drop 0.3%, 5ml Bottle |
| Tetracycline | Ointment 1%, 4g Tube |
| 21.2. Anti-inflammatory agents | |
| Dexamethasone Eye Drop 0.1% + ciprofloxacin | Drop 10ml Bottle (S) |
| Dexamethasone Eye Drop 0.1%; Hyppromellose 0.5%; Neomycin 0.35%; Polymyxin-B 6000units/ml (Maxitrol) | Ointment (S) |
| Dexamethasone 0.1% ; Hyppromellose 0.5% (Maxidex) | Drop 10ml Bottle (S) |
| Fluorometholone | Drop 0.1% 5ml (S) |
| Flurbiprofen | Drop 0.03%, 5ml Bottle (S) |
| Sodium Cromoglycate | Drop 4 % 5ml Bottle |

| 21.3. Mydriatics , cycloplegics & Sympathomimetics | |
|--|---|
| Cyclopentolate | Drop 1% 5ml Bottle (S) |
| Homatropine | Drop 2% 10ml Bottle(S) |
| Phenylephrine | Drop 10% 10ml Bottle(S) |
| 21.4 Local anaesthetics or surgical medicines | |
| Amethocaine Hcl | Drop 0.5%, 10ml Bottle |
| Hydroxypropyl methylcellulose (Aurovisc) | Prefilled syringe: 2% 2ml |
| 21.5 Miotics and antiglaucoma medicines | |
| Acetazolamide | Tablet 250mg (S) |
| Brimonidine | Drop 0.2% 5 ml Bottle (S) |
| Brimonidine 0.2% + Timolol 0.5% | Drop 5 ml Bottle (S) |
| Dorzolamide | Drop 2% 5 ml Bottle (S) |
| Latanaprost | Drop 50mcg/ ml 2.5 ml Bottle (S) |
| Latanaprost Eye Drop 50mcg/ml + Timolol 5mg/ml | Drop 2. 5 ml Bottle(S) |
| Pilocarpine | Drop 2% 5ml Bottle (S) |
| Timolol Maleate | Drop 0.5% 5 ml Bottle (S) |
| 21.6 Tear deficiency, ocular lubricants and astringents | |
| Carbomer | Gel: 0.2% (S) |
| Hypromellose | Drop 0.3% 10 ml Bottle |
| Sodium Hyaluronate | Drop 0.1% 10 ml Bottle |
| Retinol palmitate with white soft paraffin, liquid paraffin and wool fat (VitA- POS) | Ointment: |
| 22. MEDICINES ACTING ON THE GENITOURINARY TRACT | |
| 22.1 Medicines used in Obstetrics | |
| 22.1.1 Uterotonics | |
| Ergometrine | Tablet 0.5mg (Obstetric-S) Injection 500mcg/MI 1ml (hospital) |
| Misoprostol | Tablet 200mcg (Obstetric –S) – Management of incomplete abortion and miscarriage; – Prevention and treatment of postpartum haemorrhage where oxytocin is not available or cannot be safely used |
| Oxytocin | Injection 10 Units/MI, 1ml Ampoule (hospital) |
| 22.1.2 Myometrial Relaxants | |
| Salbutamol | Injection 10 Units/MI, 1ml Ampoule (hospital) |
| 22.2. Medicines for benign prostate hyperplasia | |
| Tamsulosin | Tablet 0.4mg (S -Uro) |

| | |
|--|--|
| | |
| 22.3. Urinary antispasmodics | |
| Diclofenac | Injection 25mg/MI 3ml Ampoule |
| Hyoscine Butyl Bromide | Injection 10mg/MI 1ml Ampoule |
| 22.4 Urinary frequency, enuresis and incontinence | |
| Oxybutinin | Tablet 5mg (S-Uro) |
| Imipramine | Tablet 25mg |
| 22.5 Medicines for Erectile Dysfunction | |
| Sildenafil | Tablet 50mg (S- Uro; Physicians;Endo) |
| 22.6 Medicines Used in Urological pain | |
| Citric acid with Potassium citrate (Alkalization of Urine) | Oral Solution Citric acid 50mg/ml + Potassium citrate 300mg/ml (S -Uro) |
| 22.7 Bladder instillations | |
| Glycine | Irrigation solution 1.5% |
| 23. HAEMODIALYSIS SOLUTION | |
| Haemodialysis concentrate | Solution Sodium Chloride BP 2106.7g Potassium Chloride BP 52.2g Magnesium Chloride BP 35.6g Acetic Acid-Glacial 60.0g Distilled Water To 10Litres |
| 24. PSYCHOTHERAPEUTIC MEDICINES | |
| 24.1 Medicines used in psychotic disorders | |
| Chlorpromazine | Tablet 100mg & 25mg Injection 25mg /MI, 2ml Ampoule |
| Fluphenazine Decanoate | Injection 25mg/MI, 1ml Ampoule |
| Flupenthixol Decanoate | Injection 20mg/MI, 2ml Ampoule |
| Haloperidol | Tablet 5mg & 1.5mg Injection 5mg /MI, 1ml Ampoule |
| Olanzapine | Tablet 5mg & 10mg (S) |
| Risperidone | Tablet 1mg & 4mg (S) |
| Trifluorperazine | Tablet 5mg (S) |
| 24.2 Medicines used in mood disorders | |

| | |
|---|--|
| 24.2.1 Medicines used in depressive disorders | |
| Amitriptyline | Tablet 10mg & 25mg |
| Fluoxetine | Capsule 20mg (S- psychiatrist) |
| Imipramine | Tablet 25mg |
| Citalopram | Tablet 20mg (S- psychiatrist) |
| 24.2.2 Medicines used in bipolar disorders | |
| Cabamazepine | Tablet 200mg |
| Lithium Carbonate | Tablet 200mg and 300mg (S - psychiatrist) |
| Sodium Valproate | Tablet 200mg EC (S neuro, phys , psych) |
| 24.3 Medicines used in generalized anxiety and sleep disorders | |
| Alprazolam | Tablet 1mg (S psychiatrist) |
| Chloral hydrate | Oral solution: 28.66mg/ml 150ml bottle (Paed) |
| Clonazepam | Tablet 2mg (S neuro, phys , psych) |
| Diazepam | Tablet 5mg |
| Promethazine Hcl | Tablet 25mg (S) |
| 24.4 Medicines used for obsessive compulsive disorders | |
| Citalopram | Tab 20mg (S - psychiatrist) |
| Clomipramine | Tablet 10mg (S- psychiatrist) |
| Fluoxetine | Capsule 20mg (S - psychiatrist) |
| 24.5 Medicines used for disorders due to psychoactive substance use | |
| Methadone | Syrup 10mg/ 1ml; (S- Psy) |
| Naltrexone 50mg | Capsule 50mg (S- Psy) |
| 24.6 Medicines used for Attention Deficit Hyperactivity Disorder | |
| Methylphenidate HCl | Tablet 10mg (S – Psy & Paed) |
| 24.7 Medicines used for Dementia/Alzheimer’s Disease | |
| Memantine | Tablet 10mg (S – Psy; Neuro) |
| Donepezil | Tablet 10mg (S – Psy; Neuro) |
| 25. MEDICINES ACTING ON THE RESPIRATORY TRACT | |
| 25.1 Antiasthmatic and medicines for chronic obstructive pulmonary disease | |
| Adrenaline | Injection 1mg /ml, 1ml Ampoule |
| Etophylline + Teophylline | Fixed combination tablet: 231mg/69 SR |

| | |
|--|---|
| Aminophylline | Injection 25mg /Ml, 10ml Ampoule |
| Beclomethasone Dipropionate | Aerosol Inhalation (250mcg/Dose Metre Inhalation) |
| Budesonide | Respules 500mcg/2ml (Paediatric Use) (S) Meter Dose Inhaler 200mcg |
| Budesonide + Formoterol | Inhaler: 100mcg + 6mcg (S-Paediatric) Inhaler: 400mcg + 6mcg |
| Ipratropium Bromide | Nebuliser Solution 500mcg/2ml |
| Montelukast (for asthma use only) | Tablets 5mg & 10mg (S- paed, phys) Granules: 4mg sachet (Paediatric) |
| Salbutamol | Aerosol Inhalation 100mcg/Meter Dose Injection 1mg /Ml, 5ml Ampoule Nebuliser Solution 5mg/ml Tablets 4mg |
| 26. SOLUTIONS CORRECTING WATER, ELECTROLYTE AND ACID-BASE DISTURBANCES AND PARENTERAL NUTRITION | |
| 26.1. Solutions correcting water, electrolyte, and acid-base disturbances | |
| 26.1.1. Oral | |
| Oral rehydration salts | See section 17.5.1 |
| 26.1.2 Parenteral | |
| Glucose | Injectable solution: 5% isotonic ; 10% & 50% hypertonic |
| Glucose with sodium chloride | Injectable solution 4% glucose + 0.18% sodium chloride (equivalent to 30 mmol/L Na ⁺ and 30 mmol/L Cl) |
| Potassium chloride | Solution for dilution: 20% 200mg/ml 10ml amp (K ⁺ 27mmol/ml) |
| Sodium Bicarbonate | Injectable solution 8.4% (84.G/L 1000mmol/L) 1.26 %(12.6g/L 150 mmol/L) ; |
| Sodium chloride | Injectable solution: 0.9% isotonic (equivalent to Na ⁺ 154 mmol/l, Cl ⁻ 154 mmol/l), 3% (equivalent to Na ⁺ 512 mmol/l, Cl ⁻ 512 mmol/l) |
| Sodium Lactate | Injectable solution : Na ⁺ 167mmole/l ; HCO ₃ ⁻ as lactate 167 mmole/l |
| 26.2. Intravenous nutrition | |
| Amino Acid | Injectable solution 100ml & 500ml (Nitrogen 9.3g/Litre) |

| | |
|---|---|
| Fat Emulsion (Intralipid) | Injectable solution 100 & 500ml 10% ; 500ml 20% |
| 26.3. Miscellaneous | |
| Water for injection | 10ml amp |
| Phosphate Binder | |
| Sevelamer | Tablet 800mg (S) |
| Cation exchange resin | |
| Sodium polystyrene sulphonate | Powder: 999.34mg per 1g (S) |
| Calcium regulating Medicines | |
| Cinacalcet | Tablet 30mg (S) |
| 27. VITAMINS AND MINERALS | |
| Alpha Calcidol | Capsule 0.25 Mcg (S) |
| Calcium Carbonate | Chewable Tablet 1.25g (S) Tablet 1.25g With Vitamin D3 250IU (S) |
| Calcium Gluconate | Tablet 300mg Injection 100mg /ml, 10ml Ampoule |
| Folic Acid | Tablet 5mg |
| High potency vitamin (Parentrovite) | IV Injection thiamine HCL 250mg/5ml, Riboflavine 4mg/5ml, Pyridoxine HCl 50mg/5ml, Ascorbic acid 500mg/5ml, Nicotinamide 160mg/5ml, anhydrous glucose 1000mg/5ml (hospital) |
| Hydroxocobalamin | Injection 1mg /1ml, 1ml Ampoule |
| Phytomenadione (Vitamin k 1) | Injection : 2mg/0.2ml Ampoule (MM paediatric) Injection : 10mg /1ml, 1ml Ampoule |
| Potassium Chloride | Tablet 600mg |
| Pyridoxine HCl | Tablet 25mg |
| Sodium Fluoride | Solution – Dental |
| Thiamine HCl | Tablet 100mg Injection: 100mg/2ml |
| Vitamin B complex | Tablet |
| 28. MEDICINES ACTING ON THE EAR, NOSE AND OROPHARYNX | |
| 28.1. Medicines acting on ear | |
| Acetic Acid | Drop 2% (10ml) |
| Boric Acid | Drop 2% (10ml) |
| Chloramphenicol | Drop 5% (10ml) |
| Ciprofloxacin | Drop 2% (S –ENT, Optham) (5ml) |
| Clotrimazole | Drop 1% (S –ENT) (10ml) |
| Gentamycin | Drop 0.3% (5ml) |

| | |
|---|---|
| Hydrogen peroxide | Drop 6 % (10ml) |
| Olive oil | Drop (10ml) |
| Betamethazone + Neomycin | Drop Bethamethazone 0.1% + Neomycin 0.5% |
| 28.2. Medicines acting in nose | |
| Beclomethasone Dipropionate | Meter Spray 50mcg/ dose (S –ENT) |
| Oxymetazolin | Drop 0.05% & 0.1% |
| Fluticasone | Meter Spray 50mcg/ dose (S –ENT) |
| Sodium Chloride | Drop 0.9% |
| 28.3. Medicines acting on the oropharynx | |
| Chlorhexidine Gluconate | Solution for Mouth wash 0.2% |
| Hydrogen Peroxide | Solution for Mouth wash 6% <i>*To be diluted</i> |
| Nystatin | Suspension 100,000iu / ML, 30ml Bottle |
| 28.4. Medicines for nausea and vertigo | |
| Betahistine | Tablet 8mg (S –ENT; phys) |
| Prochlorperazine | Tablet 5mg |

Abbreviation

(S) – specialist medicine