


List of Essential medicines 2022-2023



MINISTRY OF HEALTH

HEALTH CARE AGENCY

Explanatory notes

The **core list** presents a list of minimum medicine needs for a basic health-care system in Seychelles, listing the most efficacious, safe and cost-effective medicines for priority conditions. Priority conditions are selected on the basis of current and estimated future public health relevance, and potential for safe and cost-effective treatment. The Health Care Agency has adopted and adapted the WHO Model Essential Medicine List 2017.

The **specialist medicines** presents essential medicines for priority diseases, for which specialized diagnostic or monitoring facilities, and/or specialist medical care, and/or specialist training are needed.

Dosage Forms

Mode of administration	Term to be used
To the eye	Eye drops, eye ointments.
Topical	For liquids: lotions, paints. For semi-solids: cream, ointment
Rectal	Suppositories, gel or solution.
Vaginal	Pessaries or vaginal tablets
Inhalation	Powder for inhalation, pressurized inhalation, nebulizer

Capsules	Refers to hard or soft capsules Gastro-resistant (such capsules may sometimes be described as enteric-coated or as delayed-release), prolonged-release or another modified-release form.
Granules	Preparations that are issued to patient as granules to be swallowed without further preparation, to be chewed, or to be taken in or with water or another suitable liquid The term 'granules' without further qualification is <i>never</i> intended to allow any type of modified-release granules
Oral powder	Preparations that are issued to patient as powder (usually as single-dose) to be taken in or with water or another suitable liquid
Oral liquid	Liquid preparations intended to be <i>swallowed</i> i.e. oral solutions, suspensions, emulsions and oral drops, including those constituted from powders or granules, but <i>not</i> those preparations intended for <i>oromucosal administration</i> e.g. gargles and mouthwashes Oral liquids presented as powders or granules may offer benefits in the form of better stability and lower transport costs. If more than one type

	of oral liquid is available on the same market (e.g. solution, suspension, granules for reconstitution), they may be interchanged and in such cases should be bioequivalent. It is preferable that oral liquids do not contain sugar and that solutions for children do not contain alcohol.
--	--

1. ANAESTHETICS	
1.1 General anaesthetics and oxygen	
Isoflurane 250ml	Inhalation
Sevoflurane 250ml	Inhalation (Paediatric Use)
Nitrous Oxide	Inhalation
Oxygen, Compressed Air	Inhalation (medical gas)
1.1.1 Injectable medicines (Hospital)	
Etomidate	Injection 2mg /1ml, 10ml Ampoule
Ketamine	Injection 10mg /10ml, 20ml
Propofol Injection	Injection 1% 10mg/ml
Thiopentone Sodium	Injection 500mg/Vial (rarely used)
1.2 Local anaesthetics	
Bupivacaine	Injection 0.5%, 10ml Ampoule Injection for Spinal Bupivacaine Heavy 5mg & 80mg/ml Glucose 4ml Ampoule).(Hospital)
Lignocaine	Injection HCl 2% 30ml Ampoule Gel 2% HCl Spray 10mg /Dose, 800 Doses Unit
Lignocaine + Adrenaline	Injection Lignocaine 2% + Adrenaline 1:200000 20ml Dental Cartridges Lignocaine 2% + Adrenaline 1: 10000 1.8ml
Ethyl Chloride	Spray
Mepivacain	Dental Cartridges Mepivacaine 3% 1.8ml
Mepivacaine HCl + Adrenalin	Dental Cartridges Mepivacaine 2% + Adrenaline 1: 10000 2.2ml
Prilocaine	Dental Cartridges 3% 1.8ml
Ephedrine	Injection 30mg (HCl) per 1ml Ampoule (For use in spinal anaesthesia during delivery, to prevent hypotension).(Hospital)
1.3 Preoperative medication and sedation for short-term procedures	
Atropine	Injection 1mg/ml, 1ml Ampoule
Fentanyl	Injection 50 Mcg/ml, 2ml Ampoule
Midazolam	Injection 5mg/ml, 3ml Ampoule
Morphine Sulphate	Injection 10mg/ml (sulphate), 1ml Ampoule

2. ANALGESICS, ANTIPYRETICS, NON-STEROIDAL ANTI-INFLAMMATORY MEDICINES (NSAIDs), MEDICINES USED TO TREAT GOUT, DISEASE MODIFYING AGENTS IN RHEUMATOID DISORDERS (DMARDs) AND NEUROPATHIC PAIN	
2.1 Non-opioids and non-steroidal anti-inflammatory medicines (NSAIDs)	
Acetylsalicylic acid	Tablet 300mg (dispersible)
Diclofenac Sodium	Injection 25mg/ML 3ml Ampoules
Ibuprofen	Tablet (scored) 400mg Syrup 200mg /5ml 100ml (a) (not in children less than 3 months)
Indomethacin	Capsule 25mg (keep)
Naproxen	Tablet 250mg
Paracetamol	Tablet(scored) 500mg Elixir 120mg/5ml, 100ml Bottle Suppositories 125mg ; 250mg; 1g * Not recommended for anti-inflammatory use due to lack of proven benefit to that effect
Paracetamol	Injection 500mg & 1g/Vial).(Hospital)
2.2 Opioid analgesics	
Codeine Phosphate	Tablet 30mg
Fentanyl	Injection 50mcg /ML, 2ml Ampoule
Morphine	Oral Solution 2mg/ML (300ml Bottle) Tablet Sustained Release 10mg & 30mg Injection 10mg /ML, 1ml Ampoule
Pethidine Hcl (for Obstetric use only)	Injection 50mg /ML, 1.1ml Ampoule
Tramadol Hcl (For palliative and post –op short course – max 10 days)	Tablet 50mg (S –oncology, surg)
2.3 Medicines used to treat gout	
Allopurinol	Tablet 100mg & 300mg
Colchicine	Tablet 1mg
2.4 Disease modifying agents used in rheumatoid disorders (DMARDs)	
Azathioprine	Tablet 50mg (S – phys; haemat; Onco)
Methotrexate	Tablet 2.5mg (S – phys; haemat; Onco))
Sulphasalazine	Tablet 500mg EC (S)
2.5 Medicines used to treat neuropathic pain	
Gabapentin	Tablet 300mg (S- neuro; ortho)
Pregabalin	Tablet 75mg (S- neuro; ortho) ?

3. ANTIALLERGICS AND MEDICINES USED IN ANAPHYLAXIS	
Adrenaline	Injection 1mg/Ml, 1ml Ampoule
Cetirizine	Tablet 10mg Syrup 5mg/5ml 30ml (S- Ent, Derma. Paed)
Chlorpheniramine	Tablet 4mg Syrup 2mg/5ml 50ml Injection 10mg/Ml 1ml
Hydrocortisone	Powder For Injection , 100mg
Prednisolone	Tablet 5mg & 20mg (soluble tablets)
Promethazine Hcl	Injection 25mg /Ml, 1ml Ampoule
Hydroxyzine	Tablet 25mg (S- nephro, Onco)
4. ANTIDOTES AND OTHER SUBSTANCES USED IN POISONINGS	
4.1 Non-specific	
Charcoal,	Activated Powder , 25g
4.2 Specific	
Acetylcysteine	Injection 200mg/Ml, 10ml Ampoule. (Hospital)
Atropine	Injection 1mg/Ml, 1ml Ampoule
Calcium gluconate	Injection 10% 100mg/ml 10ml Ampoule
Desferrioxame	Injection 500mg/Vial
Flumazenyl	Injection 100mcg/Ml 5ml Ampoule).(Hospital)
Naloxone	Injection 0.4mg/1ml & 0.04mg/2ml Ampoule
Pralidoxime	Injection 200mg/Ml, 5ml Ampoule).(Hospital)
5. ANTICONVULSANTS/ANTIEPILEPTICS	
Carbamazepine	Tablet (scored) 200mg Syrup 100mg/5ml 100ml Bottle (S- paed)
Clonazepam	Tablet (scored) 2mg (S- Phys, Psyc; neuro) Syrup 2.5mg/ml 20ml Bottle (S-paediatric)
Diazepam	Injection 10mg/1ml Ampoule Rectal solution 2mg/ml 2.5ml
Gabapentin	Tablet 400mg Tab (S- phys ; neuro; orthop)
Lamotrigine	Tablet 100mg & 25mg dispersible Tab (S- phys ; neuro; paed)
Levetiracetam	Tablet 500mg (S- phys ; neuro ; paed) Syrup 100mg/ml 100ml Bottle (S – neuro; paed)
Magnesium Sulphate	Injection 500mg/Ml <i>For use in eclampsia and severe pre-eclampsia and not for other convulsant disorders.</i>
Phenobarbitone	Tablet (scored) 30mg Injection 200 Mg/Ml, 1ml Ampoule
Phenytoin	Tablet 100mg Injection 50mg /Ml, 5ml Ampoule

Prebagalin	Tablet 75mg (S- neuro)
Sodium Valproate	Tablet 200mg EC Syrup 200mg /5ml, 300ml Bottle (S- Paed)
Topiramate	Tablets 25mg; 50mg & 100mg (S-neuro; physician)
6. ANTI-INFECTIVE MEDICINES	
6.1.1 Intestinal anthelmintics	
Albendazole	Tablet 400mg
Ivermectin	Tablet 3mg
Pyrantel Pamoate	Suspension 50mg/Ml 10ml (Paed)
6.1.2 Antifilarials	
Albendazole	Tablet 400mg
Ivermectin	Tablet 3mg
6.2 Antibacterials	
6.2.1 Beta Lactam medicines	
Amoxycillin	Capsule 250mg & 500mg Suspension 125mg /5ml; 250mg/5ml 100ml Bottle Injection 500mg & 1g Vial
Benzathine Penicillin	Injection 1.44g (1.2mu/Vial)
Benzyl Penicillin	Injection 600mg (1.0mu/Vial)
Cloxacillin	Capsule 250mg & 500mg Suspension 125mg /5ml, 100ml Bottle Injection 500mg /Vial
Co-Amoxyclav (extended spectrum antibiotic) (Can be prescribed by GP only for bites and community acquired pneumonia)	Capsule Amoxycillin 500mg + Clavulanic 125mg (S-) Suspension Amoxycillin 250mg + Amoxycillin 62.5mg /5ml 100ml (S) Injection Amoxycillin 1g + Clavulanic 200mg/Vial).(Hospital)
Cephalexin	Capsule 500mg Suspension 250mg /5ml, 100ml Bottle
Cefazolin	Injection 1g Vial Iv (S- Ortho)
Cefixime	Tablet 400mg Only listed for single-dose treatment of uncomplicated anogenital gonorrhoea
Phenoxymethylpenicillin	Tablet 250mg Syrup 125mg/5ml, 100ml Bottle
Reserve Beta Lactam Only listed for the treatment of life-threatening hospital-based infection due to suspected or proven multidrug-resistant infection.	
Ceftazidime	Injection 1g Vial).(Hospital)

Ceftriaxone	Injection 250mg /1g Iv Vial * Do not administer with calcium and avoid in infants with hyperbilirubinemia).(Hospital)
Piperacillin/Tazobactam	Injection 4.5g Vials).(Hospital)
6.2.2 Other Antibacterials	
Azithromycin	Tablet 500mg Syrup 200mg/5ml Single-dose treatment of genital <i>Chlamydia trachomatis</i> and of trachoma
Ciprofloxacin (extended spectrum antibiotic)	Tablet 500mg * Administer to adults only
Levofloxacin (for hospital use) extended spectrum antibiotic)	Tablet 500mg).(Hospital)
Clindamycin (extended spectrum antibiotic)	Capsule 300mg & 150mg (S)
Clarithromycin (extended spectrum antibiotic)	Capsule 500mg Caps (S) *For use in combination regimens for eradication of <i>H. Pylori</i> in adults
Co-Trimoxazole	Tablet 480mg & 960mg Syrup 240mg/5ml 100ml Injection 96mg/ML, 5ml Ampoule
Doxycycline	Capsule 100mg *Use in children <8 years only for life-threatening infections when no alternative exists.
Erythromycin	Suspension 125mg /5ml, 100ml Bottle
Gentamycin	Injection 40mg /ML, 2ml Ampoule
Metronidazole	Tablet 400mg Vaginal Tablet 500mg Suspension 125mg/5ml 100ml Injection 5mg /ML, 100ml Bottle
Nitrofurantoin	Tablet 100mg
RESERVE Other Antibacterials Only listed for the treatment of life-threatening hospital-based infection due to suspected or proven multidrug-resistant infection.	
Ciprofloxacin	Injection 200mg/100ml Iv).(Hospital)
Colistin	Injection 1 million I.U. Iv).(Hospital)
Levofloxacin	Injection 500mg/100ml Iv).(Hospital)
Clindamycin	Injection 150mg/ML 2ml).(Hospital)
Meropenem	Injection 500mg & 1g Vial).(Hospital)
6.2.3 Antileprosy medicines	
Clofazimine	Tablet 100mg (S)
Dapsone	Tablet 100mg (S)
6.2.4 Antituberculosis medicines	
Ethambutol	Tablet 400mg (S)
Isoniazid	Tablet 100mg (S)

Rifampicin	Tablet 300mg (S)
Rifampicin /Isoniazid	Tablet Rifampicin 300mg + Isoniazid 150mg (S)
Ethambutol/Isoniazide/Pyrazinamide/Rifampicine	Tablet Combination Ethambutol 275mg/ Isoniazide 75mg /Pyrazinamide 400mg /Rifampicine 150mg (S)
Streptomycin	Injection 1G/vial (S)
6.3 Antifungal Medicines	
Clotrimazole	Pessaries 100mg Cream 1%
Fluconazole	Capsule 50mg & 150mg (S)
Terbinafine	Tablet 250mg
Nystatin	Suspension 100,000iu / ML, 30ml Bottle
RESERVE Antifungal medicines Only listed for the treatment of life-threatening hospital-based Infection	
Amphotericin B	Injection 50mg Vial).(Hospital)
Fluconazole	Injection 200mg/100ml).(Hospital)
6.4 Antiviral medicines	
Acyclovir	Tablet 200mg /400mg scored Cream 15g
RESERVE Antiviral medicines Only listed for the treatment of life-threatening hospital-based infection	
Acyclovir	Injection 25mg/ML 10ml).(Hospital)
6.4.2 Antiretrovirals	
6.4.2.1 Nucleoside/Nucleotide reverse transcriptase inhibitors	
Abacavir (ABC)	Tablet 300mg (S)
Emtricitabine + Tenofovir (FTC)	Tablet Emtricitabine 200mg + Tenofovir 300mg (S)
Efavirenz + Emtricitabine + Tenofovir	Tablet : Efavirenz 600mg + Emtricitabine 200mg + Tenofovir 300mg (S)
Lamivudine + Zidovudine	Capsules Lamivudine 150mg + Zidovudine 300mg (S)
Lamivudine (3TC)	Tablet 150mg (S) Oral Solution 10mg/5ml 240ml (S)
Tenofovir Disoproxil (TDF)	Tablet 245mg (S)
Zidovudine (ZDV or AZT)	Capsule 100mg (S) Syrup 10mg/5ml 200 ML (S) Injection 10mg/ML 20ml Ampoule
6.4.2.2 Non-nucleoside reverse transcriptase inhibitors	

Efivarens (EFV or EFZ)	Capsule 200mg & 600mg (S)
Nevirapine (NVP)	Tablet 200mg Oral liquid
6.4.2.3 Protease inhibitors	
Darunavir	Tablet 600mg (S)
Lopinavir + Ritonavir (LPV/r)	Tablet Lopinavir 200mg + Ritonavir 50mg (S) Syrup Lopinavir 100mg + Ritonavir 25 mg per 5ml (S)
Ritonavir	Tablet 100mg (S)
6.4.2.4 HIV – Integrase inhibitors	
Dolutegravir	Tablet 50mg (S)
Tenofovir disoproxil fumarate + lamivudine +dolutegravir	Tablet: Tenofovir disoproxil fumarate 300mg+lamivudine300mg+dolutegravir 50mg (S)
6.5 Antiprotozoal medicines	
6.5.1 Antiamoebic and anti giardiasis medicines	
Diloxanide	Tablet 500mg
Metronidazole	Tablet 250mg Suspension 125mg/5ml 100ml Injection 5mg /Ml, 100ml Bottle
6.5.2 Antimalarial medicines	
6.5.2.1 For curative treatment	
Artemether + Lumefantrine	Tablet Artemether 20mg + Lumefantrine 120mg <i>Not recommended in the first trimester of pregnancy or in children below 5 kg.).(Hospital)</i>
Quinine Hydrochloride	Injection 300mg/Ml, 2ml Ampoule).(Hospital)
Quinine Sulphate	Tablet 300mg).(Hospital)
6.5.2.2 For Prophylaxis	
Mefloquine	Tablet 250mg Infant >5 kg or >3 months
Doxycycline	Tablet 100mg
6.5.3 Antipneumocytosis and antitoxoplasmosis medicines	

Cotrimoxazole	Tablet 960mg Injection 96mg/ML, 5ml Ampoule
Pyrimethamine	Tablet 25mg
Sulphadiazine	Tablet 500mg (S)
7. ANTIMIGRAINE MEDICINES	
7.1 For treatment of acute attack	
Aspirin	Tablet: 300 Mg > 16 Years
Ibuprofen	Tablet (scored) 400mg
Ergotamine Tartrate	Tablet 1mg
Paracetamol	Tablet (scored) 500mg
7.2 For prophylaxis	
Propanolol	Tablet(scored) 40mg
Pizotifen	Tablet 0.5mg (S Paed)
8. ANTINEOPLASTIC, IMMUNOSUPPRESSIVES AND MEDICINES USED IN PALLIATIVE CARE	
8.1 Immunosuppressive medicines	
Aziathropine	Tablet 50mg (S)
Cyclosporine	Capsule 100mg; 50mg;25mg (S-nepro; phys)
Mycophenolate Mofetil	Tablet 250mg & 500mg (S- Nephro)
Mycophenolic acid Acid	Tablet 360mg (S- Nephro)
Hydroxychloroquine	Tablet 200mg (S-phys)
Tacrolimus	Tablet 1mg (S- Nephro)
8.2 Cytotoxic medicines and adjuvant medicines	
Bleomycin	Injection , 15IU amp (S)
Capecitabine	Tablet 500mg (S)
Calcium Folate	Injection , 50mg/5ml Vial (S)
Carboplatin	Injection , 450mg/45ml & 150mg/15ml Vials (S)
Cisplatin	Injection , 50mg/50ml Vial (S)
Cyclophosphamide	Injection , 500mg Vial (S)
Doxorubicin	Injection , 10mg/5ml & 50mg/25ml Vials (S)
Filgrastim	Injection , 30iu Prefilled Syringes (S)
Folinic Acid	Injection ,50mg 5ml Vial (S)
Fluorouracil	Injection 50mg/ML, 10ml Ampoule (S)
Hydroxyurea	Capsule 500mg (S)
Methotrexate	Tablet 2.5mg (S) Injection , 50mg Vial
Oxaliplatin	Injection 50mg &100mg Vials (S)
Paclitaxel	Injection 30mg & 100mg Vials (S)
Vincristine	Injection 1mg/ML, 1ml Ampoule (S)

8.3 Biphosphonates	
Zolendronic Acid	Injection 4mg Vial (S) <i>Malignancy-related bone disease</i>
8.4 Hormones and antihormones	
Bicalutamide	Tablet 50mg (S - Uro)
Cyproterone Acetate	Tablet 50mg (S – Uro)
Dexamethasone	Tablet 4mg (S- Onco) Injection 5mg/1ml Ampoule
Finasteride	Tablet 5mg (S - Uro)
Methylprednisolone Succinate	Injection 120mg Vial (hospital)
Prednisolone	Tablet (scored) 20mg
Letrozole	Tablet 2.5mg (S)
Tamoxifen	Tablet 10mg (S)
8.5 Medicines used in palliative care	
Amitriptyline	Tablet (scored) 25mg
Codeine Phosphate	Tablet 30mg
Diazepam	Tablet (scored) 5mg
Dexamethasone	Tablet (scored) 4mg (S- Onco)
Fentanyl	Patches : 25mcg, 50 mcg (Specific for patients who cannot swallow) (S- Onco)
Haloperidol	Tablet 5mg & 1.5mg Injection 5mg /ml, 1ml Ampoule
Hyoscine butyl bromide	Injection 10mg /ml, 1ml Ampoule
Morphine	Oral Solution 2mg/ML (300ml Bottle) Tablet Sustained Release 10mg & 30mg Injection 10mg /ML, 1ml Ampoule
Tramadol Hcl	Tablet 50mg (S)
9. ANTIPARKINSONISM MEDICINES	
Benzhexol	Tablet 2mg (S- Psych)
Levodopa / Carbidopa	Tablet Levodopa100mg + Carbidopa 25mg
Levodopa / Carbidopa	Tablet sustained release: Levodopa 200mg / Carbidopa 50mg (S)
Ropinirole	Tablet 0.25mg & 1mg immediate release ;(S- Phys, Neuro) Tablet 2mg SR and 4mg SR (Neuro- S)
10. MEDICINES AFFECTING THE BLOOD	
10.1. Antianaemia medicines	

Ferrous Sulphate	Tablet 200mg (65mg Iron) Syrup 60mg (12mg Iron)/5ml, 200ml Bottle
Ferrous Sulphate + Folic Acid	Tablet Ferrous Sulphate 200mg + Folic Acid 400mcg
Folic Acid	Tablet 5mg
Hydroxocobolamin (Vitamin B12)	Injection 1mg/ML, 1ml Ampoule
Iron Sucrose	Injection 20mg/ML, 5ml Ampoule Iv (S -Hdu)
Iron Dextran	Injection 50mg/ML 2ml IM
Epoetin Beta	Injection 5000IU and 2000IU (S- Nephro)
Methoxy Polyethylene Glycol-Epoetin Beta (Micera)	Prefilled Syringe 50mcg ; 75mcg (S- Nephro)
10.2. Medicines affecting coagulation	
Etamsylate	Injection 125mg /ML, 2ml Ampoule (S)
Fraxiparine/Enoxiparin	Prefilled Syringe 0.3ml & 0.6ml (S)
Heparin Sodium	Injection 5,000iu/ML, 5ml Vial (Iv/Sc)
Protamine Sulphate	Injection 10mg / ML, 5ml Ampoule
Rivaroxaban	Tablet 15mg & 20mg (Haematologist ; Phys)
Tranexamic Acid	Injection 100mg/ML, 5ml Ampoule (S) Tablet 500mg (S- Gynae ;ENT ; Maxilo; Surgeon)
Vitamin K (Phytomenadione)	Injection 10mg /ML, 1ml Ampoule Adult Injection 1mg/0.5ml Ampoule Paed
Warfarin	Tablet 1mg ; 3mg & 5mg
11. BLOOD PRODUCTS AND BLOOD COMPONENTS	
11.1 Plasma substitutes	
Human Plasma Albumin	Infusion 20%, 100ml Bottle (hospital)
11.2. Blood coagulation factors	
Factor VIII Fraction	Bottle Dried Injection 500 Units
11.3 Human immunoglobulins	
Anti-D immunoglobulin	Injection: 300 micrograms in single-dose vial
Anti-tetanus immunoglobulin	Injection: 250 IU in vial.
Normal immunoglobulin	Intravenous administration: 5% (5g) protein solution (hospital – S neurologist; Paed; haem)
11.4 Plasma substitutes	
Oxypolygelatine	Infusion 5.5%, 500ml Bottle

12. CARDIOVASCULAR MEDICINES	
12.1 Antianginal medicines	
Bisoprolol	Tablet (scored) 5mg; (S- phys; cardio) (remove)
Carvedilol	Tablet (scored) 6.25mg; 12.5mg; 25mg (S- phy; cardio)
Isosorbide Dinitrate	Tablet Sublingual 5mg; S/R Tablets 20mg Injection 1mg /Ml, 10ml Ampoule (H)
Metoprolol	Tablet (scored) 50mg (S- phys; cardio)
Trimethazidime	Tablet 20mg (S- phys; Cardio)
Verapamil	Tablet (scored) 40mg (S- phys; Cardio)
12.2 Antiarrhythmic medicines	
Amiodarone Hcl	Tablet 200 Mg (S- phys; cardio) Injection 50mg /Ml, 3ml Ampoule
Atenolol	Tablet (scored) 50mg
Carvedilol	Tablet (scored) 6.25mg; 12.5mg; 25mg (S- phys; cardio)
Digoxin	Tablet (scored) 0.25mg Elixir 50mcg /Ml, 60ml Bottle (S) Injection 0.250mg/Ml 2ml Ampoule
Isoprenaline	Injection 0.2mg/Ml, 2ml Ampoule
Lignocaine Hcl	Injection Iv 20mg /Ml, 5ml
Metoprolol	Tablet(scored) 50mg (S- phys; cardio)
Sotalol	Tablet (scored) 80mg (S- Cardio)
Verapamil	Tablet (scored) 40mg Injection 2.5mg /Ml, 2ml Ampoule
12.3 Antihypertensive medicines	
Amlodipine	Tablet (scored) 5mg & 10mg
Atenolol	Tablet (scored) 50mg
Hydrochlorthiazide	Tablet(scored) 25mg
Clonidine	Tablet 100mcg (S-Cardio)
Diltiazem	Tablet 60mg
Labetalol	Tablet 100mg (S –Cardio, Gynae) Injection 5mg /Ml, 20ml Ampoule (H)
Lisinopril	Tablet (scored) 5mg & 20mg
Losartan	Tablet 50mg & 100mg
Methyldopa	Tablet 250mg
Metoprolol	Tablet 50mg (S- Phys ; cardio)
Nicardipine	Injection 1mg /Ml, 10ml Ampoule hospital)
Nifedipine	Tablet 20mg SR (S- Phys ; cardio)
Prazosin	Tablet 2mg & 5mg Sr (S-Cardio)
Propanolol	Tablet (scored) 40mg Injection 1mg /Ml, 1ml Ampoule (H)

Amlodipine/Hydrochorthiazide	Tablet fixed combination 5/ 12.5mg
Amlodipine /Losartan	Tablet fixed combination 5mg/ 50mg
Losartan/hydrochorthiazide	Tablet fixed combination 50/ 12.5mg
12.4 Medicines used in heart failure	
Bisoprolol	Tablet (scored) 5mg; (S- Phys ; cardio))
Carvedilol	Tablet (scored) 6.25mg; 12.5mg; 25mg (S- Phys ; cardio))
Digoxin	Tablet(scored) 0.25mg Elixir 50mcg /Ml, 60ml Bottle (S) Injection 0.250mg/Ml 2ml Ampoule
Furosemide	Tablet (scored) 40mg Paediatric Solution 10mg/Ml 60ml (S) Injection 10mg/Ml 2m
Lisinopril	Tablet(scored) 5mg & 20mg
Losartan	Tablet(scored) 50mg & 100mg
Spirolonactone	Tablet (scored) 25mg & 50mg
12.5 Vasoconstrictors	
Ephedrine	Injection 30mg/Ml 1ml (hospital)
Noradrenalin	Injection 2mg/Ml 4ml (hospital)
12.6 Cardiac stimulants Medicines	
Dobutamine	Injection 12.5mg/Ml 20ml (hospital)
Dopamine	Injection 40mg/Ml 5ml
12.7 Antithrombotic medicines	
Aspirin	Tablet 300mg & 75mg EC
Clopidrogel	Capsule 75mg (S- Phys ; cardio))
Alteplase	Injection 50mg (hospital)
12.8 Lipid-lowering agents	
Atorvastatin	Tablet 10mg & 20mg
12.9 Medicines used in Pulmonary Hypertension	
Sildenafil	Tablet 50mg (S- Phys, urologist; Endo)
12.10 Peripheral vasodilators	
Pentoxifylline	Tablet 400mg SR (S-surg; phys;)
13. DERMATOLOGICAL MEDICINES (TOPICAL)	

13.1. Antifungal medicines	
Benzoic Acid 6% & Salicylic Acid 3% (Whitfield Ointment)	Ointment 30g
Clotrimazole	Cream 1% 15g
Ketoconazole	Cream 2% 15g (S -Derma) Shampoo 2% 30ml (S- Derma)
Selenium sulphide	Shampoo 2.5%, 100ml- (S -Derma)
Terbinafine	Cream 1% 5g(S- Derma)
13.2. Anti-infective medicines	
Neomycin Bacitracin	Ointment 15g
Mupirocin (MRSA) Treatment-With Positive Result Of Culture)	Cream 2% 15 G
Potassium Permanganate	Aqueous Solution 1: 10 000
Silver Sulphadiazine	Cream 1%, 500g Jars
13.3 Warts and Calluses	
Silver nitrate	Sticks/pencil: 95%
Podophyllin	Solution: Compound paint 20% BP
Salicylic acid	Solution: Paint 20% in compound Tincture Benzoin, 10ml Paint 10% in compound Tincture Benzoin, 10ml bottle
13.4. Anti-inflammatory and antipruritic medicines	
Betamethasone	Cream/Ointment 0.1% 15g
Calamine	Lotion 100ml
Hydrocortisone	Cream /Ointment 1% 15g
13.5. Astringent medicines	
Potassium Permanganate	Solution 1: 10000 100ml
13.6. Emollients	
Aqueous Cream	Tub 100mg
Emulsifying Ointment	Tub 100mg
Oilatum preparation	Soap S -Derma)
Leave on emollient – liquid and white soft paraffin 50:50 ointment	Tub 100mg
13.7. Medicines affecting skin differentiation and proliferation	
Coal Tar preparations	Ointment 100g

Calcipotriol 50mcg/g	Ointment 50mcg/g 50g (S -Derma)
Clobetazol	Cream 0.5% (Derma- S)
Clobetazol	Ointment 0.5% (Derma- S)
Clobetazol 0.5% + Salicylic 3%	Cream/Ointment: Clobetazol 0.5% + Salicylic 3% (S-Derma)
Podophyllin And Salicylic Acid	Solution
Salicylic Acid	Solution: 5%
Selenium sulphide	Shampoo 2.5%, 100ml- S -Derma)
13.8. Scabicides and pediculicides	
Permethrin	Cream 5% 30g
13.9. Preparations for acne	
13.9.1. Oral preparations for acne	
Doxycycline	Capsule 100mg
14. DIAGNOSTIC AGENTS	
14.1 Ophthalmic medicines	
Fluorescein	Minims (0.5ml) 1%
14.2 Radiocontrast media	
Barium Sulphate	Powder Packs 1200g For Reconstitution
Gastrofin	Solution: 100ml
14. 2.1 MRI /CT Contrast Media	
Iohexol (Omnipaque)	Solution 300 Mg I/MI Provides 623.4 Mg/MI Iopromide 50ml & 100ml Bottles
Gadodiamide (OmniScan)	Solution: 20ml vial
15. DISINFECTANTS AND ANTISEPTICS	
15.1 Antiseptics	
Boric Acid	Solution for dressing: 3%
Chlorhexidine	Solution 0.5% , In Alcohol 70%, 500ml & 4% , In Alcohol 70%, 100ml
Ethanol (Denatured)	SOLUTION 70% 100ml
Hydrogen Peroxide	Solution 6% 100ml
Povidone Iodine	Solution 10% 500ml

15.2 Disinfectants	
Sodium Hypochlorite	Solution (0.3 – 0.4% Chlorine) 100ml
Ortho-phthalaldehyde (Cidex OPA)	Solution 0.55%
Alcohol based hand rub (Sterilium)	Solution: containing 2-propanol 45g; 1-propanol 30g; mecetroniumetisulphate 0.2g; myristil alcohol; glycerol
16. DIURETICS	
Hydrochlorthiazide	Tablet 25mg
Furosemide	Tablet 10mg Paediatric Solution 10mg/Ml 60ml (S-Paed) Injection 10mg /Ml, 2ml Ampoule 250mg/25ml ampoule (hospital)
Mannitol	Injection 10% & 20% 500ml
Spironolactone	Tablet 25mg & 50mg
17. GASTROINTESTINAL MEDICINES	
17.1 Antacids and other anti-ulcer medicines	
AluminiumHydroxide + Magnesium Trilicate + Simeticone	Tablet Chewable
Famotidine	Tablet 40mg
Omeprazole	Capsule 20mg Injection 40mg Vial (hospital)
Ranitidine	Injection 50MG/2ML
17.2 Antiemetic medicines	
Dexamethazone	Tablet 4mg (S- Onco) Injection 5mg/1ml Ampoule
Domperidone	Syrup 5mg/5ml 60ml (S-Paed)
Metoclopramide	Tablet 10mg Injection 5mg /Ml, 2ml Ampoule
Prochlorperazine	Tablet 5mg Injection 12.5mg /Ml, 1ml Ampoule
Granisetron	Injection 1mg/Ml 3ml Ampoule (S- Onco) Tablet 1mg (S- Onco)
17.3 Anti-inflammatory medicines	
Mesalazine	Tablet 400mg (S)
Sulphasalazine	Tablet 500mg EC (S)
Prednisolone	Tablet 20mg

17.4 Laxatives	
Bisacodyl	Tablet 5mg Suppository 10mg
Citric acid anhydrous/Magnesium Carbonate heavy	Sachet: 17.79g/11.57g (Citramag effervescent powder) for bowel prep only
Glycerine	Suppositories: 1g & 2g
Lactulose	Solution 3.5g/5ml 200ml (S)
Liquid Paraffin Bp	Solution 100ml
Microlax	Enema 5ml Tube (hospital))
18.5 Pancreatic Enzymes	
Pancreatin (Creon)	Capsule 10000 Ph Eur Lipase, 8000 Ph Eur Amylase, 500 Ph Eur Protease (S- Phys ; Gastro)
17.6 Medicines used in 18ehydrat	
17.6.1 Oral rehydration	
Oral Rehydrating Salt	Sachet Powder for dilution in 1 L. glucose: 75 mEq sodium: 75 mEq or mmol/L chloride: 65 mEq or mmol/L potassium: 20 mEq or mmol/L citrate: 10 mmol/L osmolarity: 245 mOsm/L glucose: 13.5 g/L sodium chloride: 2.6 g/L potassium chloride: 1.5 g/L trisodium citrate 18ehydrate+: 2.9 g/L
17.7. Antispasmodics	
Hyoscine Butyl Bromide	Tablet 10mg Injection 20mg /Ml, 1ml Ampoule
17.8 Medicines used in gastrointestinal bleeding	
Omeprazole	Injection 40mg Vial
18. HORMONES, OTHER ENDOCRINE MEDICINES AND CONTRACEPTIVES	
18.1 Adrenal hormones and synthetic substitutes	
Hydrocortisone	Tablet 10mg (S- Endo) Injection 100mg Vial
18.2 Androgens	

Testosterone (Sustanon)	Injection 250mg/ ml (S S- Phys ; Endo)
18.2 Biphosphonates	
Alendronic Acid	Tablet 75mg (S- Onco)
18.3 Contraceptives	
18.3.1 Oral hormonal contraceptives	
18.3.1.1 Combined oral contraceptives	
Ethinylloestradiol + Levonorgestrel (Microgynon 30 Ed)	Tablet 30mg +150mg
Ethinylloestradiol + Desogestrel (Marvelon 28)	Tablet 30mg + 150mg
Ethinylloestradiol 30/40mcg + Levonorgestrel 50/75/125 Mcg (Triquilar)	Tablet
18.3.1.2 Progesterone oral contraceptives	
Norethisterone (Micronor)	Tablet 350mcg
Levonorgestrel (Microlut)	Tablet 30 Mcg
Desogestrel (Marvelon)	Tablet 150mcg
18.3.2 Injectable hormonal contraceptives	
Norethisterone Enanthate (Noristerat)	Injection 200mg/1ml Amp
18.3.4 Emergency Contraceptives	
Levonorgestrel	Tablet 750mcg
18.3.5 Intrauterine devices	
Copper T 380 A	
Diaphragm Sizes 60 – 90mm	(Rising In Steps Of 5mm)
18.3.6 Barrier Methods	
Condoms	FEMALE/ MALE
18.4 Estrogens	
Congugated Oestrogen (Premarin)	Tablet 0.625mg (S – Gynae) Cream:
17 β Estradiol (Oestrogel)	Gel : 0.06% (S- Gynae)
18.5 Hypothalamic and pituitary hormones	
Danazole	Capsule 200mg (S- Gynae)

Vasopressin	Injection 20iu/MI 1 MI Ampoule (hospital)
18.6 Insulins and other antidiabetic agents	
Soluble Insulin (Novorapid)	Vial 100 Units/MI,10ml Penset 100u/MI 3ml
Actraphane Insulin(Actrapid 30% + Protaphane 70%)	Penset 100u/MI 3ml
Novomix Insulin (Novorapid 30% + Protaphane 70%)	Penset 100u/MI 3ml (for Children only – Paed;Endo)
Intermediate Acting Insulin (Protaphane)	Vial 100 Units/MI,10ml Penset 100u/MI 3ml
Dapagliflozin	Tablet 10mg scored (S- endocrin ; phys)
Glicazide	Tablet 80mg
Metformin	Tablet 500mg & 1g SR
Metformin / Glicazide	Tablet 500mg/80mg
Sitagliptin	Tablet 50mg (S- endocrin ; phys)
18.7 Ovulation inducers	
Clomiphene	Tablet 50mg (S- gynae)
18.8 Progestogens	
Norethisterone	Tablet 5mg
18.9 Thyroid hormones and antithyroid medicines	
Carbimazole	Tablet 5mg
Propanolol	Tablet 40mg
Thyroxin Sodium	Tablet 50mg & 100mg
19. IMMUNOLOGICALS	
19.1 Diagnostic agents	
Tuberculin, Purified Protein Derivative (Ppd)	Injection
19.2 Sera and immunoglobulins	
Anti-D Immunoglobulin (Human)	Injection 300mcg/2ml Vial
Anti-Tetanus Immunoglobulin (Human)	Injection 500iu Vial
Human Immunoglobulin	Injection 5g Vial
19.3 Vaccines	
19.3.1. For universal immunisation	

Bacillus Clamette-Guerin (Bcg)	Vial 20 Doses
Diphtheria + Pertussis + Tetanus (Dpt)	Vial 10 Doses
Diphtheria + Tetanus	Vial 10 Doses
Hepatitis B Adults (Recombinant)	Vial Single Dose
Human Papillovirus (Quadrivalent)	Vial Single Dose
Measles + Mumps + Rubella (Mmr)	Vial Single Dose
Diphtheria + Pertussis + Tetanus + Hepatitis B + Haemophilus Type B	Vial Single Dose
Pneumococcal Conjugated 13	Vial Single Dose
Poliomyelitis (Oral)	Vial 10 Doses
Rotavirus Vaccines Live oral suspension	pre-filled syringes: 1.5ml (one dose)
Tetanus	Vial 10 Doses
Yellow Fever	Vial 10 Doses
20. MUSCLE RELAXANTS (PERIPHERALLY-ACTING) AND CHOLINESTERASE INHIBITORS	
Atracurium	Injection 10mg/MI, 5ml Ampoule hospital)
Baclofen	Tablet 10mg (S- Ortho; Paed; Phys)
Neostigmine	Injection 2.5mg/MI, 1ml Ampoule (hospital)
Pyridostigmine	Tablet 60mg (S)
Suxamethonium	Injection 50mg /ml., 2ml Ampoule (hospital)
Vecuronium Bromide	Injection 4mg & 10mg Vial (hospital)
21. OPHTHALMOLOGICAL PREPARATIONS	
21.1 Anti-infective agents	
Acyclovir	Ointment 3%, 4.5g Tube (S)
Chloramphenicol	Drop 0.5%, 10ml Bottle Ointment 1%, 4g Tube
Ciprofloxacin	Drop 0.3%, 5ml Bottle (S)
Tetracycline	Ointment 1%, 4g Tube
21.2. Anti-inflammatory agents	
Fluorometholone	Drop 0.1% 5ml (S)
Flurbiprofen	Drop 0.03%, 5ml Bottle (S)
Dexamethasone Eye Drop 0.1%; Hyppromellose 0.5%; Neomycin 0.35%; Polymyxin-B 6000units/ml (Maxitrol)	Drop 10ml Bottle (S) Ointment (S)
Dexamethasone 0.1% ; Hyppromellose 0.5% (Maxidex)	Drop 10ml Bottle (S)
Sodium Cromoglycate	Drop 2% 5ml Bottle
21.3. Mydriatics , cycloplegics & Sympathomimetics	
Cyclopentolate	Drop 0.5% & 1% 5ml Bottle (S)
Homatropine	Drop 2% 10ml Bottle(S)
Phenylephrine	Drop 10% 10ml Bottle(S)

21.4 Local anaesthetics	
Amethocaine Hcl	Drop 0.5%, 10ml Bottle
21.5 Miotics and antiglaucoma medicines	
Acetazolamide	Tablet 250mg (S)
Brimonidine	Drop 0.2% 5 ml Bottle (S)
Brimonidine 0.2% + Timolol 0.5%	Drop 5 ml Bottle (S)
Dorzolamide	Drop 2% 5 ml Bottle (S)
Latanaprost	Drop 50mcg/ ml 2.5 ml Bottle (S)
Latanaprost Eye Drop 50mcg/ml + Timolol 5mg/ml	Drop 2. 5 ml Bottle(S)
Pilocarpine	Drop 2% 5ml Bottle (S)
Timolol Maleate	Drop 0.5% 5 ml Bottle (S)
21.6 Tear deficiency, ocular lubricants and astringents	
Carbomer	Gel: 0.2% (S)
Hypromellose	Drop 0.3% 10 ml Bottle
Polyvinyl Alcohol	Drop 2% 10 ml Bottle
Retinol palmitate with white soft paraffin, liquid paraffin and wool fat (VitA- POS)	Ointment:
22. MEDICINES ACTING ON THE GENITOURINARY TRACT	
22.1Medicines used in Obstetrics	
22.1.1 Uterotonics	
Ergometrine	Tablet 0.5mg (Obstetric-S) Injection 500mcg/MI 1ml (hospital)
Misoprostol	Tablet 200mcg (Obstetric –S) – Management of incomplete abortion and miscarriage; – Prevention and treatment of postpartum haemorrhage where oxytocin is not available or cannot be safely used
Oxytocin	Injection 10 Units/MI, 1ml Ampoule (hospital)
22.1.2 Myometrial Relaxants	
Salbutamol	Injection 10 Units/MI, 1ml Ampoule
22.2. Medicines for benign prostate hyperplasia	
Tamsulosin	Tablet 0.4mg (S -Uro)
22.3. Urinary antispasmodics	
Diclofenac	Injection 25mg/MI 3ml Ampoule
Hyoscine Butyl Bromide	Injection 10mg/MI 1ml Ampoule

22.4 Urinary frequency, enuresis and incontinence	
Oxybutinin	Tablet 5mg (S-Uro)
Imipramine	Tablet 25mg
22.5 Medicines for Erectile Dysfunction	
Sildenafil	Tablet 50mg (S- Uro; Physicians;Endo)
22.6 Medicines Used in Urological pain	
Potassium Citrate (Alkalization of Urine)	Oral Solution BP mixture 30% (S -Uro) (to review the formulation)
22.7 Bladder instillations	
Glycine	Irrigation solution 1.5%
23. HAEMODIALYSIS SOLUTION	
Haemodialysis concentrate	Solution Sodium Chloride BP 2106.7g Potassium Chloride BP 52.2g Magnesium Chloride BP 35.6g Acetic Acid-Glacial 60.0g Distilled Water To 10Litres
24. PSYCHOTHERAPEUTIC MEDICINES	
24.1 Medicines used in psychotic disorders	
Chlorpromazine	Tablet 100mg & 25mg Injection 25mg /Ml, 2ml Ampoule
Fluphenazine Decanoate	Injection 25mg/Ml, 1ml Ampoule
Flupenthixol Decanoate	Injection 20mg/Ml, 2ml Ampoule
Haloperidol	Tablet 5mg & 1.5mg Injection 5mg /Ml, 1ml Ampoule
Olanzapine	Tablet 5mg & 10mg (S)
Risperidone	Tablet 1mg & 4mg (S)
Trifluoroperazine	Tablet 5mg (S)
24.2 Medicines used in mood disorders	
24.2.1 Medicines used in depressive disorders	
Amitriptyline	Tablet 10mg & 25mg
Fluoxetine	Capsule 20mg (S)
Imipramine	Tablet 25mg
Citalopram	Tablet 20mg (S)

24.2.2 Medicines used in bipolar disorders	
Cabamazepine	Tablet 200mg
Lithium Carbonate	Tablet 250mg (S)
Sodium Valproate	Tablet 200mg EC (S)
24.3 Medicines used in generalized anxiety and sleep disorders	
Alprazolam	Tablet 1mg (S)
Clonazepam	Tablet 2mg (S)
Diazepam	Tablet 5mg
Promethazine Hcl	Tablet 25mg (S)
24.4 Medicines used for obsessive compulsive disorders	
Citalopram	Tab 20mg (S)
Clomipramine	Tablet 10mg (S)
Fluoxetine	Capsule 20mg (S)
24.5 Medicines used for disorders due to psychoactive substance use	
Methadone	Syrup 10mg/ 1ml; (S- Psy)
Naltrexone 50mg	Capsule 50mg (S- Psy)
24.6 Medicines used for Attention Deficit Hyperactivity Disorder	
Methylphenidate HCl	Tablet 10mg (S – Psy & Paed)
24.7 Medicines used for Dementia/Alzheimer's Disease	
Memantine	Tablet 10mg (S – Psy; Neuro)
Donepezil	Tablet 10mg (S – Psy; Neuro)
25. MEDICINES ACTING ON THE RESPIRATORY TRACT	
25.1 Antiasthmatic and medicines for chronic obstructive pulmonary disease	
Adrenaline	Injection 1mg /ml, 1ml Ampoule
Etophylline + Teophylline	Fixed combination tablet: 231mg/69 SR
Aminophylline	Injection 25mg /Ml, 10ml Ampoule
Beclomethasone Dipropionate	Aerosol Inhalation (250mcg/Dose Metre Inhalation)
Budesonide	Respules 500mcg/2ml (Paediatric Use) (S) Meter Dose Inhaler 200mcg
Budesonide + Formoterol	Inhaler: 100mcg + 6mcg (S-Paediatric) Inhaler: 400mcg + 6mcg
Ipratropium Bromide	Nebuliser Solution 500mcg/2ml

Montelukast (for asthma use only)	Tablets 5mg & 10mg (S) Granules: 4mg sachet (Paediatric)
Salbutamol	Aerosol Inhalation 100mcg/Meter Dose Injection 1mg /Ml, 5ml Ampoule Nebuliser Solution 5mg/ml Tablets 4mg
26. SOLUTIONS CORRECTING WATER, ELECTROLYTE AND ACID-BASE DISTURBANCES AND PARENTERAL NUTRITION	
26.1. Solutions correcting water, electrolyte, and acid-base disturbances	
26.1.1. Oral	
Oral rehydration salts	See section 17.5.1
26.1.2 Parenteral	
Glucose	Injectable solution: 5%isotonic ; 10% & 50% hypertonic
Glucose with sodium chloride	Injectable solution 4% glucose + 0.18% sodium chloride (equivalent to 30 mmol/L Na ⁺ and 30 mmol/L Cl)
Potassium chloride	Solution for dilution: 20% 200mg/ml 10ml amp (K ⁺ 27mmol/ml)
Sodium Bicarbonate	Injectable solution 8.4% (84.G/L 1000mmol/L) 1.26 %(12.6g/L 150 mmol/L) ;
Sodium chloride	Injectable solution: 0.9% isotonic (equivalent to Na ⁺ 154 mmol/l, Cl ⁻ 154 mmol/l), 3% (equivalent to Na ⁺ 512 mmol/l, Cl ⁻ 512 mmol/l)
Sodium Lactate	Injectable solution : Na ⁺ 167mmole/l ; HCO ₃ ⁻ as lactate 167 mmole/l
26.2. Intravenous nutrition	
Amino Acid	Injectable solution 100ml & 500ml (Nitrogen 9.3g/Litre)
Fat Emulsion (Intralipid)	Injectable solution 100 & 500ml 10% ; 500ml 20%
26.3. Miscellaneous	
Water for injection	30ml ; 100ml vials
Phosphate Binder	
Sevelamer	Tablet 800mg (S)

Cation exchange resin	
Sodium polystyrene sulphonate	Powder: 999.34mg per 1g (S)
Calcium regulating Medicines	
Cinacalcet	Tablet 30mg (S)
27. VITAMINS AND MINERALS	
Alpha Calcidol	Capsule 0.25 Mcg (S)
Calcium Carbonate	Chewable Tablet 1.25g (S) Tablet 1.25g With Vitamin D3 250IU (S)
Calcium Gluconate	Tablet 300mg Injection 100mg /Ml, 10ml Ampoule
Folic Acid	Tablet 5mg
High potency vitamin (Parentrovite)	IV Injection thiamine HCL 250mg/5ml, Riboflavine 4mg/5ml, Pyridoxine HCl 50mg/5ml, Ascorbic acid 500mg/5ml, Nicotinamide 160mg/5ml, anhydrous glucose 1000mg/5ml (hospital)
Hydroxocobalamin	Injection 1mg /1Ml, 1ml Ampoule
Phytomenadione (Vitamin k 1)	Injection : 2mg/0.2ml Ampoule (MM paediatric) Injection : 10mg /1Ml, 1ml Ampoule
Potassium Chloride	Tablet 600mg
Pyridoxine HCl	Tablet 25mg
Sodium Fluoride	Solution – Dental
Thiamine HCl	Tablet 100mg Injection: 100mg/2ml
Vitamin B complex	Tablet
28. MEDICINES ACTING ON THE EAR, NOSE AND OROPHARYNX	
28.1. Medicines acting on ear	
Acetic Acid	Drop 2% (10ml)
Boric Acid	Drop 2% (10ml)
Chloramphenicol	Drop 5% (10ml)
Ciprofloxacin	Drop 2% (S –ENT, Optham) (5ml)
Clotrimazole	Drop 1% (S –ENT) (10ml)
Gentamycin	Drop 0.3% (5ml)
Hydrogen peroxide	Drop 6 % (10ml)
Olive oil	Drop (10ml)
Betamethazone + Neomycin	Drop Bethamethazone 0.1% + Neomycin 0.5%
28.2. Medicines acting in nose	
Beclomethasone Dipropionate	Meter Spray 50mcg/ dose (S –ENT)
Oxymetazolin	Drop 0.05% & 0.1%

Fluticasone	Meter Spray 50mcg/ dose (S –ENT)
Sodium Chloride	Drop 0.9%
28.3. Medicines acting on the oropharynx	
Chlorhexidine Gluconate	Solution for Mouth wash 0.2%
Hydrogen Peroxide	Solution for Mouth wash 6% <i>*To be diluted</i>
Nystatin	Suspension 100,000iu / ML, 30ml Bottle
28.4. Medicines for nausea and vertigo	
Betahistine	Tablet 8mg (S –ENT; phys)
Prochlorperazine	Tablet 5mg

Abbreviation

(S) – specialist medicine