
APPENDIX 11

Diagnostics for influenza publications, 2010–2011

1. Abdelwhab, e., A. M. Erfan, C. Grund, M. Ziller, A. S. Arafa, M. Beer, M. M. Aly, H. M. Hafez, and T. C. Harder. 2010. Simultaneous detection and differentiation by multiplex real time RT-PCR of highly pathogenic avian influenza subtype H5N1 classic (clade 2.2.1 proper) and escape mutant (clade 2.2.1 variant) lineages in Egypt. *Virol.J.* 7:260.:260.
2. Ali, S. A., J. E. Gern, T. V. Hartert, K. M. Edwards, M. R. Griffin, E. K. Miller, T. Gebretsadik, T. Pappas, W. M. Lee, and J. V. Williams. 2011. Real-world comparison of two molecular methods for detection of respiratory viruses. *Virol.J.* 8:332.:332.
3. Angoulvant, F., X. Bellettre, N. Houhou, J. B. Dexpert, L. Morin, J. Y. Siriez, F. Soole, L. A. de, R. Cohen, F. Brun-Vezinet, C. Alberti, and J. C. Mercier. 2011. Sensitivity and specificity of a rapid influenza diagnostic test in children and clinical utility during influenza A (H1N1) 2009 outbreak. *Emerg.Med.J.* 28:924–926.
4. Arafa, A. S., A. A. Selim, M. K. Hassan, and M. M. Aly. 2010. Genetic characterization of variant strains of highly pathogenic avian influenza H5N1 that escaped detection by real-time reverse transcriptase-PCR diagnostic tests. *Avian Dis.* 54:673–676.
5. Arankalle, V. A., R. G. Virkar, B. V. Tandale, and N. B. Ingle. 2010. Utility of pandemic H1N1 2009 influenza virus recombinant hemagglutinin protein-based enzyme-linked immunosorbent assay for serosurveillance. *Clin.Vaccine Immunol.* 17:1481–1483.
6. Arens, M. Q., R. S. Buller, A. Rankin, S. Mason, A. Whetsell, E. Agapov, W. M. Lee, and G. A. Storch. 2010. Comparison of the Eragen Multi-Code Respiratory Virus Panel with conventional viral testing and real-time multiplex PCR assays for detection of respiratory viruses. *J.Clin.Microbiol.* 48:2387–2395.
7. Arya, S. C. and N. Agarwal. 2010. Rapid influenza diagnostic test during the outbreak of the novel influenza A/H1N1 2009 in Thailand: an experience with better test performance in resource limited setting. *J.Infect.* 60:402–403.
8. Avellaneda, G., E. Mundt, C. W. Lee, S. Jadhao, and D. L. Suarez. 2010. Differentiation of infected and vaccinated animals (DIVA) using the NS1 protein of avian influenza virus. *Avian Dis.* 54:278–286.
9. Bicanic, T., A. W. Solomon, N. Karunaharan, F. Chua, C. Pope, M. Pond, J. Herman, A. Loyse, T. Harrison, and M. Wansbrough-Jones. 2010. Positive predictive value of the UK clinical case definition for H1N1/09 ('swine') influenza. *J.Infect.* 60:405–407.
10. Biggs, C., P. Walsh, C. L. Overmyer, D. Gonzalez, M. Feola, E. Mordechai, M. E. Adelson, and K. T. Iacono. 2010. Performance of influenza rapid antigen testing in influenza in emergency department patients. *Emerg.Med.J.* 27:5–7.
11. Binsaeed, A. A., A. A. Al-Khedairy, A. M. Mandil, S. A. Shaikh, R. Qureshi, A. S. Al-Khattaf, H. A. Habib, A. A. Alam, L. A. Al-Ansary, and M. Al-Omran. 2011. A validation study comparing the sensitivity and specificity of the new Dr. KSU H1N1 RT-PCR kit with real-time RT-PCR for diagnosing influenza A (H1N1). *Ann.Saudi.Med.* 31:351–355.

12. Blazquez, D., J. Diaz, J. Cruz, D. Folgueira, J. Acosta, and M. Marin. 2010. [Rapid influenza diagnostic tests for detection of novel influenza A (H1N1) virus in children]. *Enferm.Infecc.Microbiol. Clin.* 28:698–700.
13. Brittain-Long, R., J. Westin, S. Olofsson, M. Lindh, and L. M. Andersson. 2010. Prospective evaluation of a novel multiplex real-time PCR assay for detection of fifteen respiratory pathogens—duration of symptoms significantly affects detection rate. *J.Clin.Virol.* 47:263–267.
14. Brittain-Long, R., L. M. Andersson, S. Olofsson, M. Lindh, and J. Westin. 2011. Seasonal variations of 15 respiratory agents illustrated by the application of a multiplex polymerase chain reaction assay. *Scand.J.Infect.Dis.*
15. Brown, J. S., M. C. Lipman, and H. J. Zar. 2011. What's new in respiratory infections and tuberculosis 2008–2010. *Thorax.*
16. Burkardt, H. J. 2011. Pandemic H1N1 2009 ('swine flu'): diagnostic and other challenges. *Expert. Rev.Mol.Diagn.* 11:35–40.
17. Caliendo, A. M. 2011. Multiplex PCR and emerging technologies for the detection of respiratory pathogens. *Clin.Infect.Dis.* 52 Suppl 4:S326–30.:S326–S330.
18. Carney, P. J., A. S. Lipatov, A. S. Monto, R. O. Donis, and J. Stevens. 2010. Flexible label-free quantitative assay for antibodies to influenza virus hemagglutinins. *Clin.Vaccine Immunol.* 17:1407–1416.
19. Chartrand, C., J. Minion, and M. Pai. 2010. Rapid diagnostics for influenza: what are the options? *Future.Microbiol.* 5:1451–1455.
20. Chen, Y. T., R. H. Juang, J. L. He, W. Y. Chu, and C. H. Wang. 2010. Detection of H6 influenza antibody by blocking enzyme-linked immunosorbent assay. *Vet.Microbiol.* 19:142:205–210.
21. Chen, Y., F. Xu, X. Gui, K. Yang, X. Wu, Q. Zheng, S. Ge, Q. Yuan, A. E. Yeo, J. Zhang, Y. Guan, H. Chen, and N. Xia. 2010. A rapid test for the detection of influenza A virus including pandemic influenza A/H1N1 2009. *J.Virol.Methods* 167:100–102.
22. Cheng, P. K., K. K. Wong, G. C. Mak, A. H. Wong, A. Y. Ng, S. Y. Chow, R. K. Lam, C. S. Lau, K. C. Ng, and W. Lim . 2010. Performance of laboratory diagnostics for the detection of influenza A(H1N1)v virus as correlated with the time after symptom onset and viral load. *J.Clin.Virol.* 47:182–185.
23. Cheng, X. D., Q. Yuan, Q. H. Yue, Q. B. Zheng, Y. Y. Ma, B. C. Yang, R. Zhang, Y. X. Chen, M. Q. Su, J. Zhang, N. S. Xia, and X. K. Hao. 2011. Evaluation of a new rapid influenza A diagnostic test for detection of pandemic (H1N1) 2009 and seasonal influenza A virus. *J.Clin.Virol.* 50:153–155.
24. Choi, S. H., S. Y. Cho, and J. W. Chung. 2011. Poor performance of a national clinical case definition of influenza infection during an outbreak of 2009 pandemic H1N1. *J.Infect.* 62:325–327.
25. Cholewinska, G., J. Higersberger, R. Podlasin, A. Wiercinska-Drapalo, D. Lipowski, M. Olszynska-Krowicka, W. Przyjalkowski, and A. Horban. 2010. [Clinical manifestations, diagnosis and treatment of swine flu (A/H1N1) infection among patients hospitalized in the Hospital of Infectious Diseases in Warsaw in 2009]. *Przegl.Epidemiol.* 64:15–19.
26. Chu, H., E. T. Lofgren, M. E. Halloran, P. F. Kuan, M. Hudgens, and S. R. Cole. 2011. Performance of rapid influenza H1N1 diagnostic tests: a meta-analysis. *Influenza.Other Respi.Viruses.*10–2659.
27. Chu, H., E. T. Lofgren, M. E. Halloran, P. F. Kuan, M. Hudgens, and S. R. Cole. 2011. Performance of rapid influenza H1N1 diagnostic tests: a meta-analysis. *Influenza.Other Respi.Viruses.*10–2659.
28. Ciblak, M. A., M. Kanturvardar, S. Asar, E. Bozkaya, O. S. Yenen, and S. Badur. 2010. Sensitivity of rapid influenza antigen tests in the diagnosis of pandemic (H1N1)2009 compared with the standard rRT-PCR technique during the 2009 pandemic in Turkey. *Scand.J.Infect.Dis.* 42:902–905.

29. Cohen-Bacrie, S., L. Ninove, A. Nougairede, R. Charrel, H. Richet, P. Minodier, S. Badiaga, G. Noel, S. B. La, L. de, X. M. Drancourt, and D. Raoult. 2011. Revolutionizing clinical microbiology laboratory organization in hospitals with in situ point-of-care. *PLoS.One.* 6:e22403.
30. Coleman, L. A., B. Kieke, S. Irving, D. K. Shay, M. Vandermause, S. Lindstrom, and E. A. Belongia. 2011. Comparison of influenza vaccine effectiveness using different methods of case detection: clinician-ordered rapid antigen tests vs. active surveillance and testing with real-time reverse-transcriptase polymerase chain reaction (rRT-PCR). *Vaccine.* 29:387–390.
31. Crawford, J. M., R. Stallone, F. Zhang, M. Gerolimatos, D. D. Korologos, C. Sweetapple, G. M. de, Y. Dlugacz, D. M. Armellino, and C. C. Ginocchio. 2010. Laboratory surge response to pandemic (H1N1) 2009 outbreak, New York City metropolitan area, USA. *Emerg.Infect.Dis.* 16:8–13.
32. Cruz, A. T., G. J. Demmler-Harrison, A. C. Caviness, G. J. Buffone, and P. A. Revell. 2010. Performance of a rapid influenza test in children during the H1N1 2009 influenza a outbreak. *Pediatrics.* 125:e645–e650.
33. Cunha BA, Thekkel V, Cohan C. H1N1 influenza: contact investigation burden because of failure to institute influenza precautions in patients with negative rapid influenza diagnostic test results. *Infect Control Hosp Epidemiol* 2010; 31:102–104.
34. Cunha, B. A., U. Syed, N. Mickail, and S. Strollo. 2010. Rapid clinical diagnosis in fatal swine influenza (H1N1) pneumonia in an adult with negative rapid influenza diagnostic tests (RIDTs): diagnostic swine influenza triad. *Heart Lung.* 39:78–86.
35. Dale, S. E. 2010. The role of rapid antigen testing for influenza in the era of molecular diagnostics. *Mol.Diagn.Ther.* 14:205–214.
36. Daum, L. T., S. A. Worthy, K. C. Yim, M. Nogueras, R. F. Schuman, Y. W. Choi, and G. W. Fischer. 2010. A clinical specimen collection and transport medium for molecular diagnostic and genomic applications. *Epidemiol.Infect.* 1–10.
37. de la Tabla, V. O., P. Antequera, M. Masia, P. Ros, C. Martin, G. Gazquez, F. Bunuel, V. Sanchez, C. Robledano, and F. Gutierrez. 2010. Clinical evaluation of rapid point-of-care testing for detection of novel influenza A (H1N1) virus in a population-based study in Spain. *Clin.Microbiol.Infect.* 16:1358–1361.
38. Deng, M. J., X. Z. Xiao, Y. M. Zhang, X. H. Wu, L. H. Zhu, X. Q. Xin, and D. L. Wu. 2011. A highly sensitive immuno-PCR assay for detection of H5N1 avian influenza virus. *Mol.Biol.Rep.* 38:1941–1948.
39. Diederer BMW, Veenendaal D, Jansen R, Herpers BL, Ligtvoet EEJ, IJzerman EPF. Rapid antigen test for pandemic (H1N1) 2009 virus [letter]. *Emerg Infect Dis* 2010;16:897–8.
40. Dlugolenski, D., R. Hauck, R. J. Hogan, F. Michel, and E. Mundt. 2010. Production of H5-specific monoclonal antibodies and the development of a competitive enzyme-linked immunosorbent assay for detection of H5 antibodies in multiple species. *Avian Dis.* 54:644–649.
41. Dong, H., Y. Zhang, H. Xiong, A. Yan, G. Ding, Y. Chen, L. Xie, J. Chen, G. Zhang, P. Hao, L. Cong, Y. Lu, X. Che, X. Wang, Y. Li, K. Y. Yuen, G. Zhao, and W. Jin. 2010. Detection of human novel influenza A (H1N1) viruses using multi-fluorescent real-time RT-PCR. *Virus Res.* 147:85–90.
42. Ebell, M. H. and A. Afonso. 2011. A systematic review of clinical decision rules for the diagnosis of influenza. *Ann.Fam.Med.* 9:69–77.
43. Edler, C., A. Klein, A. Gehl, C. Ilchmann, S. Scherpe, and M. Schrot. 2011. The new influenza A (H1N1/09): symptoms, diagnostics, and autopsy results. *Int.J.Legal Med.* 125:157–161.
44. Elbers, A. R., M. J. Gorgievski-Duijvesteijn, K. Zarafshani, and G. Koch. 2010. To report or not to report: a psychosocial investigation aimed at improving early detection of avian influenza outbreaks. *Rev.Sci.Tech.* 29:435–449.

45. Ellis, J. S. and M. D. Curran. 2011. Simultaneous molecular detection and confirmation of influenza AH5, with internal control. *Methods Mol.Biol.* 665:161–81.:161–181.
46. Fang, X., H. Chen, S. Yu, X. Jiang, and J. Kong. 2011. Predicting viruses accurately by a multiplex microfluidic loop-mediated isothermal amplification chip. *Anal.Chem.* 83:690–695.
47. Farley, M. M. 2010. 2009 H1N1 influenza: a twenty-first century pandemic with roots in the early twentieth century. *Am.J.Med.Sci.* 340:202–208.
48. Ferguson, B. S., S. F. Buchsbaum, T. T. Wu, K. Hsieh, Y. Xiao, R. Sun, and H. T. Soh. 2011. Genetic analysis of H1N1 influenza virus from throat swab samples in a microfluidic system for point-of-care diagnostics. *J.Am.Chem.Soc.* 133:9129–9135.
49. Fleishman, S. J., T. A. Whitehead, D. C. Ekiert, C. Dreyfus, J. E. Corn, E. M. Strauch, I. A. Wilson, and D. Baker. 2011. Computational design of proteins targeting the conserved stem region of influenza hemagglutinin. *Science* 332:816–821.
50. Gaines, W. J., J. Ballou, C. Yan, S. P. Fisher-Hoch, B. Reininger, J. Gay, J. Salinas, P. Sanchez, Y. Salinas, F. Calvillo, L. Lopez, I. P. Delima, and J. B. McCormick. 2010. Utilizing spatiotemporal analysis of influenza-like illness and rapid tests to focus swine-origin influenza virus intervention. *Health Place.* 16:1230–1239.
51. Gao, R., Y. Gao, L. Wen, M. Shao, S. Zou, C. Li, L. Yang, X. Li, W. Wang, and Y. Shu. 2011. Development and implementation of the quality control panel of RT-PCR and real-time RT-PCR for avian influenza A (H5N1) surveillance network in mainland China. *BMC.Infect.Dis.* 11:67.:67.
52. Gimeno, C., E. Costa, D. Navalpotro, D. Bravo, D. Ocete, M. A. Clari, N. Tormo, B. Munoz-Cobo, J. G. de Lomas, and D. Navarro. 2010. Sensitivity of a marketed immunochromatographic assay specifically targeting the pandemic influenza A/H1N1 2009 virus. *Diagn.Microbiol.Infect.Dis.* 68:80–82.
53. Ginocchio, C. C. 2011. Strengths and weaknesses of FDA-approved/cleared diagnostic devices for the molecular detection of respiratory pathogens. *Clin.Infect.Dis.* 52 Suppl 4:S312–S325.
54. Ginocchio, C.C., AJ McAdam, 2011. Current Best Practices for Respiratory Virus Testing. *J Clin Microbiol.* 49: S44–48.
55. Gonzalez-Abad, M. J., M. Sanchez-Bayle, B. Hernandez, and J. Cano. 2011. [Evaluation of a rapid diagnostic test for the detection of novel influenza A (H1N1) virus in paediatric patients]. *Enferm. Infecc.Microbiol.Clin.* 29:158–159.
56. Gonzalez-Canudas, J., J. M. Iglesias-Chiesa, Y. Romero-Antonio, C. Chavez-Cortes, J. G. Gay-Molina, and R. Rivas-Ruiz. 2011. [Cost-effectiveness in the detection of influenza H1N1: clinical data versus rapid tests]. *Rev.Panam.Salud Publica.* 29:1–8.
57. Gordon, A., E. Videa, S. Saborio, R. Lopez, G. Kuan, A. Balmaseda, and E. Harris. 2010. Diagnostic accuracy of a rapid influenza test for pandemic influenza A H1N1. *PLoS.One.* 5:e10364.
58. Grebennikova, T. V., A. D. Zaberezhnyi, and T. I. Aliper. 2011. [Molecular diagnostics of influenza]. *Vestn.Ross.Akad.Med.Nauk.*28–34.
59. Greer, L. G., M. Abbassi-Ghanavati, J. S. Sheffield, and B. M. Casey. 2010. Diagnostic dilemmas in a pregnant woman with influenza A (H1N1) infection. *Obstet.Gynecol.* 115:409–412.
60. Greninger, A. L., E. C. Chen, T. Sittler, A. Scheinerman, N. Roubinian, G. Yu, E. Kim, D. R. Pillai, C. Guyard, T. Mazzulli, P. Isa, C. F. Arias, J. Hackett, G. Schochetman, S. Miller, P. Tang, and C. Y. Chiu. 2010. A metagenomic analysis of pandemic influenza A (2009 H1N1) infection in patients from North America. *PLoS.One.* 5:e13381.
61. Gubareva, L. V., A. A. Trujillo, M. Okomo-Adhiambo, V. P. Mishin, V. M. Deyde, K. Sleeman, H. T. Nguyen, T. G. Sheu, R. J. Garten, M. W. Shaw, A. M. Fry, and A. I. Klimov. 2010. Comprehensive assessment of 2009 pandemic influenza A (H1N1) virus drug susceptibility in vitro. *Antivir.Ther.* 15:1151–1159.

62. Hawkes, M., S. E. Richardson, M. Ipp, S. Schuh, D. Adachi, and D. Tran. 2010. Sensitivity of rapid influenza diagnostic testing for swine-origin 2009 A (H1N1) influenza virus in children. *Pediatrics* 125:e639–e644.
63. Hayden, R. T., M. T. Wick, A. B. Rodriguez, A. M. Caliendo, M. J. Mitchell, and C. C. Ginocchio. 2010. A survey-based assessment of United States clinical laboratory response to the 2009 H1N1 influenza outbreak. *Arch.Pathol.Lab Med.* 134:1671–1678.
64. He, F., R. D. Soejodono, S. Murtini, M. Goutama, and J. Kwang. 2010. Complementary monoclonal antibody-based dot ELISA for universal detection of H5 avian influenza virus. *BMC.Microbiol.* 10:330.:330.
65. Hearty, S., P. J. Conroy, B. V. Ayyar, B. Byrne, and R. O’Kennedy. 2010. Surface plasmon resonance for vaccine design and efficacy studies: recent applications and future trends. *Expert.Rev.Vaccines.* 9:645–664.
66. Heinonen, S., H. Silvennoinen, P. Lehtinen, R. Vainionpaa, and T. Heikkinen. 2011. Feasibility of diagnosing influenza within 24 hours of symptom onset in children 1–3 years of age. *Eur.J.Clin. Microbiol.Infect.Dis.* 30:387–392.
67. Heinze, B. C., J. R. Gamboa, K. Kim, J. Y. Song, and J. Y. Yoon. 2010. Microfluidic immunosensor with integrated liquid core waveguides for sensitive Mie scattering detection of avian influenza antigens in a real biological matrix. *Anal.Bioanal.Chem.* 398:2693–2700.
68. Herzum, I., T. Lutz, F. Koch, R. Geisel, and A. Gehrt. 2010. Diagnostic performance of rapid influenza antigen assays in patients infected with the new influenza A (H1N1) virus. *Clin.Chem.Lab Med.* 48:53–56.
69. Hien, T. T., M. F. Boni, J. E. Bryant, T. T. Ngan, M. Wolbers, T. D. Nguyen, N. T. Truong, N. T. Dung, d. Q. Ha, V. M. Hien, T. T. Thanh, N. T. Nhu le, T. T. Uyen le, P. T. Nhien, N. T. Chinh, N. V. Chau, J. Farrar, and H. R. van Doorn. 2010. Early pandemic influenza (2009 H1N1) in Ho Chi Minh City, Vietnam: a clinical virological and epidemiological analysis. *PLoS.Med.* 7:e1000277.
70. Ho, A., R. Fox, R. A. Seaton, A. MacConnachie, E. Peters, C. L. Mackintosh, W. T. Todd, N. Kennedy, S. Dundas, and R. Gunson. 2010. Hospitalised adult patients with Suspected 2009 H1N1 Infection at Regional Infectious Diseases Units in Scotland – most had alternative final diagnoses. *J.Infect.* 60:83–85.
71. Hopkins, M. J., J. F. Moorcroft, J. B. Correia, and I. J. Hart. 2011. Using the full spectral capacity (six channels) of a real-time PCR instrument can simplify diagnostic laboratory screening and typing protocols for pandemic H1N1 influenza. *Influenza.Other Respi.Viruses.* 5:110–114.
72. Hwang, Y., K. Kim, and M. Lee. 2010. [Evaluation of the efficacies of rapid antigen test, multiplex PCR, and real-time PCR for the detection of a novel influenza A (H1N1) virus]. *Korean J.Lab Med.* 30:147–152.
73. Ishiguro, T., N. Takayanagi, T. Kanauchi, T. Hoshi, T. Yanagisawa, and Y. Sugita. 2010. [Two patients with novel influenza A virus (H1N1) pneumonia treated with steroid therapy after an incorrect diagnosis of rapid progressive interstitial pneumonia due to the negative results of a rapid-antigen test]. *Nihon Kokyuki.Gakkai Zasshi.* 48:687–695.
74. Ison, M. G. and N. Lee. 2010. Influenza 2010–2011: lessons from the 2009 pandemic. *Cleve. Clin.J.Med.* 77:812–820.
75. Iwasenko, J. M., M. Cretikos, D. L. Paterson, R. Gibb, S. A. Webb, D. W. Smith, C. C. Blyth, D. E. Dwyer, J. Q. Shi, P. Robertson, and W. D. Rawlinson. 2010. Enhanced diagnosis of pandemic (H1N1) 2009 influenza infection using molecular and serological testing in intensive care unit patients with suspected influenza. *Clin.Infect.Dis.* 51:70–72.

76. Jannetto, P. J., B. W. Buchan, K. A. Vaughan, J. S. Ledford, D. K. Anderson, D. C. Henley, N. B. Quigley, and N. A. Ledeboer. 2010. Real-time detection of influenza a, influenza B, and respiratory syncytial virus a and B in respiratory specimens by use of nanoparticle probes. *J.Clin.Microbiol.* 48:3997–4002.
77. Jernigan, D. B., S. L. Lindstrom, J. R. Johnson, J. D. Miller, M. Hoelscher, R. Humes, R. Shively, L. Brammer, S. A. Burke, J. M. Villanueva, A. Balish, T. Uyeki, D. Mustaquim, A. Bishop, J. H. Handsfield, R. Astles, X. Xu, A. I. Klimov, N. J. Cox, and M. W. Shaw. 2011. Detecting 2009 pandemic influenza A (H1N1) virus infection: availability of diagnostic testing led to rapid pandemic response. *Clin.Infect.Dis.* 52 Suppl 1:S36–43.:S36–S43.
78. Jia, N., Z. Q. Yan, G. Liu, D. X. Shen, J. J. Suo, Y. B. Xing, Y. Gao, and Y. X. Liu. 2010. [Colloidal gold and dot-ELISA rapid tests for screening influenza A virus]. *Nan.Fang Yi.Ke.Da.Xue.Xue.Bao.* 30:2267–2269.
79. Josko, D. 2010. Molecular diagnostics in the public health laboratories. *Clin.Lab Sci.* 23 :242–247.
80. Josko, D. 2010. Molecular virology in the clinical laboratory. *Clin.Lab Sci.* 23:231–236.
81. Kalthoff, D., A. Giritch, K. Geisler, U. Bettmann, V. Klimyuk, H. R. Hehnen, Y. Gleba, and M. Beer. 2010. Immunization with plant-expressed hemagglutinin protects chickens from lethal highly pathogenic avian influenza virus H5N1 challenge infection. *J.Virol.* 84:12002–12010.
82. Kamikawa, T. L., M. G. Mikołajczyk, M. Kennedy, P. Zhang, W. Wang, D. E. Scott, and E. C. Alocilja. 2010. Nanoparticle-based biosensor for the detection of emerging pandemic influenza strains. *Biosens.Bioelectron.* 26:1346–1352.
83. Kao, T. M., U. I. Wu, and Y. C. Chen. 2010. Rapid diagnostic tests and severity of illness in pandemic (H1N1) 2009, Taiwan. *Emerg.Infect.Dis.* 16:1181–1183.
84. Keitel, K., N. Wagner, L. Lacroix, S. Manzano, and A. Gervais. 2011. Performance characteristics of a rapid immunochromatographic assay for detection of pandemic influenza A (H1N1) virus in children. *Eur.J.Pediatr.* 170:511–517.
85. Khurana, S., P. Sasono, A. Fox, N. V. Kinh, L. Q. Mai, P. Q. Thai, N. T. Hien, N. T. Liem, P. Horby, and H. Golding. 2011. H5N1-SeroDetect EIA and Rapid Test: A Novel Differential Diagnostic Assay for Serodiagnosis of H5N1 Infections and Surveillance. *J.Virol.*
86. Kim, C. O., C. M. Nam, D. C. Lee, S. H. Han, and J. W. Lee. 2010. Clinical predictors of novel influenza A (H1N1)infection in Korea. *Yonsei Med.J.* 51:895–900.
87. Kim, Y. K., Y. Uh, J. K. Chun, C. Kim, and H. Y. Kim. 2010. Evaluation of new hemagglutinin-based rapid antigen test for influenza A pandemic (H1N1) 2009. *J.Clin.Virol.* 49:69–72.
88. Kirkland, P. D. 2011. Role of the diagnostic laboratories during the 2007 equine influenza outbreak in Australia. *Aust.Vet.J.* 89 Suppl 1:29–32. doi: 10.1111/j.1751-0813.2011.00736.x.:29-32.
89. Kok, J., C. C. Blyth, H. Foo, J. Patterson, J. Taylor, K. McPhie, V. M. Ratnamohan, J. R. Iredell, and D. E. Dwyer. 2010. Comparison of a rapid antigen test with nucleic acid testing during cocirculation of pandemic influenza A/H1N1 2009 and seasonal influenza A/H3N2. *J.Clin.Microbiol.* 48:290–291.
90. Kronic, N. 2010. Dx tool in RV diagnosis, surveillance. *MLO.Med.Lab Obs.* 42:48.
91. Kronic, N., F. Merante, S. Yaghoubian, D. Himsworth, and R. Janeczko. 2011. Advances in the diagnosis of respiratory tract infections: role of the Luminex xTAG respiratory viral panel. *Ann.N.Y.Acad.Sci.* 1222:6–13.
92. Landry, M. L. 2011. Diagnostic tests for influenza infection. *Curr.Opin.Pediatr.* 23:91–97.
93. Lee, G. C., E. S. Jeon, W. S. Kim, D. T. Le, J. H. Yoo, and C. K. Chong. 2010. Evaluation of a rapid diagnostic test, NanoSign(R) Influenza A/B Antigen, for detection of the 2009 pandemic influenza A/H1N1 viruses. *Virol.J.* 20;7:244.:244.

94. Lee, H. M., H. K. Park, H. S. Hwang, M. Y. Chun, H. J. Pai, S. H. Oh, and D. A. Kim. 2011. Diagnostic value of the rapid influenza antigen test for novel influenza A (H1N1). *Scand.J.Infect.Dis.* 43:43–46.
95. Leijon, M., K. Ullman, S. Thyselius, S. Zohari, J. C. Pedersen, A. Hanna, S. Mahmood, J. Banks, M. J. Slomka, and S. Belak. 2011. Rapid PCR-Based Molecular Pathotyping of H5 and H7 Avian Influenza Viruses. *J.Clin.Microbiol.*
96. Leonardi, G. P. 2010. Rapid identification of 2009 H1N1 influenza A virus using fluorescent antibody methods. *Am.J.Clin.Pathol.* 134:910–914.
97. Li, D., J. Wang, R. Wang, Y. Li, D. Abi-Ghanem, L. Berghman, B. Hargis, and H. Lu. 2011. A nanobeads amplified QCM immunosensor for the detection of avian influenza virus H5N1. *Biosens. Bioelectron.* 26:4146–4154.
98. Lieberman, J. M., W. K. Wu, G. R. Chiklis, S. Visuri, R. Hise, E. L. Rank, and P. Casey. 2010. Flu 2010–2011 roundtable: Influenza insights from executive experts in the medical laboratory marketplace. *MLO.Med.Lab Obs.* 42:10, 12, 14–1.
99. Lim, S. H., P. Buchy, S. Mardy, M. S. Kang, and A. D. Yu. 2010. Specific nucleic acid detection using photophysical properties of quantum dot probes. *Anal.Chem.* 82:886–891.
100. Linke, S., K. Neubauer, M. B. Dörner, B. G. Dörner, G. Pauli, and B. Schweiger. 2011. Generation and characterisation of monoclonal antibodies against influenza virus A, subtype H5N1. *J.Virol.Methods.* 175:85–94.
101. Lopez, R. P., P. Catalan, M. Giannella, d. Garcia, V. V. Sandonis, and E. Bouza. 2011. Comparison of real-time RT-PCR, shell vial culture, and conventional cell culture for the detection of the pandemic influenza A (H1N1) in hospitalized patients. *Diagn.Microbiol.Infect.Dis.* 69:428–431.
102. Lu, H., M. M. Ismail, O. A. Khan, H. Y. Al, S. S. Abdel Rhman, and M. H. Al-Blawi. 2010. Epidemic outbreaks, diagnostics, and control measures of the H5N1 highly pathogenic avian influenza in the Kingdom of Saudi Arabia, 2007–08. *Avian Dis.* 54:350–356.
103. Lucas, P. M., O. W. Morgan, T. F. Gibbons, A. C. Guerrero, G. M. Maupin, J. L. Butler, L. C. Canas, V. P. Fonseca, S. J. Olsen, and V. H. MacIntosh. 2011. Diagnosis of 2009 pandemic influenza A (pH1N1) and seasonal influenza using rapid influenza antigen tests, San Antonio, Texas, April–June 2009. *Clin.Infect.Dis.* 52 Suppl 1:S116–22.:S116–S122.
104. Luinstra, K., A. Petrich, S. Castriciano, M. Ackerman, S. Chong, S. Carruthers, B. Ammons, J. B. Mahony, and M. Smieja. 2011. Evaluation and clinical validation of an alcohol-based transport medium for preservation and inactivation of respiratory viruses. *J.Clin.Microbiol.* 49:2138–2142.
105. Mahony, J. B. 2010. Nucleic acid amplification-based diagnosis of respiratory virus infections. *Expert. Rev.Anti.Infect.Ther.* 8:1273–1292. doi:10.1586/eri.10.121 [doi].
106. Maltezos, G., M. Johnston, K. Taganov, C. Srichantaratsamee, J. Gorman, D. Baltimore, W. Chantratita, and A. Scherer. 2010. Exploring the limits of ultrafast polymerase chain reaction using liquid for thermal heat exchange: A proof of principle. *Appl.Phys.Lett.* 97:264101.
107. Marche, S. and T. van den Berg. 2010. Evaluation of different strategies for the use of ELISA tests as first screening tools for serologic surveillance of low pathogenic avian influenza in the Belgian poultry sector. *Avian Dis.* 54:627–631.
108. Marche, S. and T. van den Berg. 2010. Evaluation of rapid antigen detection kits for the diagnosis of highly pathogenic avian influenza H5N1 infection. *Avian Dis.* 54:650–654.
109. Matveeva, V. M., Z. Koshemetov, and S. M. Mamadaliev. 2011. [The development and application of solid-phase ELISA for the identification of avian influenza virus and its subtypes H5 and N3 in different biological samples]. *Vestn.Ross.Akad.Med.Nauk.* 10–14.

110. Medina, R. A., M. Rojas, A. Tuin, S. Huff, M. Ferres, C. Martinez-Valdebenito, P. Godoy, A. Garcia-Sastre, Y. Fofanov, and J. SantaLucia, Jr. 2011. Development and characterization of a highly specific and sensitive SYBR green reverse transcriptase PCR assay for detection of the 2009 pandemic H1N1 influenza virus on the basis of sequence signatures. *J.Clin.Microbiol.* 49:335–344.
111. Meseko, C. A., A. T. Oladokun, P. S. Ekong, F. O. Fasina, I. A. Shittu, L. K. Sulaiman, A. N. Egbuji, P. Solomon, H. G. Ularamu, and T. M. Joannis. 2010. Rapid antigen detection in the diagnosis of highly pathogenic avian influenza (H5N1) virus in Nigeria. *Diagn.Microbiol.Infect.Dis.* 68:163–165.
112. Metzgar, D., C. A. Myers, K. L. Russell, D. Faix, P. J. Blair, J. Brown, S. Vo, D. E. Swayne, C. Thomas, D. A. Stenger, B. Lin, A. P. Malanoski, Z. Wang, K. M. Blaney, N. C. Long, J. M. Schnur, M. D. Saad, L. A. Borsuk, A. M. Lichanska, M. C. Lorence, B. Weslowski, K. O. Schafer, and C. Tibbetts. 2010. Single assay for simultaneous detection and differential identification of human and avian influenza virus types, subtypes, and emergent variants. *PLoS.One.* 5:e8995.
113. Metzgar, D., D. Baynes, C. A. Myers, P. Kammerer, M. Unabia, D. J. Faix, and P. J. Blair. 2010. Initial identification and characterization of an emerging zoonotic influenza virus prior to pandemic spread. *J.Clin.Microbiol.* 48:4228–4234.
114. Metzger, K. E., S. R. Black, R. C. Jones, S. R. Nelson, A. Robicsek, G. M. Trenholme, M. A. Lavin, S. G. Weber, S. Garcia-Houchins, E. Landon, J. P. Parada, and S. I. Gerber. 2011. Identification, Management, and Clinical Characteristics of Hospitalized Patients with Influenza-Like Illness during the 2009 H1N1 Influenza Pandemic, Cook County, Illinois. *Infect.Control Hosp.Epidemiol.* 32:998–1002.
115. Miyagawa, E., H. Kogaki, Y. Uchida, N. Fujii, T. Shirakawa, Y. Sakoda, and H. Kida. 2011. Development of a novel rapid immunochromatographic test specific for the H5 influenza virus. *J.Virol. Methods.* 173:213–219.
116. Moore, C., J. N. Telles, S. Corden, R. B. Gao, G. Vernet, A. P. Van, and Y. L. Shu. 2010. Development and validation of a commercial real-time NASBA assay for the rapid confirmation of influenza A H5N1 virus in clinical samples. *J.Virol.Methods.* 170 :173–176.
117. Nagarajan, M. M., G. Simard, D. Longtin, and C. Simard. 2010. Single-step multiplex conventional and real-time reverse transcription polymerase chain reaction assays for simultaneous detection and subtype differentiation of Influenza A virus in swine. *J.Vet.Diagn.Invest.* 22:402–408.
118. Nakauchi, M., T. Yoshikawa, H. Nakai, K. Sugata, A. Yoshikawa, Y. Asano, M. Ihira, M. Tashiro, and T. Kageyama. 2011. Evaluation of reverse transcription loop-mediated isothermal amplification assays for rapid diagnosis of pandemic influenza A/H1N1 2009 virus. *J.Med.Virol.* 83:10–15.
119. Nougairède, A., L. Ninove, C. Zandotti, S. D. Thiberville, C. Gazin, S. B. La, R. N. Charrel, and L. de, X. 2010. Interim report on the A/H1N1 influenza virus pandemic in Marseille, France, April–November 2009. *Clin.Microbiol.Infect.* 16:322–325.
120. Okomo-Adhiambo, M., H. T. Nguyen, K. Sleeman, T. G. Sheu, V. M. Deyde, R. J. Garten, X. Xu, M. W. Shaw, A. I. Klimov, and L. V. Gubareva. 2010. Host cell selection of influenza neuraminidase variants: implications for drug resistance monitoring in A(H1N1) viruses. *Antiviral Res.* 85:381–388.
121. Pabbaraju, K., S. Wong, B. Lee, R. Tellier, K. Fonseca, M. Louie, and S. J. Drews. 2011. Comparison of a singleplex real-time RT-PCR assay and multiplex respiratory viral panel assay for detection of influenza “A” in respiratory specimens. *Influenza.Other Respi.Viruses.* 5:99–103.
122. Pabbaraju, K., S. Wong, K. L. Tokaryk, K. Fonseca, and S. J. Drews. 2011. Comparison of the Luminex xTAG respiratory viral panel with xTAG respiratory viral panel fast for diagnosis of respiratory virus infections. *J.Clin.Microbiol.* 49:1738–1744.

123. Papenburg, J., M. Baz, M. E. Hamelin, C. Rheaume, J. Carbonneau, M. Ouakki, I. Rouleau, I. Hardy, D. Skowronski, M. Roger, H. Charest, S. G. De, and G. Boivin. 2010. Household transmission of the 2009 pandemic A/H1N1 influenza virus: elevated laboratory-confirmed secondary attack rates and evidence of asymptomatic infections. *Clin.Infect.Dis.* 51:1033–1041.
124. Papenburg, J., M. Baz, M. E. Hamelin, C. Rheaume, J. Carbonneau, M. Ouakki, I. Rouleau, S. G. De, and G. Boivin. 2011. Evaluation of serological diagnostic methods for the 2009 pandemic influenza A (H1N1) virus. *Clin.Vaccine Immunol.* 18:520–522.
125. Petrauskene, O. V., M. A. Schumaker, Y. Thorstenson, C. Fearnley, T. Pavlidis, S. N. Liew, J. Cork, M. R. Furtado, P. R. Wakeley, and M. J. Slomka. 2010. New highly sensitive and accurate lyophilized real-time RT-PCR tests for early detection of avian influenza. *Avian Dis.* 54:686–689.
126. Petrozzino, J. J., C. Smith, and M. J. Atkinson. 2010. Rapid diagnostic testing for seasonal influenza: an evidence-based review and comparison with unaided clinical diagnosis. *J.Emerg.Med.* 39:476–490.
127. Phungoen, P., K. Sawanyawisuth, C. Engchanil, S. Sutra, D. Rangsrakajee, V. Lulitanond, J. Srinakaran, P. Pithak, J. Bourpoern, and S. Phondongnok. 2011. Clinical factors predictive of PCR positive in pandemic H1N1 2009 influenza virus infection. *Influenza.Other Respi.Viruses.* 5:e558–e562.
128. Pianciola, L., G. Gonzalez, M. Mazzeo, M. Navello, N. Quidel, and M. F. Bulgheroni. 2010. [Direct immunofluorescence assay performance in diagnosis of the Influenza A(H1N1) virus]. *Rev.Panam. Salud Publica.* 27:452–454.
129. Pizzuto, M. S., B. P. De, S. Maniero, M. Toson, W. G. Dundon, S. B. M'Baye, and I. Capua. 2011.
130. Pongthanapisith, V., C. Sukasem, K. Premchaiporn, C. Srichantaratsamee, and W. Chantratita. 2011. Clinical performance of three rapid diagnostic tests for influenza virus in nasopharyngeal specimens to detect novel swine-origin influenza viruses. *Infection.* 39:105–111.
131. Postel, A., T. Letzel, F. Muller, R. Ehricht, P. Pourquier, M. Dauber, C. Grund, M. Beer, and T. C. Harder. 2011. In vivo biotinylated recombinant influenza A virus hemagglutinin for use in subtype-specific serodiagnostic assays. *Anal.Biochem.* 411:22–31.
132. Qi, C., X. S. Tian, S. Chen, J. H. Yan, Z. Cao, K. G. Tian, G. F. Gao, and G. Jin. 2010. Detection of avian influenza virus subtype H5 using a biosensor based on imaging ellipsometry. *Biosens. Bioelectron.* 25:1530–1534.
133. Rimmelzwaan, G. F., R. J. Verburgh, N. J. Nieuwkoop, T. M. Bestebroer, R. A. Fouchier, and A. D. Osterhaus. 2011. Use of GFP-expressing influenza viruses for the detection of influenza virus A/H5N1 neutralizing antibodies. *Vaccine.* 29:3424–3430.
134. Rogoski, R. R. 2010. New tests stop flu in its tracks. *MLO.Med.Lab Obs.* 42:22, 24.
135. Ronkko, E., N. Ikonen, M. Kontio, M. Haanpaa, H. Kallio-Kokko, L. Mannonen, M. Lappalainen, I. Julkunen, and T. Ziegler. 2011. Validation and diagnostic application of NS and HA gene-specific real-time reverse transcription-PCR assays for detection of 2009 pandemic influenza A (H1N1) viruses in clinical specimens. *J.Clin.Microbiol.* 49:2009–2011.
136. Rosen, D. G., A. E. Lopez, M. L. Anzalone, D. A. Wolf, S. M. Derrick, L. F. Florez, M. L. Gonsoulin, M. O. Hines, III, R. A. Mitchell, D. R. Phatak, K. Haden-Pinneri, and L. A. Sanchez. 2010. Postmortem findings in eight cases of influenza A/H1N1. *Mod.Pathol.* 23:1449–1457.
137. Rudolf, M., M. Poppel, A. Frohlich, A. Breithaupt, J. Teifke, U. Blohm, T. Mettenleiter, M. Beer, and T. Harder. 2010. Longitudinal 2 years field study of conventional vaccination against highly pathogenic avian influenza H5N1 in layer hens. *Vaccine.* 28:6832–6840.
138. Sakai-Tagawa, Y., M. Ozawa, D. Tamura, M. Q. Le, C. A. Nidom, N. Sugaya, and Y. Kawaoka. 2010. Sensitivity of influenza rapid diagnostic tests to H5N1 and 2009 pandemic H1N1 viruses. *J.Clin. Microbiol.* 48:2872–2877.

139. Sala, H., J. S. Roca, C. Zerbo, R. Garcia, G. Cabral, A. Fernandez, C. Tummino, M. Baldini, and O. Rizzo. 2011. Initial Clinical Management of Symptomatic Adult Patients during Influenza A (H1N1) Epidemics. *J.Emerg.Med.* 41:435–440.
140. Sambol, A. R., B. Abdalhamid, E. R. Lyden, T. A. Aden, R. K. Noel, and S. H. Hinrichs. 2010. Use of rapid influenza diagnostic tests under field conditions as a screening tool during an outbreak of the 2009 novel influenza virus: practical considerations. *J.Clin.Virol.* 47:229–233.
141. Sambol, A. R., P. C. Iwen, M. Pieretti, S. Basu, M. H. Levi, K. D. Gilonske, K. D. Moses, J. L. Marola, and P. Ramamoorthy. 2010. Validation of the Cepheid Xpert Flu A real time RT-PCR detection panel for emergency use authorization. *J.Clin.Virol.* 48:234–238.
142. Samuel, D., L. Warrenner, and K. Hoschler. 2011. Monoclonal antibodies to the haemagglutinin HA1 subunit of the pandemic influenza A/H1N1 2009 virus and potential application to serodiagnosis. *J.Med.Virol.* 83:559–567.
143. Sandora, T. J., S. C. Smole, G. M. Lee, S. Chung, L. Williams, and A. J. McAdam. 2010. Test characteristics of commercial influenza assays for detecting pandemic influenza A (H1N1) in children. *Pediatr.Infect.Dis.J.* 29:261–262.
144. Schulze, M., A. Nitsche, B. Schweiger, and B. Biere. 2010. Diagnostic approach for the differentiation of the pandemic influenza A(H1N1)v virus from recent human influenza viruses by real-time PCR. *PLoS.One.* 5:e9966.
145. Settembre, E. C., P. R. Dormitzer, and R. Rappuoli. 2010. H1N1: can a pandemic cycle be broken? *Sci.Transl.Med.* 2:24ps14.
146. She, R. C., E. W. Taggart, and C. A. Petti. 2010. Comparison of 10 indirect fluorescent antibodies to detect and type influenza A specimens. *Arch.Pathol.Lab Med.* 134:1177–1180.].
147. Shubin, I. V., M. V. Raicheva, M. A. Bashtovoi, and A. G. Chuchalin. 2010. [Modern approaches to diagnostics and treatment of influenza in pandemic period]. *Voen.Med.Zh.* 331:27–32.
148. Sidoti, F., F. Rizzo, C. Costa, S. Astegiano, A. Curtioni, M. L. Mandola, R. Cavallo, and M. Bergallo. 2010. Development of real time RT-PCR assays for detection of type A influenza virus and for subtyping of avian H5 and H7 hemagglutinin subtypes. *Mol.Biotechnol.* 44:41–50.
149. Slomka, M. J., R. M. Irvine, T. Pavlidis, J. Banks, and I. H. Brown. 2010. Role of real-time RT-PCR platform technology in the diagnosis and management of notifiable avian influenza outbreaks: experiences in Great Britain. *Avian Dis.* 54:591–596.
150. Song, D. S., Y. J. Lee, O. M. Jeong, Y. J. Kim, C. H. Park, J. E. Yoo, W. J. Jeon, J. H. Kwon, G. W. Ha,
151. Stephenson, I., A. Heath, D. Major, R. W. Newman, K. Hoschler, W. Junzi, J. M. Katz, J. P. Weir, M. C.
152. Stevenson, H. L. and M. J. Loeffelholz. 2010. Poor positive accuracy of QuickVue rapid antigen tests during the influenza A (H1N1) 2009 pandemic. *J.Clin.Microbiol.* 48 :3729–3731.
153. Suntarattiwong, P., R. G. Jarman, J. Levy, H. C. Baggett, R. V. Gibbons, T. Chotpitayasunondh, and J. M. Simmerman. 2010. Clinical performance of a rapid influenza test and comparison of nasal versus throat swabs to detect 2009 pandemic influenza A (H1N1) infection in Thai children. *Pediatr.Infect. Dis.J.* 29:366–367.
154. Suzuki, Y., R. Saito, H. Zaraket, C. Dapat, I. Caperig-Dapat, and H. Suzuki. 2010. Rapid and specific detection of amantadine-resistant influenza A viruses with a Ser31Asn mutation by the cycling probe method. *J.Clin.Microbiol.* 48:57–63.
155. Szewczuk, E., K. Thapa, T. Anninos, K. McPhie, G. Higgins, D. E. Dwyer, K. K. Stanley, and J. R. Iredell. 2010. Rapid semi-automated quantitative multiplex tandem PCR (MT-PCR) assays for the differential diagnosis of influenza-like illness. *BMC.Infect.Dis.* 10:113.:113.

156. Takahashi, H., Y. Otsuka, and B. K. Patterson. 2010. Diagnostic tests for influenza and other respiratory viruses: determining performance specifications based on clinical setting. *J.Infect. Chemother.* 16:155–161.
157. Takekawa, J. Y., N. J. Hill, A. K. Schultz, S. A. Iverson, C. J. Cardona, W. M. Boyce, and J. P. Dudley. 2011. Rapid diagnosis of avian influenza virus in wild birds: use of a portable rRT-PCR and freeze-dried reagents in the field. *J.Vis.Exp.* 2829.
158. Talbot, H. K. and A. R. Falsey. 2010. The diagnosis of viral respiratory disease in older adults. *Clin. Infect.Dis.* 50:747–751.
159. Talbot, H. K., J. V. Williams, Y. Zhu, K. A. Poehling, M. R. Griffin, and K. M. Edwards. 2010. Failure of routine diagnostic methods to detect influenza in hospitalized older adults. *Infect.Control Hosp. Epidemiol.* 31:683–688.
160. Troppan, K. T., M. Bozic, B. I. Santner, and H. H. Kessler. 2010. Evaluation of four molecular assays for detection of pandemic influenza A (H1N1) 2009 virus in the routine diagnostic laboratory. *J.Clin. Virol.* 49:82–84.
161. Tsai, T. F., P. Pedotti, A. Hilbert, K. Lindert, M. Hohenboken, A. Borkowski, N. Groth, L. J. da Silva, and M. H. Kyaw. 2010. Regional and age-specific patterns of pandemic H1N1 influenza virus seroprevalence inferred from vaccine clinical trials, August–October 2009. *Euro.Surveill* 15.
162. Tsao, K. C., Y. B. Kuo, C. G. Huang, S. W. Chau, and E. C. Chan. 2011. Performance of rapid-test kits for the detection of the pandemic influenza A/H1N1 virus. *J.Virol.Methods.* 173:387–389.
163. Tsukamoto, K., D. Noguchi, K. Suzuki, M. Shishido, T. Ashizawa, M. C. Kim, Y. J. Lee, and T. Tada. 2010. Broad detection of diverse H5 and H7 hemagglutinin genes of avian influenza viruses by real-time reverse transcription-PCR using primer and probe sets containing mixed bases. *J.Clin.Microbiol.* 48:4275–4278.
164. Tsunetsugu-Yokota, Y. and T. Kageyama. 2010. [Diagnosis of novel swine flu]. *Nihon Rinsho.* 68 Suppl 6:385–8.:385–388.
165. Uchida, Y., K. Kanehira, M. Mase, N. Takemae, C. Watanabe, T. Usui, Y. Fujimoto, T. Ito, M. Igarashi, K. Ito, A. Takada, Y. Sakoda, M. Okamatsu, Y. Yamamoto, K. Nakamura, H. Kida, Y. Hiromoto, T. Tsuda, and T. Saito. 2011. Genetic characterization and susceptibility on poultry and mammal of H7N6 subtype avian influenza virus isolated in Japan in 2009. *Vet.Microbiol.* 147:1–10.
166. van der Goot, J. A., B. Engel, S. G. van de Water, W. Buist, M. C. de Jong, G. Koch, B. M. van, and A. Stegeman. 2010. Validation of diagnostic tests for detection of avian influenza in vaccinated chickens using Bayesian analysis. *Vaccine.* 28:1771–1777.
167. van Gageldonk-Lafeber, A. B., M. Hooiveld, A. Meijer, G. A. Donker, M. J. Veldman-Ariesen, W. van der Hoek, and M. A. van der Sande. 2011. The relative clinical impact of 2009 pandemic influenza A (H1N1) in the community compared to seasonal influenza in the Netherlands was most marked among 5–14 year olds. *Influenza.Other Respi.Viruses.* 5:e513–e520.
168. Velasco, J. M., M. L. Montesa-Develos, R. G. Jarman, M. N. Lopez, R. V. Gibbons, M. T. Valderama, and I. K. Yoon. 2010. Evaluation of QuickVue influenza A+B rapid test for detection of pandemic influenza A/H1N1 2009. *J.Clin.Virol.* 48:120–122.
169. Vernadakis, S., M. Adamzik, M. Heuer, G. Antoch, H. Baba, M. Fiedler, J. Buer, A. Paul, and G. M. Kaiser. 2010. [Hemicolectomy for ischemic colitis : A case report of a (H1N1) virus-associated death]. *Chirurg* 81:841–845.
170. Wada, A., Y. Sakoda, T. Oyamada, and H. Kida. 2011. Development of a highly sensitive immunochromatographic detection kit for H5 influenza virus hemagglutinin using silver amplification. *J.Virol.Methods.*

171. Wang, G., S. Hu, and X. Yu. 2010. Development of a latex agglutination test for detecting antibodies against avian influenza virus based on matrix 1 protein expressed in vitro. *Avian Dis.* 54:41–45.
172. Watcharatanyatip, K., S. Boonmoh, K. Chaichoun, T. Songserm, M. Woratanti, and T. Dharakul. 2010. Multispecies detection of antibodies to influenza A viruses by a double-antigen sandwich ELISA. *J.Virol.Methods.* 163:238–243.
173. Welby, S., T. van den Berg, S. Marche, P. Houdart, J. Hooyberghs, and K. Mintiens. 2010. Redesigning the serological surveillance program for notifiable avian influenza in Belgian professional poultry holdings. *Avian Dis.* 54:597–605.
174. Wenzel, J. J., M. Panning, K. L. Kaul, K. A. Mangold, P. A. Revell, R. A. Luna, H. Zepeda, L. Perea, J. A. Vazquez-Perez, S. Young, B. Rodic-Polic, M. Eickmann, C. Drosten, W. Jilg, and U. Reischl. 2010. Analytical performance determination and clinical validation of the novel Roche RealTime Ready Influenza A/H1N1 Detection Set. *J.Clin.Microbiol.* 48:3088–3094.
175. Wong-Chew, R. M., R. Farfan-Quiroz, J. L. Sanchez-Huerta, M. Nava-Frias, J. Casasola-Flores, and J. I. Santos-Preciado. 2010. [Frequency of respiratory viruses and clinical characteristics in children attending a care center in Mexico City]. *Salud Publica Mex.* 52:528–532.
176. Wu, L. T., M. D. Curran, J. S. Ellis, S. Parmar, A. V. Ritchie, P. I. Sharma, J. P. Allain, H. Jalal, M. Zambon, and H. H. Lee. 2010. Nucleic acid dipstick test for molecular diagnosis of pandemic H1N1. *J.Clin.Microbiol.* 48:3608–3613.
177. Yamanaka, K., M. Saito, K. Kondoh, M. M. Hossain, R. Koketsu, T. Sasaki, N. Nagatani, K. Ikuta, and E. Tamiya. 2011. Rapid detection for primary screening of influenza A virus: microfluidic RT-PCR chip and electrochemical DNA sensor. *Analyst.* 136:2064–2068.
178. Yang, J. R., J. Lo, Y. L. Ho, H. S. Wu, and M. T. Liu. 2011. Pandemic H1N1 and seasonal H3N2 influenza infection in the human population show different distributions of viral loads, which substantially affect the performance of rapid influenza tests. *Virus Res.* 155:163–167.
179. Yang, M., A. Clavijo, J. Graham, J. Pasick, J. Neufeld, and Y. Berhane. 2010. Evaluation of diagnostic applications of monoclonal antibodies against avian influenza H7 viruses. *Clin.Vaccine Immunol.* 17:1398–1406.
180. Yuan, Q., X. D. Cheng, B. C. Yang, Q. B. Zheng, Y. X. Chen, Q. R. Chen, F. Zeng, R. Zhang, S. X. Ge, X. K. Hao, H. Chen, J. Zhang, and N. S. Xia. 2011. Differential diagnosis of pandemic (H1N1) 2009 infection by detection of haemagglutinin with an enzyme-linked immunoassay. *Clin.Microbiol.Infect.* 17:1574–1580.
181. Zaleska, M., K. Anusz, A. Winnicka, and J. Kita. 2010. The effect of heterotypic infections of older horses with equine influenza virus type-2 on some clinical and immunological parameters. *Pol.J.Vet. Sci.* 13:515–523.
182. Zheng, Z., W. Luo, H. Song, Y. Chen, J. Xiong, Y. Chen, Y. Gu, H. Chen, J. W. Shih, J. Zhang, and N. Xia. 2010. Antibody reactivity of conformational peptide mimics of a conserved H5N1 neutralization site in different fusion proteins. *Arch.Virol.* 155:19–26.