

International Nonproprietary Names for Pharmaceutical Substances

In accordance with article 3 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances,¹ notice is hereby given that the following names are under consideration by the World Health Organization as Proposed International Nonproprietary Names.

Comments on, or formal objections to, the proposed names may be forwarded by any person to the Pharmaceuticals unit of the World Health Organization within four months of the date of their publication in *WHO Drug Information*, e.g., for List 62 Prop. INN not later than 31 May 1990.

The inclusion of a name in the lists of proposed international nonproprietary names does not imply any recommendation for the use of the substance in medicine or pharmacy.

Action and Use

The statements in italics indicating the action and use are based largely on information supplied by the manufacturer. The information is meant to provide an indication of the potential use of new substances at the time they are accorded proposed INN. WHO is not in a position either to uphold these statements or to comment on the efficacy of the action claimed. Because of their provisional nature these descriptors will be neither revised nor included in the Cumulative Lists of INN.

Proposed International Nonproprietary Names (Prop. INN): List 62²

Comprehensive information on the INN programme can be found in WHO Technical Report Series, No. 581, 1975 (*Nonproprietary Names for Pharmaceutical Substances*: twentieth report of the WHO Expert Committee), ISBN 92 4 120581 4 (price: Sw. fr. 6.—) an account of this publication will be found in Annex 2 of the present List. All names from Lists 1-58 of Proposed International Nonproprietary Names, together with a molecular formula index, will be found in *International Nonproprietary Names (INN) for Pharmaceutical Substances Cumulative List No. 7*, 1988, World Health Organization, Geneva (ISBN 92 4 0560149) (price: Sw. fr. 65.—). This publication consists, in the main, of a computer printout which groups together all the proposed and recommended international nonproprietary names (INN)—in Latin, English, French, Russian, and Spanish—published up to March 1988. The printout also indicates in which of the 58 individual lists of proposed names and 27 lists of recommended names each INN was originally published, and gives references to national nonproprietary names, pharmacopoeia monographs, and other sources. In addition, the list contains molecular formulae and Chemical Abstracts Service registry numbers. For easy reference, national nonproprietary names that differ from INN, molecular formulae, and Chemical Abstracts Service registry numbers are indexed in a series of annexes. A final annex describes the procedure for selecting recommended INN and outlines the general principles to be followed in devising these names. All the textual material published in this volume appears in both English and French.

These publications may be obtained, direct or through booksellers, from the sales agents listed on the back cover of *WHO Drug Information*. Orders from countries where sales agents have not yet been appointed may be addressed to: World Health Organization, Distribution and Sales Service, 1211 Geneva 27, Switzerland.

¹ Text adopted by the Executive Board of WHO in resolution EB15.R7 (*Off. Rec. Wld Hlth Org.*, 1955, **60**, 3) and amended by the Board in resolution EB43.R9 (*Off. Rec. Wld. Hlth Org.*, 1969, **173**, 10)


² Other lists of proposed and recommended international nonproprietary names can be found in *Cumulative List No. 7*, 1988.

*Proposed International
Nonproprietary Name (Latin, English)*

*Chemical Name or Description, Molecular and Graphic Formulae
Chemical Abstracts Service (CAS) registry number
Action and use*

acidum risedronicum
risedronic acid


[1-hydroxy-2-(3-pyridyl)ethylidene]diphosphonic acid
C₇H₁₁NO₇P₂ 105462-24-6 calcium regulator



actaritum
actarit


(*p*-acetamidophenyl)acetic acid
C₁₀H₁₁NO₃ 18699-02-0

immunomodulator




aloracetatum
aloracetam

N-[2-(3-formyl-2,5-dimethylpyrrol-1-yl)ethyl]acetamide
C₁₁H₁₆N₂O₂ 119610-26-3 nootropic agent




alprafenonum
alprafenone

(\pm)-3-[3-[2-hydroxy-3-(*tert*-pentylamino)propoxy]-4-methoxyphenyl]-4'-methylpropiophenone
C₂₅H₃₅NO₄ 124316-02-5 antidyssrhythmic



ataprostum
ataprost






(+)-(2*E*,3*aS*,4*R*,5*R*,6*aS*)-4-[(1*E*,3*S*)-3-cyclopentyl-3-hydroxypropenyl]-3,3*a*,4,5,6,6*a*-hexahydro-5-hydroxy-4*E*,5*H*,6*H*-pentalenevaleric acid
C₂₁H₃₂O₄ 83997-19-7 platelet aggregation inhibitor







<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
--	---

batoprazinum batoprazine	8-(1-piperazinyl)coumarin $C_{13}H_{14}N_2O_2$ 105685-11-8 <i>psychotropic</i>
brifentanilum brifentanil	<i>cis</i> -N-[1-[2-(4-ethyl-5-oxo-2-tetrazolin-1-yl)ethyl]-3-methyl-4-piperidyl]-2'-fluoro-2-methoxyacetanilide $C_{26}H_{29}FN_6O_3$ 101345-71-5 <i>narcotic analgesic</i>
butenafinum butenafine	<i>N</i> -(<i>p</i> -tert-butylbenzyl)- <i>N</i> -methyl-1-naphthalenemethylamine $C_{23}H_{27}N$ 101828-21-1 <i>antifungal</i>
candoxatrilatum candoxatrilat	(<i>aS</i>)-1-[(<i>cis</i> -4-carboxycyclohexyl)carbamoyl]- <i>a</i> -[(2-methoxyethoxy)methyl]-cyclopentanepropionic acid $C_{20}H_{33}NO_7$ 123122-54-3 <i>antihypertensive</i>

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
candoxatrilum candoxatril	(<i>αS</i>)-1-[<i>[(cis</i> -4-carboxycyclohexyl)carbamoyl]- <i>α</i> -[<i>(2-methoxyethoxy)methyl</i>]cyclopentanepropionic acid, <i>α</i> -5-indanyl ester $C_{29}H_{41}NO_7$ 123122-55-4 <i>antihypertensive</i>
cericlaminum cericlamine	(\pm)-3-(3,4-dichlorophenyl)-2-(dimethylamino)-2-methyl-1-propanol $C_{12}H_{17}Cl_2NO$ 112922-55-1 <i>antidepressant</i>
ciclesonidum ciclesonide	$11\beta,16\alpha,17,21$ -tetrahydroxypregna-1,4-diene-3,20-dione, cyclic 16,17-acetal with cyclohexanecarboxaldehyde, 21-isobutyrate $C_{32}H_{44}O_7$
daniquidonum daniquidone	8-aminoisoindolo[1,2- <i>b</i>]quinazolin-12(10 <i>H</i>)-one $C_{15}H_{11}N_3O$ 67199-66-0 <i>antineoplastic</i>

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
dapropterinum dapropterin	(\leftarrow)-(6 <i>R</i>)-2-amino-6-[(1 <i>R</i> ,2 <i>S</i>)-1,2-dihydroxypropyl]-5,6,7,8-tetrahydro-4(3 <i>H</i>)-pteridinone $C_9H_{15}N_5O_3$ 62989-33-7 <i>antihyperphenylalaninaemic</i>
	
desflurane desfluranum	(\pm)-difluoromethyl 1,2,2,2-tetrafluoroethyl ether $C_3H_2F_6O$ 57041-67-5 <i>general anaesthetic</i>
	
devazepidum devazepide	(<i>S</i>)- <i>N</i> -(2,3-dihydro-1-methyl-2-oxo-5-phenyl-1 <i>H</i> -1,4-benzodiazepin-3-yl)indole-2-carboxamide $C_{25}H_{26}N_4O_2$ 103420-77-5 <i>cholecystokinin receptor antagonist</i>
	
dexrazoxane dexrazoxanum	(\leftarrow)-(<i>S</i>)-4,4'-propylenedi-2,6-piperazinedione $C_{11}H_{16}N_4O_4$ 24584-09-6 <i>antineoplastic</i>
	
ditekirenum ditekiren	<i>tert</i> -butyl ($2S$)-2-[(\leftarrow)(<i>4S</i>)- α -[[$(1S)$ -1-[[$(1S,2S,4S)$ -2-hydroxy-1-isobutyl-5-methyl-4-[[$(1S,2S)$ -2-methyl-1-[(2-pyridylmethyl)carbamoyl]butyl]carbamoyl]hexyl]carbamoyl]-2-imidazol-4-ylethyl)methylcarbamoyl]phenetyl]-carbamoyl]-1-pyrrolidinecarboxylate $C_{50}H_{75}N_9O_8$ 103336-05-6 <i>renin inhibitor</i>
	

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
dosmalfatum dosmalfate	[μ_6 -[[dirosmin octasulfato](8-)]tetraccontahydroxyhexadecaaluminum $C_{28}H_{64}Al_{16}O_{79}S_8$ 122312-55-4 antacid
duteplasum duteplase	245-L-methionineplasminogen activator (human tissue-type 2-chain form protein moiety) $C_{2736}H_{4174}N_{914}O_{824}S_{46}$ 120608-46-0 thrombolytic
ecogramostimum ecogramostim	<i>N</i> -L-methionylcolony-stimulating factor 2 (human U937 cell protein moiety reduced) 123120-99-0 immunostimulant
elsamitrucinum elsamitrucin	10-[[2-O-(2-amino-2,6-dideoxy-3-O-methyl- α -D-galactopyranosyl)-6-deoxy-3-C-methyl- β -D-galactopyranosyl]oxy]-6-hydroxy-1-methylbenzo[h][1]-benzopyrano[5,4,3-cde][1]benzopyran-5,12-dione $C_{33}H_{35}NO_{13}$ 97068-30-9 antineoplastic
epoetinum alfa epoetin alfa	1-165-erythropoietin (human clone λ HEPOFL13 protein moiety) $C_{509}H_{1301}N_{229}O_{240}S_5$ 113427-24-0 antianaemic
epoetinum beta epoetin beta	1-165-erythropoietin (human clone λ HEPOFL13 protein moiety), glycoform β $C_{509}H_{1301}N_{229}O_{240}S_5$ 122312-54-3 antianaemic


<i>Proposed International Nonproprietary Name</i> (Latin, English)	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
eplastigminum eplastigmine	<i>N</i> -demethyl- <i>N</i> -heptylphysostigmine or (3a <i>S</i> ,8a <i>R</i>)-1,2,3,3a,8a-hexahydro-1,3a,8-trimethylpyrrolo[2,3- <i>b</i>]indol-5-yl heptylcaramate C ₂₁ H ₃₃ N ₃ O ₂ 101246-68-8 <i>acetylcholinesterase inhibitor</i>
	
dotozimum dotozine	(+)-(R)- <i>a</i> -ethyl- <i>N,N</i> -dimethyl- <i>a</i> -[(3,4,5-trimethoxybenzyl)oxy]methyl]benzyl-amine C ₂₂ H ₃₁ NO ₄ 123618-00-8 <i>gastrointestinal agent</i>
	
finasteridum finasteride	<i>N</i> -tert-butyl-3-oxo-4-aza-5 <i>a</i> -androst-1-ene-17 <i>B</i> -carboxamide C ₂₃ H ₃₆ N ₂ O ₂ 98319-26-7 <i>antineoplastic</i>
	
fluvastatinum fluvastatin	(±)-(3 <i>R</i> [*] ,5 <i>S</i> [*] ,6 <i>E</i>)-7-[3-(<i>p</i> -fluorophenyl)-1-isopropylindol-2-yl]-3,5-dihydroxy-6-heptenoic acid C ₂₄ H ₂₆ FNO ₄ 93957-54-1 <i>antihyperlipidaemic</i>
	

*Proposed International
Nonproprietary Name (Latin, English)*

*Chemical Name or Description, Molecular and Graphic Formulae
Chemical Abstracts Service (CAS) registry number
Action and use*


fosinoprilatum
fosinoprilat

(4S)-4-cyclohexyl-1-[[hydroxy(4-phenylbutyl)phosphoryl]acetyl]-L-proline
 $C_{23}H_{34}NO_5P$ 95399-71-6
angiotensin converting enzyme inhibitor




fosphenytoinum
fosphenytoin

3-(hydroxymethyl)-5,5-diphenylhydantoin, dihydrogen phosphate (ester)
 $C_{16}H_{15}N_2O_6P$ 93390-81-9
antiepileptic




fosquidonum
fosquidone






benzyl 5,8,13,14-tetrahydro-14-methyl-8,13-dioxobenz[5,6]isoindolo-[2,1-*b*]isoquinolin-9-yl hydrogen phosphate
 $C_{22}H_{22}NO_6P$ 114517-02-1
antineoplastic



gemcitabine
gemcitabinum

2'-deoxy-2', 2'-difluorocytidine
 $C_9H_{11}F_2N_3O_4$ 95058-81-4
antineoplastic



<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
girisopamum girisopam	1-(<i>m</i> -chlorophenyl)-7,8-dimethoxy-4-methyl-5 <i>H</i> -2,3-benzodiazepine $C_{18}H_{17}ClN_2O_2$ 82230-53-3 <i>anxiolytic</i> 
glipalamidum glipalamide	(\pm)-5-methyl-N-(<i>p</i> -tolylsulfonyl)-2-pyrazoline-1-carboxamide $C_{12}H_{15}N_3O_3S$ 37598-94-0 <i>antidiabetic</i> 
ipazilidum ipazilide	<i>N</i> -[3-(diethylamino)propyl]-4,5-diphenylpyrazole-1-acetamide $C_{24}H_{30}N_4O$ 115436-73-2 <i>antidysrhythmic</i> 
isbufyllinum isbufylline	7-isobutyltheophylline $C_{11}H_{16}N_4O_2$ 90162-60-0 <i>antiasthmatic</i> 
itrocinonidum itrocinonide	6 <i>a</i> ,9-difluoro-11 <i>β</i> ,16 <i>a</i> ,17-trihydroxy-3-oxoandrosta-1,4-diene-17 <i>β</i> -carboxylic acid, ester with ethyl (<i>S</i>)-1-hydroxyethyl carbonate, cyclic (<i>R</i>)-16,17-acetal with butyraldehyde $C_{29}H_{36}F_2O_9$ 106033-96-9 <i>glucocorticosteroid</i> 

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
--	---





levemopamilum levemopamil	(<i>-</i>)(<i>S</i>)-2-isopropyl-5-(methylphenethylamino)-2-phenylvaleronitrile $C_{23}H_{30}N_2$ 101238-51-1 calcium antagonist
levetiracetamum levetiracetam	(<i>S</i>)- α -ethyl-2-oxo-1-pyrrolidineacetamide $C_6H_{14}N_2O_2$ 102767-28-2 nootropic agent
lidanserinum lidanserin	(\pm)-4-[3-[4-(<i>p</i> -fluorobenzoyl)piperidino]propoxy]-4-methoxyphenyl-2-pyrrolidinone $C_{26}H_{31}FN_2O_4$ 73725-85-6 serotonin antagonist
lifibrolum lifibrol	(\pm)- <i>p</i> -[4-(<i>p</i> -tert-butylphenyl)-2-hydroxybutoxy]benzoic acid $C_{21}H_{26}O_4$ 96609-16-4 antihyperlipidaemic
meiquinastum melquinast	ethyl 6-ethyl-5,6-dihydro-9-methyl-5-oxo-s-triazolo[1,5- <i>c</i>]quinoxaline-2-carboxylate $C_{15}H_{16}N_4O_3$ 87611-28-7 antiallergic

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
meribendanum meribendan	4,5-dihydro-5-methyl-6-(2-pyrazol-3-yl-5-benzimidazoly)-3(2H)-pyridazinone $C_{15}H_{14}N_6O$ 119322-27-9 <i>positive inotropic agent</i>
nardeterolum nardeterol	(±)- α -[[[3-(1-benzimidazolyl)-1,1-dimethylpropyl]amino]methyl]-2-fluoro-4-hydroxybenzyl alcohol $C_{26}H_{24}FN_3O_2$ 73865-18-6 β_2 -adrenoreceptor agonist
neltenexinum neltenexine	4',6'-dibromo- α -[(<i>trans</i> -4-hydroxycyclohexyl)amino]-2-thiophene-carboxy- α -toluidide $C_{18}H_{20}Br_2N_2O_2S$ 99453-84-6 <i>mucolytic</i>
epinalonum pinalone	(±)-3,4-dihydro-1-methyl-1-(2-piperidinoethyl)-2(1H)-naphthalenone $C_{18}H_{25}NO$ 22443-11-4 <i>antitussive</i>
nitecaponum nitecapone	3-(3,4-dihydroxy-5-nitrobenzylidene)-2,4-pentanedione $C_{12}H_{11}NO_6$ 116313-94-1 <i>antiparkinson</i>

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
--	---

oxilofrinum oxilofrine	<i>erythro-p-hydroxy-α-[1-(methylamino)ethyl]benzyl alcohol</i> $C_{10}H_{15}NO_2$ 365-26-4 <i>sympathomimetic</i>
pancopridum pancopride	<i>(\pm)-4-amino-5-chloro-α-cyclopropyl-N-3-quinuclidinyl-o-anisamide</i> $C_{18}H_{24}ClN_3O_2$ 121650-80-4 <i>antiemetic, anxiolytic</i>
pantoprazolum pantoprazole	<i>5-(difluoromethoxy)-2-[(3,4-dimethoxy-2-pyridyl)methyl]sulfanyl]-benzimidazole</i> $C_{16}H_{15}F_2N_3O_4S$ 102625-70-7 <i>antiulcer</i>
pibaxizinum pibaxizine	<i>[2-[2-[4-(diphenylmethylene)piperidino]ethoxy]ethoxy]acetic acid</i> $C_{24}H_{29}NO_4$ 82227-39-2 <i>antispasmodic, antihistaminic</i>
pilsicainidum pilsicainide	<i>tetrahydro-1<i>H</i>-pyrrolizine-7<i>a</i>(5<i>H</i>)-aceto-2',6'-xylidide</i> $C_{17}H_{24}N_2O$ 88069-67-4 <i>antidysrhythmic</i>

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
quinagolidum quinagolide	(\pm)- <i>N,N</i> -diethyl- <i>N'</i> -(3 <i>R</i> ,4 <i>aR</i> ,10 <i>aS</i>)-1,2,3,4,4 <i>a</i> ,5,10,10 <i>a</i> -octahydro-6-hydroxy-1-propylbenzo[<i>g</i>]quinolin-3-yl)sulfamide $C_{20}H_{33}N_3O_3S$ 87056-78-8 <i>D</i> ₂ -dopamine receptor agonist
risotilidum risotilide	4'-[isopropyl[2-(isopropylamino)ethyl]sulfamoyl]methanesulfonanilide $C_{15}H_{27}N_3O_4S_2$ 120688-08-6 <i>antidysrhythmic</i>
rociclovirum rociclovir	2-amino-9-[[2-isopropoxy-1-(isopropoxymethyl)ethoxy]methyl]purine $C_{15}H_{25}N_5O_3$ 108436-80-2 <i>antiviral</i>
sampirtinum sampirtine	2,6-diamino-3-(<i>p</i> -fluorobenzyl)pyridine $C_{12}H_{12}FN_3$ 115911-28-9 <i>anti-inflammatory</i>
sarafloxacinum sarafloxacin	6-fluoro-1-(<i>p</i> -fluorophenyl)-1,4-dihydro-4-oxo-7-(1-piperazinyl)-3-quinoline-carboxylic acid $C_{20}H_{17}F_2N_3O_3$ 98105-99-8 <i>antibacterial (vet.)</i>

<i>Proposed International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
saviprazolum saviprazole	2-[[[4-(2,2,3,3,4,4,4-heptafluorobutoxy)-2-pyridyl]methyl]sulfinyl]-1 <i>H</i> -thieno[3,4- <i>d</i>]imidazole $C_{15}H_{10}F_7N_3O_2S_2$ 121617-11-6 <i>antiulcer</i> 
secalciferolum secalciferol	(5 <i>Z</i> ,7 <i>E</i> ,24 <i>R</i>)-9,10-secochoesta-5,7,10(19)-triene-3 <i>β</i> ,24,25-triol $C_{27}H_{44}O_3$ 55721-11-4 <i>calcium regulator</i> 
sezolamidum sezolamide	(+)-(S)-5,6-dihydro-4-(isobutylamino)-4 <i>H</i> -thieno[2,3- <i>b</i>]thiopyran-2-sulfonamide 7,7-dioxide $C_{11}H_{18}N_2O_4S_3$ 123308-22-5 <i>carbonic anhydrase inhibitor</i> 
sobuzoxanum sobuzoxane	4,4'-ethylenebis[1-(hydroxymethyl)-2,6-piperazinedione] bis(isobutyl carbonate) (ester) $C_{22}H_{34}N_4O_{10}$ 98631-95-9 <i>antineoplastic</i> 


<i>Proposed International Nonproprietary Name</i> (Latin, English)	<i>Chemical Name or Description, Molecular and Graphic Formulae Chemical Abstracts Service (CAS) registry number Action and use</i>
somalaporum somalapor	<i>N</i> -L-alanyl growth hormone (pig clone pPGH-1 reduced) $C_{977}H_{1527}N_{285}O_{287}S_7$ 106282-98-8 <i>growth hormone</i>
somenoporum somenopor	<i>N</i> -L-alanyl-32-de-L-glutamic acid-33-de-L-arginine-34-de-L-alanine-35-de-L-tyrosine-36-de-L-isoleucine-37-de-L-proline-38-de-L-glutamic acid growth hormone (pig clone pPGH-1 reduced) $C_{938}H_{1489}N_{255}O_{275}S_7$ 119693-74-2 <i>growth hormone</i>
timirdinum timirdine	3-(2-amino-4-chlorophenyl)-2-iminothiazolidine $C_9H_{10}ClN_3S$ 100417-09-2 <i>antidepressant</i>
tiracizinum tiracizine	ethyl 5-(<i>N,N</i> -dimethylglycyl)-10,11-dihydro-5 <i>H</i> -dibenz[<i>b,f</i>]azepine-3-carbamate $C_{21}H_{25}N_3O_3$ 83275-56-3 <i>antidysrhythmic</i>
trelnarizinum trelnarizine	(<i>E</i>)-1-[bis(<i>p</i> -fluorophenyl)methyl]-4-(3,4-dimethoxycinnamyl)piperazine $C_{28}H_{30}F_2N_2O_2$ 123205-52-7 <i>vasodilator</i>

*Proposed International
Nonproprietary Name (Latin, English)*

*Chemical Name or Description, Molecular and Graphic Formulae
Chemical Abstracts Service (CAS) registry number
Action and use*


tropisetronum
tropisetron

1 α H,5 α H-tropan-3 α -yl indole-3-carboxylate
C₁₇H₂₀N₂O₂ 89565-68-4 serotonin antagonist




vapreotidum
vapreotide

D-phenylalanyl-L-cysteinyl-L-tyrosyl-D-trypophyl-L-lysyl-L-valyl-L-cysteinyl-L-tryptophanamide cyclic (2 \rightarrow 7)-disulfide
C₅₇H₇₀N₁₂O₉S₂ 103222-11-3 antineoplastic



zatebradine
zatebradine

3-[3-[(3,4-dimethoxyphenethyl)methylamino]propyl]-1,3,4,5-tetrahydro-7,8-dimethoxy-2H-3-benzazepin-2-one
C₂₆H₃₆N₂O₅ 85175-67-3 bradycardic agent



Names for Radicals and Groups


Some substances for which a proposed international nonproprietary name has been established may be used in the form of salts or esters. The radicals or groups involved

may be of complex composition and it is then inconvenient to refer to them in systematic chemical nomenclature. Consequently, shorter nonproprietary names for some radicals

and groups have been devised or selected, and they are suggested for use with the proposed international nonproprietary names.


bezomilum
bezomil

(benzoyloxy)methyl
 $C_8H_7O_2$




erbuminum
erbamine

tert-butylamine
 $C_4H_{11}N$



hyclas
hyclare

monohydrochloride hemiethanolate hemihydrate
 $\frac{1}{2}(C_2H_{10}Cl_2O_2)$



AMENDMENTS TO PREVIOUS LISTS

Chronicle of the World Health Organization, Vol. 12,
No. 3, 1958

Proposed International Nonproprietary Names (Prop. INN): List 6

- p. 105 lauralkonii chloridum
lauralkonium chloride replace the chemical name by the following:
benzyl[2-[*p*-(lauroyl)phenoxy]ethyl]dimethylammonium chloride

WHO Chronicle, Vol. 18, No. 11, 1964

Proposed International Nonproprietary Names (Prop. INN): List 14

- p. 434 benzetimidum
benzetimide replace the CAS registry number by the following:
119391-55-8

Supplement to WHO Chronicle, Vol. 38, No. 4, 1984

Proposed International Nonproprietary Names (Prop. INN): List 52

- p. 10 etomoxirum
etomoxir replace the chemical name by the following:
(+)-ethyld 2-[6-(*p*-chlorophenoxy)hexyl]glycidate


WHO Drug Information, Vol. 1, No. 3, 1987

Proposed International Nonproprietary Names (Prop. INN): List 58

- p. 182 isamoltanum
isamoltan replace the CAS registry number by the following:
116861-00-8

WHO Drug Information, Vol. 2, No. 2, 1988

Proposed International Nonproprietary Names (Prop. INN): List 59


- p. 9 manidipinum
manidipine replace the CAS number by the following:
120092-68-4
- p. 9 muroderminum
murodermin replace the graphic formula by the following:
- 

- p. 10 nebracetatum
nebracetam replace the CAS number by the following:
116041-13-5

- p. 10 ondansetronum
ondansetron replace the Chemical Abstracts Number by the following:
116002-70-1

Proposed International Nonproprietary Names (Prop. INN): List 61

- p. 88 bakeprofenum
bakeprofen replace the CAS registry number by the following:
117819-25-7
- p. 89 carmoxirolum
carmoxirole replace the action and use statement by the following.
D₂-dopamine receptor agonist
- p. 95 gevotrolinum
evotoline replace the chemical name by the following:
8-fluoro-2,3,4,5-tetrahydro-2-[3-(3-pyridyl)propyl]-1H-pyrido[4,3-*b*]indole
- p. 98 sodium borocaptate (¹⁰B)
sodium borocaptate (¹⁰B) replace the molecular formula by the following
¹⁰B₁₂H₁₂Na₂S
- p. 105 cefprozilum
cefproxit replace the graphic formula by the following:



Procedure and Guiding Principles

The text of the *Procedures for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Substances and General Principles for Guidance in Devising International Nonproprietary Names for Pharmaceutical Substances* will from now on be reproduced in uneven numbers of proposed INN lists only.