

# International Nonproprietary Names for Pharmaceutical Substances

In accordance with paragraph 7 of the Procedure for the Selection of Recommended International Nonproprietary Names for Pharmaceutical Sub-

stances,<sup>1</sup> notice is hereby given that the following are selected as recommended international nonproprietary names.

The inclusion of a name in the

lists of recommended international nonproprietary names does not imply any recommendation for the use of the substance in medicine of pharmacy.

## Recommended International Nonproprietary Names (Rec. INN): List 20<sup>2</sup>

*Recommended International  
Nonproprietary Name* (Latin, English)

*Chemical Name or Description and Molecular Formulae*

aciclovirum aciclovir	9-[(2-hydroxyethoxy)methyl]guanine $C_8H_{11}N_5O_3$
aclatoniū napadisilas aclatonium napadisilate	choline 1,5-naphthalenedisulfonate (2:1), dilactate, diacetate $C_{30}H_{46}N_2O_{14}S_2$
acrihellinum acrihellin	$3\beta,5,14$ -trihydroxy-19-oxo- $5\beta$ -bufa-20,22-dienolide 3-(3-methylcrotonate) $C_{29}H_{38}O_7$
afloqualonum afloqualone	6-amino-2-(fluoromethyl)-3- <i>o</i> -tolyl-4(3 <i>H</i> )-quinazolinone $C_{16}H_{14}FN_3O$
alconazolum alconazole	( <i>Z</i> )-1-[2,4-dichloro- $\beta$ -( <i>p</i> -chlorophenyl)cinnamyl]imidazole $C_{18}H_{13}Cl_3N_2$
alizapridum alizapride	<i>N</i> -[(1-allyl-2-pyrrolidinyl)methyl]-6-methoxy-1 <i>H</i> -benzotriazole-5-carboxamide $C_{16}H_{21}NsO_2$
almasilatum almasilate	magnesium aluminosilicate ( $MgAl_2Si_2O_8$ ) hydrate $Al_2MgO_8Si_2.xH_2O$
amezepinum amezepine	5-methyl-10-[2-(methylamino)ethyl]-5 <i>H</i> -dibenz[ <i>b,f</i> ]azepine $C_{18}H_{20}N_2$
anagrelidum anagrelide	6,7-dichloro-1,5-dihydroimidazo[2,1- <i>b</i> ]quinazolin-2(3 <i>H</i> )-one $C_{10}H_7Cl_2N_3O$
astemizolum azimazole	1-( <i>p</i> -fluorobenzyl)-2-[[1-( <i>p</i> -methoxyphenethyl)-4-piperidyl]amino]benzimidazole $C_{28}H_{31}FN_4O$
atracurii besilas atracurium besilate	2-(2-carboxyethyl)-1,2,3,4-tetrahydro-6,7-dimethoxy-2-methyl-1-veratrylisouquinolinium benzenesulfonate, pentamethylene ester $C_{55}H_{62}N_2O_{15}S_2$
benclonidinum benclonidine	1-benzoyl-2-(2,6-dichloroanilino)-2-imidazoline $C_{16}H_{13}Cl_2N_3O$

<sup>1</sup> Off Rec. Wld Hlth Org., 1955, 6, 3 (Resolution EB15.R7), 1969, 173, 10 (Resolution EB43.R9).

<sup>2</sup> Other lists of recommended international nonproprietary names can be found in *Chron. Wld Hlth Org.*, 1955,

9, 185; *WHO Chronicle*, 1959, 13, 106, 463; 1962, 16, 101, 1965, 19, 165, 206, 249, 1966, 20, 421; 1967, 11, 538; 1968, 22, 463; 1969, 23, 490; 1970, 24, 526; 1971, 25, 476; 1972, 26, 476, 1973, 27, 453; Supplements to *WHO Chronicle*, 1974, Vol. 28, No. 10; 1975, Vol. 29, No. 10; 1976, Vol. 30, No. 10; 1977, Vol. 31, No. 10; 1978, Vol. 32, No. 10; 1979, Vol. 33, No. 10.

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formulae</i>
benzocainum benzocaine	ethyl <i>p</i> -aminobenzoate $C_9H_{11}NO_2$
benzquercinum benzquercin	3,3',4',5,7-pentakis(benzyloxy)flavone $C_{50}H_{40}O_7$
betaxololum betaxolol	1-[ <i>p</i> -[2-(cyclopropylmethoxy)ethyl]phenoxy]-3-(isopropylamino)-2-propanol $C_{18}H_{29}NO_3$
bometololum bometolol	( $\pm$ )-8-(acetonyloxy)-5-[3-[(3,4-dimethoxyphenethyl)amino]-2-hydroxypropoxy]-3,4-dihydrocarbostyryl $C_{25}H_{32}N_2O_7$
bopindololum bopindolol	( $\pm$ )-1-( <i>tert</i> -butylamino)-3-[(2-methylindol-4-yl)oxy]-2-propanol benzoate (ester) $C_{23}H_{26}N_2O_3$
bremazocinum bremazocine	6-ethyl-1,2,3,4,5,6-hexahydro-3-[(1-hydroxycyclopropyl)methyl]-11,11-dimethyl-2,6-methano-3-benzazocin-8-ol $C_{20}H_{26}NO_2$
broclepridum broclepride	4-amino-5-bromo- <i>N</i> -[1-( <i>p</i> -chlorobenzyl)-4-piperidyl]- <i>o</i> -anisamide $C_{20}H_{23}BrClN_3O_2$
bromofenofosum bromofenofos	3,3',5,5'-tetrabromo-2,2'-biphenyldiol mono(dihydrogen phosphate) $C_{12}H_7Br_4O_5P$
broperamolum broperamole	1-[3-[5-( <i>m</i> -bromophenyl)-2 <i>H</i> -tetrazol-2-yl]propionyl]piperidine $C_{15}H_{18}BrN_5O$
brovincaminum brovincamine	11-bromovincamine $C_{21}H_{25}BrN_2O_3$
bucindololum bucindolol	<i>o</i> -[2-hydroxy-3-[(2-indol-3-yl-1,1-dimethylethyl)amino]propoxy]benzonitrile $C_{22}H_{25}N_3O_2$
bumetrizolum bumetrizole	2- <i>tert</i> -butyl-6-(5-chloro-2 <i>H</i> -benzotriazol-2-yl)- <i>p</i> -cresol $C_{17}H_{18}ClN_3O$
butopaminum butopamine	( <i>R</i> )- <i>p</i> -hydroxy- <i>a</i> -[[[ <i>(R</i> )-3-( <i>p</i> -hydroxyphenyl)-1-methylpropyl]amino]-methyl]benzyl alcohol $C_{18}H_{23}NO_3$
carazololum carazolol	1-(carbazol-4-yloxy)-3-(isopropylamino)-2-propanol $C_{18}H_{22}N_2O_2$
carpindololum carpindolol	isopropyl ( $\pm$ )-4-[3-( <i>tert</i> -butylamino)-2-hydroxypropoxy]indole-2-carboxylate $C_{19}H_{26}N_2O_4$
cefonicidum cefonicid	(6 <i>R</i> ,7 <i>R</i> )-7-[( <i>R</i> )-mandelamido]-8-oxo-3-[[1-(sulfomethyl)-1 <i>H</i> -tetrazol-5-yl]thio]methyl]-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{18}H_{18}N_3O_3S_3$
cefoperazonum cefoperazone	(6 <i>R</i> ,7 <i>R</i> )-7-[( <i>R</i> )-2-(4-ethyl-2,3-dioxo-1-piperazinecarboxamido)-2-( <i>p</i> -hydroxyphenyl)acetamido]-3-[[1-methyl-1 <i>H</i> -tetrazol-5-yl]thio]methyl]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{25}H_{27}N_3O_3S_2$
cefrroxadinum cefrroxadine	(6 <i>R</i> ,7 <i>R</i> )-7-[( <i>R</i> )-2-amino-2-(1,4-cyclohexadien-1-yl)acetamido]-3-methoxy-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid $C_{16}H_{19}N_3O_3S$

*Recommended International  
Nonproprietary Name (Latin, English)*

*Chemical Name or Description and Molecular Formulae*

ceftioxidum ceftioxide	(5 <i>S</i> ,6 <i>R</i> ,7 <i>R</i> )-7-[2-(2-amino-4-thiazolyl)glyoxylamido]-3-(hydroxymethyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid 7 <sup>2</sup> -( <i>Z</i> )-(O-methyloxime), acetate (ester), 5-oxide $C_{16}H_{17}N_5O_6S_2$
ceftizoximum ceftizoxime	(6 <i>R</i> ,7 <i>R</i> )-7-[2-(2-amino-4-thiazolyl)glyoxylamido]-8-oxo-5-thia-1-azabi-cyclo[4.2.0]oct-2-ene-2-carboxylic acid 7 <sup>2</sup> -( <i>Z</i> )-(O-methyloxime) $C_{13}H_{13}N_5O_5S_2$
chloroxylenolum chloroxylenol	4-chloro-3,5-dimethylphenol $C_8H_9ClO$
cilostamidum cilostamide	<i>N</i> -cyclohexyl-4-[(1,2-dihydro-2-oxo-6-quinolyl)oxy]- <i>N</i> -methylbutyramide $C_{20}H_{28}N_2O_3$
clobenosidum clobenoside	ethyl 5,6-bis- <i>O</i> -( <i>p</i> -chlorobenzyl)-3- <i>O</i> -propyl- <i>D</i> -glucofuranoside $C_{25}H_{32}Cl_2O_6$
clofilii phosphas clofilium phosphate	[4-( <i>p</i> -chlorophenyl)butyl]diethylheptylammonium phosphate (1:1) $C_{21}H_{39}ClNO_4P$
furacum furac	5-chloro-6-cyclohexyl-2(3 <i>H</i> )-benzofuranone $C_{14}H_{15}ClO_2$
cloxacepridum cloxacepride	5-chloro-4-[2-( <i>p</i> -chlorophenoxy)acetamido]- <i>N</i> -[2-(diethylamino)ethyl]- <i>o</i> -anisamide $C_{22}H_{27}Cl_2N_3O_4$
daunorubicinum daunorubicin	a glucosidic antibiotic obtained from cultures of <i>Streptomyces peuceticus</i> or <i>Streptomyces coeruleorubidus</i> , or the same substance produced by any other means; (1 <i>S</i> ,3 <i>S</i> )-3-acetyl-1,2,3,4,6,11-hexahydro-3,5,12-trihydroxy-10-methoxy-6,11-dioxo-naphthalenyl 3-amino-2,3,6-trideoxy- $\alpha$ -L-lyxo-hexopyranoside $C_{27}H_{29}NO_{10}$
declenperonum declenperone	1-[3-[4-( <i>p</i> -fluorobenzoyl)piperidino]propyl]-2-benzimidazolinone $C_{22}H_{24}FN_3O_2$
delanteronum delanterone	1 $\alpha$ -methylandrosta-4,16-dien-3-one $C_{20}H_{28}O$
delergotrilum delergotrile	6-methylergoline-8 $\alpha$ -acetonitrile $C_{17}H_{19}N_3$
delprostenatum delprostenate	methyl (2 <i>E</i> ,5 <i>Z</i> )-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i> ,5 <i>S</i> )-2-[( <i>E</i> )-(3 <i>R</i> )-4-( <i>m</i> -chlorophenoxy)-3-hydroxy-1-butenyl]-3,5-dihydroxycyclopentyl]-2,5-heptadienoate $C_{23}H_{29}ClO_6$
neixiptilinum semexiptiline	5 <i>H</i> -dibenzo[ <i>a,d</i> ]cyclohepten-5-one <i>O</i> -[2-(methylamino)ethyl]oxime $C_{14}H_{18}N_2O$
democonazolum democonazole	( <i>E</i> )-1-[2,4-dichloro- $\beta$ -( <i>p</i> -chlorophenoxy)ethoxy]styryl imidazole $C_{19}H_{15}Cl_3N_2O_2$
desglugastrinum desglugastrin	<i>N</i> -(4-carboxybutyryl)-L-alanyl-L-tyrosylglycyl-L-tryptophyl-L-leucyl-L- $\alpha$ -aspartylphenyl-L-alaninamide $C_{49}H_{61}N_9O_{13}$
disofeninum disofenin	[[[(2,6-diisopropylphenyl)carbamoyl)methyl]mino]diacetic acid $C_{18}H_{26}N_2O_5$
doxefazepamum doxefazepam	7-chloro-5-( <i>o</i> -fluorophenyl)-1,3-dihydro-3-hydroxy-1-(2-hydroxyethyl)-2 <i>H</i> -1,4-benzodiazepin-2-one $C_{17}H_{14}ClFN_2O_3$

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formulae</i>
drometizolum drometizole	2-(2 <i>H</i> -benzotriazol-2-yl)- <i>p</i> -cresol $C_{13}H_{11}N_3O$
dulofibratum dulofibrate	<i>p</i> -chlorophenyl 2-( <i>p</i> -chlorophenoxy)-2-methylpropionate $C_{16}H_{14}Cl_2O_3$
enciprazinum enciprazine	( $\pm$ )-4-( <i>o</i> -methoxyphenyl)- $\alpha$ -[(3,4,5-trimethoxyphenoxy)methyl]-1-piperazineethanol $C_{23}H_{32}N_2O_8$
ethylis carfluzepas ethyl carfluzepeate	ethyl 7-chloro-5-( <i>o</i> -fluorophenyl)-2,3-dihydro-1-(methylcarbamoyl)-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate $C_{20}H_{17}ClFN_3O_4$
ethylis loflazepas ethyl loflazepate	ethyl 7-chloro-5-( <i>o</i> -fluorophenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4-benzodiazepine-3-carboxylate $C_{18}H_{14}ClFN_2O_3$
etocrilenum etocrilene	ethyl 2-cyano-3,3-diphenylacrylate $C_{16}H_{15}NO_2$
fenprostalenum fenprostalene	methyl ( $\pm$ )-7-[(1 <i>R</i> <sup>*</sup> ,2 <i>R</i> <sup>*</sup> ,3 <i>R</i> <sup>*</sup> ,5 <i>S</i> <sup>*</sup> )-3,5-dihydroxy-2-[( <i>E</i> )-(3 <i>R</i> <sup>*</sup> )-3-hydroxy-4-phenoxy-1-butenyl]cyclopentyl]-4,5-heptadienoate $C_{23}H_{30}O_6$
feprosidnum feprosidnine	3-( $\alpha$ -methylphenethyl)sydnone imine $C_{11}H_{13}N_3O$
fertirelinum fertirelin	5-oxo-L-prolyl-L-histidyl-L-tryptophyl-L-seryl-L-tyrosylglycyl-L-leucyl-L-arginyl-N-ethyl-L-prolinamide $C_{55}H_{76}N_{16}O_{12}$
flutrolinum flutroline	( $\pm$ )-8-fluoro- $\alpha$ ,5-bis( <i>p</i> -fluorophenyl)-1,3,4,5-tetrahydro-2 <i>H</i> -pyrido[4,3- <i>b</i> ]indole-2-butanol $C_{27}H_{25}F_3N_2O$
foscarnetum natricum foscarnet sodium	phosphonoformic acid trisodium salt $CNa_3OsP$
furaprofenum furaprofen	( $\pm$ )- $\alpha$ -methyl-3-phenyl-7-benzofuranacetic acid $C_{17}H_{14}O_3$
gemeprostum gemeprost	methyl ( <i>E</i> )-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i> )-3-hydroxy-2-[( <i>E</i> )-(3 <i>R</i> )-3-hydroxy-4,4-dimethyl-1-octenyl]-5-oxocyclopentyl]-2-heptenoate $C_{23}H_{30}O_6$
giparmenum giparmen	4-methyl-7-(2-propynyoxy)coumarin $C_{13}H_{10}O_3$
glisindamidum glisindamide	1-cyclohexyl-3-[[ <i>p</i> -[2-(1-oxo-2-isoindolinecarboxamido)ethyl]-phenyl]sulfonyl]urea $C_{24}H_{28}N_4O_5S$
glisolamidum glisolamide	1-cyclohexyl-3-[[ <i>p</i> -[2-(5-methyl-3-isoxazolecarboxamido)ethyl]-phenyl]sulfonyl]urea $C_{26}H_{28}N_4O_5S$
glucuronamidum glucuronamide	$\beta$ -D-glucopyranuronamide $C_6H_{11}NO_6$
halofantrinum halofantrine	1,3-dichloro- $\alpha$ -[2-(dibutylamino)ethyl]-6-(trifluoromethyl)-9-phenanthrene-methanol $C_{28}H_{30}Cl_2F_3NO$
impromidinum impromidine	1-(3-imidazol-4-ylpropyl)-3-[2-[(5-methylimidazol-4-yl)methyl]thio]ethyl]guanidine $C_{14}H_{23}N_7S$

*Recommended International  
Nonproprietary Name (Latin, English)*

*Chemical Name or Description and Molecular Formulae*

imuracetam	1,3-bis[(2-oxo-1-pyrrolidinyl)methyl]urea
imuracetam	C <sub>11</sub> H <sub>18</sub> N <sub>4</sub> O <sub>3</sub>
indanazolinum	2-(4-indanyl amino)-2-imidazoline
indanazoline	C <sub>12</sub> H <sub>15</sub> N <sub>3</sub>
inosinum	inosine or 1,9-dihydro-9-β-D-ribofuranosyl-6H-purin-6-one
inosine	C <sub>10</sub> H <sub>12</sub> N <sub>4</sub> O <sub>6</sub>
iohexolum	<i>N,N'</i> -bis(2,3-dihydroxypropyl)-5-[ <i>N</i> -(2,3-dihydroxypropyl)acetamido]-2,4,6-triiodoisophthalamide
iohexol	C <sub>19</sub> H <sub>26</sub> I <sub>3</sub> N <sub>3</sub> O <sub>9</sub>
iotasulum	5,5'-(thiobis(ethylenecarbonylimino))bis[ <i>N,N'</i> -bis(2,3-dihydroxypropyl)-2,4,6-triiodo- <i>N,N'</i> -dimethylisophthalamide]
iotasul	C <sub>39</sub> H <sub>50</sub> I <sub>6</sub> N <sub>6</sub> O <sub>14</sub> S
ivermectinum	a mixture of components I and II
ivermectin	<i>component I</i> : 5-O-demethyl-22,23-dihydroavermectin A <sub>1a</sub> or (2-aE,4E,8E)-(5'S,6S,6'R,7S,11R,13R,15S,17aR,20R,20aR,20bS)-6'-( <i>S</i> )-sec-butyl-3',4',5',6',6,7,10,11,14,15,17a,20,20a,20b-tetradecahydro-20,20b-dihydroxy-5',6,8,19-tetramethyl-17-oxospiro[11,15-methano-2H,13H,17H-furo[4,3,2-pq][2,6]benzodioxacyclooctadecin-13,2'-[2H]pyran]-7-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl-α-L-arabino-hexopyranosyl)-3-O-methyl-α-L-arabino-hexopyranoside C <sub>44</sub> H <sub>74</sub> O <sub>14</sub> <i>component II</i> : 5-O-demethyl-25-de(1-methylpropyl)-22,23-dihydro-25-(1-methylethyl)avermectin A <sub>1a</sub> or (2aE,4E,8E)-(5'S,6S,6'R,7S,11R,13R,15S,17aR,20R,20aR,20bS)-3',4',5',6,6',7,10,11,14,15,17a,20,20a,20b-tetradecahydro-20,20b-dihydroxy-6'-isopropyl-5',6,8,19-tetramethyl-17-oxospiro[11,15-methano-2H,13H,17H-furo[4,3,2-pq][2,6]benzodioxacyclooctadecin-13,2'-[2H]pyran]-7-yl 2,6-dideoxy-4-O-(2,6-dideoxy-3-O-methyl-α-L-arabino-hexopyranosyl)-3-O-methyl-α-L-arabino-hexopyranoside C <sub>47</sub> H <sub>72</sub> O <sub>14</sub>
levobunololum	(-)-5-[3-( <i>tert</i> -butylamino)-2-hydroxypropoxy]-3,4-dihydro-1(2 <i>H</i> )-naphthalenone
levobunolol	C <sub>17</sub> H <sub>25</sub> NO <sub>3</sub>
levonantradolum	(-)-(6S,6aR,9R,10aR)-5,6,6a,7,8,9,10,10a-octahydro-6-methyl-3-[( <i>R</i> )-1-methyl-4-phenylbutoxy]-1,9-phenanthridinediol 1-acetate
levonantradol	C <sub>27</sub> H <sub>35</sub> NO <sub>4</sub>
lofentanilum	(-)-methyl <i>cis</i> -3-methyl-1-phenethyl-4-( <i>N</i> -phenylpropionamido)isonipecotate
lofentanil	C <sub>25</sub> H <sub>32</sub> N <sub>2</sub> O <sub>3</sub>
indolum	(±)-(3 <i>aa</i> ,4 <i>aa</i> ,9 <i>aa</i> )-6-chloro-3 <i>a</i> ,4,9,9 <i>a</i> -tetrahydro-2-methyl-4-phenylbenz[f]isoindoline
indole	C <sub>19</sub> H <sub>20</sub> ClN
medroxalolum	5-[1-hydroxy-2-[[1-methyl-3-[3,4-(methylenedioxy)phenyl]propyl]amino]-ethyl]salicylamide
medroxalol	C <sub>20</sub> H <sub>24</sub> N <sub>2</sub> O <sub>5</sub>
metaterolum	<i>m</i> -hydroxy-α-[(isopropylamino)methyl]benzyl alcohol
metaterol	C <sub>11</sub> H <sub>17</sub> NO <sub>2</sub>
metbufenum	3-(4-biphenylcarbonyl)-2-methylpropionic acid
metbufen	C <sub>17</sub> H <sub>16</sub> O <sub>3</sub>
metioprimnum	2,4-diamino-5-[3,5-dimethoxy-4-(methylthio)benzyl]pyrimidine
metioprim	C <sub>14</sub> H <sub>18</sub> N <sub>4</sub> O <sub>2</sub> S

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formulae</i>
metralindolum metralindole	2,4,5,6-tetrahydro-9-methoxy-4-methyl-1 <i>H</i> -3,4,6 <i>a</i> -triazafluoranthene $C_{15}H_{17}N_3O$
metuclazepamum metuclazepam	7-bromo-5-( <i>o</i> -chlorophenyl)-2,3-dihydro-2-(methoxymethyl)-1-methyl-1 <i>H</i> -1,4-benzodiazepine $C_{18}H_{18}BrClN_2O$
mobenzoxaminum mobenzoxamine	4'-fluoro-4-[2-[(<math>\rho</math>-methoxy-<math>\alpha</math>-phenylbenzyl)oxy]ethyl]-1-piperazinyl]-butyrophenone $C_{30}H_{35}FN_2O_3$
naftifinum naftifine	( <i>E</i> )- <i>N</i> -cinnamyl- <i>N</i> -methyl-1-naphthalenemethylamine $C_{21}H_{21}N$
nantradolum nantradol	( $\pm$ )-5,6,6 <i>a</i> $\beta$ ,7,8,9 <i>\alpha</i> ,10,10 <i>\alpha</i> $\alpha$ -octahydro-6 <i>\beta</i> -methyl-3-(1-methyl-4-phenylbutoxy)-1,9-phenanthridinediol 1-acetate $C_{27}H_{35}NO_4$
nicardipinum nicardipine	2-(benzylmethylamino)ethyl methyl 1,4-dihydro-2,6-dimethyl-4-( <i>m</i> -nitrophenyl)-3,5-pyridinedicarboxylate $C_{26}H_{29}N_3O_6$
nicoboxilum nicoboxil	2-butoxyethyl nicotinate $C_{12}H_{17}NO_3$
nisoldipinum nisoldipine	isobutyl methyl 1,4-dihydro-2,6-dimethyl-4-( <i>o</i> -nitrophenyl)-3,5-pyridinedicarboxylate $C_{20}H_{24}N_2O_6$
nitrendipinum nitrendipine	ethyl methyl 1,4-dihydro-2,6-dimethyl-4-( <i>m</i> -nitrophenyl)-3,5-pyridinedicarboxylate $C_{18}H_{20}N_2O_6$
nonivamideum nonivamide	<i>N</i> -vanillylnonamide $C_{17}H_{21}NO_3$
octapinolum octapinol	4-(2-propylpentyl)-1-piperidineethanol $C_{15}H_{31}NO$
octenidinum octenidine	1,1'-decamethylenebis[1,4-dihydro-4-(octylimino)pyridine] $C_{36}H_{62}N_4$
octocrilenum octocrilene	2-ethylhexyl 2-cyano-3,3-diphenylacrylate $C_{24}H_{27}NO_2$
octrizolum octrizole	2-(2 <i>H</i> -benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol $C_{20}H_{25}N_3O$
oltiprazum oltipraz	4-methyl-5-(pyrazinyl)-3 <i>H</i> -1,2-dithiole-3-thione $C_8H_6N_2S_3$
oxendolonum oxendolone	16 <i>\beta</i> -ethyl-17 <i>\beta</i> -hydroxyestr-4-en-3-one $C_{20}H_{30}O_2$
oxiconazolum oxiconazole	2',4'-dichloro-2-imidazol-1-ylacetophenone ( <i>Z</i> )-[ <i>O</i> -(2,4-dichlorobenzyl)oxime] $C_{14}H_{13}Cl_4N_3O$
oxiracetatum oxiracetam	4-hydroxy-2-oxo-1-pyrrolidineacetamide $C_6H_{10}N_2O_3$
pentomonum pentomone	6,6 <i>\alpha</i> ,12,12 <i>\alpha</i> ,13 <i>\alpha</i> ,13 <i>\alpha</i> ,14-hexahydro-4,8-dimethoxy-6,6-dimethyl-5 <i>\alpha</i> $H,13H-[1]benzopyrano[3,2-b]xanthen-13-oneC_{24}H_{28}O_5$

*Recommended International  
Nonproprietary Name (Latin, English)*

*Chemical Name or Description and Molecular Formulae*

peradoximum	<i>m-anisaldehyde O-[2-hydroxy-3-[4-(<i>o</i>-methoxyphenyl)-1-piperazinyl]propyl]-oxime</i>
peradoxime	<chem>C22H29N3O4</chem>
peralopridum	<i>1-(4-amino-5-chloro-<i>o</i>-anisoyl)-4-piperonylpiperazine</i>
peralopride	<chem>C20H22ClN3O4</chem>
pheneturidum	<i>2-phenylbutyrylurea</i>
pheneturide	<chem>C11H14N2O2</chem>
picobenzidum	<i>3,5-dimethyl-<i>N</i>-(4-pyridylmethyl)benzamide</i>
picobenzide	<chem>C15H18N2O</chem>
pipradimadolum	<i>1-(<i>o</i>-chlorophenethyl)-<i>N</i>-cyclohexyl-4-hydroxy-<i>N</i>,<math>\alpha</math>,<math>\alpha</math>-trimethyl-4-piperidine-acetamide</i>
pipradimadol	<chem>C24H37ClN2O2</chem>
piramadolum	<i>(\pm)-1-(<i>o</i>-chlorophenethyl)-<i>N</i>-cyclohexyl-4-hydroxy-<i>N</i>,<math>\alpha</math>-dimethyl-4-piperidine-acetamide</i>
piramadol	<chem>C23H35ClN2O2</chem>
pirazolacum	<i>4-(<i>p</i>-chlorophenyl)-1-(<i>p</i>-fluorophenyl)pyrazole-3-acetic acid</i>
pirazolac	<chem>C17H12ClFN2O2</chem>
pirmenolum	<i>(\pm)-<i>cis</i>-2,6-dimethyl-<math>\alpha</math>-phenyl-<math>\alpha</math>-2-pyridil-1-piperidinebutanol</i>
pirmenol	<chem>C22H30N2O</chem>
piroctonum	<i>1-hydroxy-4-methyl-6-[2,4,4-trimethylpentyl]-2(1<i>H</i>)-pyridone</i>
piractone	<chem>C14H23NO2</chem>
pirquinozolum	<i>2-(hydroxymethyl)pyrazolo[1,5-<i>c</i>]quinazolin-5(6<i>H</i>)-one</i>
pirquinozol	<chem>C11H9N3O2</chem>
pivenfrinum	<i>(\pm)-<i>m</i>-[1-hydroxy-2-(methylamino)ethyl]phenyl pivalate</i>
pivenfrine	<chem>C14H21NO3</chem>
prenisteinum	<i>3-[(3-methyl-2-butenyl)thio]-L-alanine</i>
prenisteine	<chem>C8H15NO2S</chem>
pridefinum	<i>3-(diphenylmethylene)-1-ethylpyrrolidine</i>
pridefine	<chem>C19H21N</chem>
prifurolinum	<i>4-(2-benzofuranyl)-2-(dimethylamino)-1-pyrrolidine</i>
prifuroline	<chem>C14H16N2O</chem>
primidololum	<i>1-[2-[[2-hydroxy-3-(<i>o</i>-tolyloxy)propyl]amino]ethyl]thymine</i>
primidolol	<chem>C17H23N3O4</chem>
progabidum	<i>4-[[\alpha](<i>p</i>-chlorophenyl)-5-fluorosalicylidene]amino]butyramide</i>
progabide	<chem>C17H16ClFN2O2</chem>
prosulpridum	<i>N-[(1-propyl-2-pyrrolidinyl)methyl]-5-sulfamoyl-<i>o</i>-anisamide</i>
prosulpride	<chem>C16H25N3O4S</chem>
proxorphanum	<i>(-)-(4aR,5R,10bS)-13-(cyclopropylmethyl)-4,4a,5,6-tetrahydro-3<i>H</i>-5,10b-(iminoethano)-1<i>H</i>-naphtho[1,2-<i>c</i>]pyran-9-ol</i>
proxorphan	<chem>C19H25NO2</chem>
quifenadinum	<i>\alpha,\alpha-diphenyl-3-quinuclidinemethanol</i>
quifenadine	<chem>C20H23NO</chem>

*Recommended International  
Nonproprietary Name* (Latin, English)

*Chemical Name or Description and Molecular Formulae*

rifapentine	3-[ <i>N</i> -(4-cyclopentyl-1-piperazinyl)formimidoyl]rifamycin or (2 <i>S</i> ,12 <i>Z</i> ,14 <i>E</i> ,16 <i>S</i> ,17 <i>S</i> ,18 <i>R</i> ,19 <i>R</i> ,20 <i>R</i> ,21 <i>S</i> ,22 <i>R</i> ,23 <i>S</i> ,24 <i>E</i> )-8-[ <i>N</i> -(4-cyclopentyl-1-piperazinyl)formimidoyl]-5,6,9,17,19,21-hexahydroxy-23-methoxy-2,4,12,16,18,20,22-heptamethyl-2,7-(epoxypentadeca[1,11,13]trienimino)naphtho[2,1- <i>b</i> ]-furan-1,11(2 <i>H</i> )-dione 21-acetate $C_{47}H_{64}N_4O_{12}$
sitoglisidum sitoglude	$3\beta$ -( $\beta$ -D-glucopyranosyloxy)stigmast-5-ene $C_{35}H_{60}O_6$
somatostatinum somatostatin	growth hormone-release inhibiting factor: L-alanylglycyl-L-cysteinyl-L-lysyl-L-asparaginyl-L-phenylalanyl-L-phenylalanyl-L-tryptophyl-L-lysyl-L-threonyl-L-phenylalanyl-L-threonyl-L-seryl-L-cysteine cyclic (3→14) disulfide $C_{76}H_{104}N_{14}O_{18}S_2$
soquinololum soquinolol	5-[3-( <i>tert</i> -butylamino)-2-hydroxypropoxy]-3,4-dihydro-2(1 <i>H</i> )-isoquinolinecarboxaldehyde $C_{17}H_{26}N_2O_3$
spirogermanium spirogermanium	2-[3-(dimethylamino)propyl]-8,8-diethyl-2-aza-8-germaspiro[4.5]decane $C_{17}H_{36}GeN_2$
succimerum succimer	<i>meso</i> -2,3-dimercaptosuccinic acid $C_4H_6O_4S_2$
sulbutiaminum sulbutiamine	<i>N,N'</i> -[dithiobis[2-(2-hydroxyethyl)-1-methylvinylene]]bis[ <i>N</i> -[(4-amino-2-methyl-5-pyrimidinyl)methyl]formamide] diisobutyrate (ester) $C_{32}H_{46}N_6O_6S_2$
sulmepridum sulmepride	<i>N</i> -[(1-methyl-2-pyrrolidinyl)methyl]-5-sulfamoyl- <i>o</i> -anisamide $C_{14}H_{21}N_3O_4S$
suriclonum suricclone	4-methyl-1-piperazinecarboxylic acid ester with ( $\pm$ )-6-(7-chloro-1,8-naphthyridin-2-yl)-2,3,6,7-tetrahydro-7-hydroxy-5 <i>H</i> - <i>p</i> -dithiino[2,3- <i>c</i> ]pyrrol-5-one $C_{20}H_{20}ClN_5O_3S_2$
talosalatum talosalate	phthalidyl salicylate, acetate or salicylic acid acetate, ester with 3-hydroxypthalide $C_{17}H_{12}O_5$
tamitinolum tamitinol	4-[(ethylamino)methyl]-2-methyl-5-[(methylthio)methyl]-3-pyridinol $C_{11}H_{18}N_2OS$
taurolidinum taurolidine	4,4'-methylenebis(tetrahydro-1,2,4-thiadiazine 1,1-dioxide) $C_7H_{16}N_4O_4S_2$
tebatizolum tebatizole	1-(4- <i>tert</i> -butyl-2-thiazolyl)-4-methylpiperazine $C_{12}H_{21}N_3S$
teoprololum teoprolol	7-[3-[(2-hydroxy-3-[(2-methylindol-4-yl)oxy]propyl)amino]butyl]theophylline $C_{23}H_{30}N_6O_4$
tiapamilum tiapamil	<i>N</i> -(3,4-dimethoxyphenethyl)-2-(3,4-dimethoxyphenyl)- <i>N</i> -methyl- <i>m</i> -dithiane-2-propylamine 1,1,3,3-tetraoxide $C_{26}H_{37}NO_6S_2$
tiaprostum tiaprost	( $\pm$ )-(Z)-7-[(1 <i>R</i> <sup>+</sup> ,2 <i>R</i> <sup>+</sup> ,3 <i>R</i> <sup>+</sup> ,5 <i>S</i> <sup>+</sup> )-3,5-dihydroxy-2-[( <i>E</i> )-(3 <i>R</i> <sup>+</sup> <i>S</i> <sup>+</sup> )-3-hydroxy-4-(3-thienyloxy)-1-but enyl]cyclopentyl]-5-heptenoic acid $C_{20}H_{26}O_5S$
tiflamizolum tiflamizole	4,5-bis( <i>p</i> -fluorophenyl)-2-[(1,1,2,2-tetrafluoroethyl)sulfonyl]imidazole $C_{17}H_{10}F_6N_2O_2S$

<i>Recommended International Nonproprietary Name (Latin, English)</i>	<i>Chemical Name or Description and Molecular Formulae</i>
tiomerginum tiomergine	9,10-didehydro-6-methyl-8β-[(2-pyridylthio)methyl]ergoline <chem>C21H21N3S</chem>
tipetropii bromidum tipetropium bromide	3α-[(6,11-dihydrodibenzo[b,e]thiepin-11-yl)oxy]-8r-propyl-1αH,5αH-tropanium bromide <chem>C25H32BrNOS</chem>
tizanidinum tizanidine	5-chloro-4-(2-imidazolin-2-ylamino)-2,1,3-benzothiadiazole <chem>C9H8ClN5S</chem>
trientinum trentine	triethylenetetramine <chem>C6H15N4</chem>
tritiozinum tritiazine	4-(3,4,5-trimethoxythiobenzoyl)morpholine <chem>C14H19NO4S</chem>
veralipridum veralipride	<i>N</i> -[(1-allyl-2-pyrrolidinyl)methyl]-5-sulfamoyl- <i>o</i> -veratramide <chem>C17H25N3O5S</chem>
verofyllinum verofylline	(±)-1,8-dimethyl-3-(2-methylbutyl)xanthine <chem>C12H19N4O2</chem>
zolamolum zolazepam	8-chloro-6-( <i>o</i> -chlorophenyl)-4 <i>H</i> -pyrido[2,3- <i>f</i> ]- <i>s</i> -triazolo[4,3- <i>a</i> ][1,4]diazepine <chem>C15H9Cl2N5</chem>
zoficonazolum zoficonazole	1-[2,4-dichloro- $\beta$ -[3-( <i>p</i> -chlorophenoxy)propoxy]phenethyl]imidazole <chem>C20H19Cl3N2O2</chem>