

Monitoring WASH in delivery rooms

Water	Sanitation	Hygiene	Health care waste	Environmental cleaning
Advanced service <i>To be defined at national level</i>	Advanced service <i>To be defined at national level</i>	Advanced service <i>To be defined at national level</i>	Advanced service <i>To be defined at national level</i>	Advanced service <i>To be defined at national level</i>
Basic service Running water is available in the delivery room ¹³ .	Basic service Usable (available, functional, private) and single-sex toilets are accessible to women.	Basic service Hand washing facilities (with water and soap) and equipment for clean births are available in the delivery room, and women have access to a bathing area.	Basic service Waste is segregated into bins for Sharps, infectious and other waste are segregated into labelled bins in the delivery room and placentas are disposed of safely.	Basic service Basic protocols exist for cleaning the delivery room, and staff with cleaning responsibilities have all received training.
Limited service Water is available in the delivery room in a storage container but without a tap.	Limited service There are toilets but not all requirements for basic service are met.	Limited service Hand washing facilities (with water and soap) or equipment for clean births or showers are not available in the delivery room	Limited service Either waste is not segregated or placentas are not disposed of safely.	Limited service Cleaning protocols are absent, or not all staff have received training.
No service No water available in the delivery room.	No service There are no toilets available for women in the delivery setting.	No service Hand washing facilities (with soap and water) are absent.	No service Bins are not used for waste segregation and placentas are not disposed of safely.	No service No protocols exist and no staff have received training.