

**List of reference substances of other pharmacopoeias found to be suitable for use according to *The International Pharmacopoeia*.**

Name of the reference substance and its intended use according to <i>The International Pharmacopoeia</i> (in brackets)	Name of the reference substance found suitable for the indicated intended use, batch number and issuing pharmacopoeia
<b>4-<i>epi</i>-Anhydrotetracycline hydrochloride</b> (for use in the test for related substances according to the monograph on Tetracycline hydrochloride)	4-Epianhydrotetracycline hydrochloride CRS; Batch 7; European Pharmacopoeia
<b>4-<i>epi</i>-Tetracycline hydrochloride</b> (for use in the test for related substances according to the monograph on Tetracycline hydrochloride)	4-Epitetracycline hydrochloride CRS; Batch 10; European Pharmacopoeia
<b>Anhydrotetracycline hydrochloride</b> (for use in the test for related substances according to the monograph on Tetracycline hydrochloride)	Anhydrotetracycline hydrochloride CRS, Batch 5, European Pharmacopoeia
<b>Atenolol for system suitability RS</b> (containing atenolol and the impurities B, F, G, I and J) for use in the test for related substances according to the monograph on Atenolol)	Atenolol for system suitability CRS, Batch 3, European Pharmacopoeia
<b>Benzathine benzylpenicillin for peak identification RS</b> (containing the impurities A, B, C, D, E, F, G, H , I, J and K)	Benzathine benzylpenicillin for peak identification CRS; Batch 1; European Pharmacopoeia
<b>Benzathine benzylpenicillin RS</b>	Benzathine benzylpenicillin CRS, Batch 3; European Pharmacopoeia
<b>Ciprofloxacin hydrochloride for peak identification RS</b> (containing ciprofloxacin and the impurities B, C, D and E) (for use in the test for related substances according to the monograph on Ciprofloxacin hydrochloride and Ciprofloxacin tablets)	Ciprofloxacin hydrochloride for peak identification CRS; Batch 4; European Pharmacopoeia
<b>Clofazimine for system suitability RS</b> (containing clofazimine and impurity B)	Clofazimine for system suitability CRS, Batch 1; European Pharmacopoeia
<b>Ethambutol for system suitability RS</b> (containing ethambutol and impurity B)	Ethambutol for system suitability CRS, Batch 3; European Pharmacopoeia
<b>Ganciclovir for system suitability RS</b> (containing the impurities A, B, C, D, E and F) (for use in the test for related substances according to the monograph on Ganciclovir, Ganciclovir for injection)	Ganciclovir impurity mixture CRS, Batch 2, European Pharmacopoeia

<b>Lamivudine for system suitability 1</b> (containing lamivudine and impurities A and B) (for use in the test for related substances according to the monograph on Lamivudine, Lamivudine oral solution, Lamivudine tablets and Zidovudine and lamivudine tablets)	Lamivudine for system suitability 1 CRS; Batch 1; European Pharmacopoeia
<b>Lamivudine for system suitability 2</b> (containing lamivudine and impurity D) (for use in the test for impurity D according to the monograph on Lamivudine)	Lamivudine for system suitability 2 CRS; Batch 3; European Pharmacopoeia
<b>Levofloxacin for system suitability RS</b> (containing levofloxacin and the impurities A, B and G) (for use in the test for related substances according to the monograph on Norethisterone and Norethisterone tablets)	Levofloxacin for system suitability CRS; Batch 2; European Pharmacopoeia
<b>Levonorgestrel for system suitability 1 RS</b> (containing the impurities A, H, K, M, O and S) (for use in the test for related substances according to the monograph on Levonorgestrel)	Levonorgestrel for system suitability 1 CRS; Batch 3; European Pharmacopoeia
<b>Levonorgestrel for system suitability 2 RS</b> (containing the impurities V and W) (for use in the test for related substances according to the monograph on Levonorgestrel)	Levonorgestrel for system suitability 2 CRS; Batch 2; European Pharmacopoeia
<b>Mebendazole for system suitability RS</b> (containing the impurities A, B, C, D, E, F and G) (for use in the test for related substances according to the monograph on Mebendazole, Mebendazole chewable tablets )	Mebendazole for system suitability CRS; Batch1; European Pharmacopoeia
<b>Medroxyprogesterone acetate for system suitability RS</b> (containing medroxyprogesterone acetate and the impurities A, B, C, D, E, G and I) (for use in the test for related substances according to the monograph on Medroxyprogesterone acetate and Medroxyprogesterone injection)	Medroxyprogesterone acetate for system suitability CRS; Batch 2; European Pharmacopoeia
<b>Misoprostol</b> (for use in identity tests by IR and TLC, dissolution test and assays according to the monographs on Misoprostol, Misoprostol dispersion and Misoprostol tablets.	Misoprostol CRS; Batch 4; European Pharmacopoeia
<b>Moxifloxacin for peak identification A RS</b> (containing moxifloxacin and the impurities A, B and E) (for use in the test for	Moxifloxacin for peak identification A CRS; Batch 1; European Pharmacopoeia

related substances according to the monograph on Moxifloxacin HCl)	
<b>Moxifloxacin for peak identification B RS</b> (containing moxifloxacin and the impurity F) (for use in the test for related substances according to the monograph on Moxifloxacin HCl)	Moxifloxacin for peak identification B CRS; Batch 2; European Pharmacopoeia
<b>Moxifloxacin for system suitability RS</b> (containing moxifloxacin and the impurities G) (for use in the test for impurity G according to the monograph on Moxifloxacin HCl)	Moxifloxacin for system suitability CRS; Batch 1; European Pharmacopoeia
<b>Norethisterone for system suitability RS</b> (containing the impurities A, B, C, D, E, F, G and H) (for use in the test for related substances according to the monograph on Norethisterone and Norethisterone tablets)	Norethisterone for system suitability CRS; Batch2; European Pharmacopoeia
<b>Zidovudine for system suitability A RS</b> (containing zidovudine and impurity G)	Zidovudine for system suitability A CRS, Batch 1; European Pharmacopoeia
<b>Zidovudine impurity D</b>	Zidovudine impurity D CRS, Batch 1; European Pharmacopoeia