## MENTAL HEALTH ATLAS 2020

#### **Member State Profile**

#### [Guatemala]

Total population (UN official estimate):<sup>1</sup>
Total mental health expenditure per person (reported currency):


17 581 476 Income Group:<sup>3</sup>
WHO Region:

Upper-middle
AMRO

#### Burden of mental disorders (WHO official estimates)

Disability-adjusted life years (per 100 000 population):<sup>2</sup>
Age-standardized suicide mortality rate (per 100 000 population):<sup>4</sup>

1 706.5 6.23



#### Mental health research and reporting


Availability / status of mental health reporting:


Mental Health specific data compiled in the last two years for public and private sector

Number of published research articles on mental health 5

Percentage of mental health research output in total research output within country

Percentage of mental health research output of the country in total mental health research output in the region





MENTAL HEALTH SYSTEM GOVERNANCE					
Mental health policy / plan		Mental health legislation			
Stand-alone policy or plan for mental health:	Yes	Stand-alone law for mental health:		No	
(Year of policy / plan):	2007	(Year of law):		-	
Policy / plan is in line with human rights covenants (self-rated 5-points checklist score; 5 = fully in line) <sup>6</sup>	3	Law is in line with human rights covenants (self-rated 5-points checklist score; 5 = fully in line) <sup>7</sup>		Not applicable	
Human resources are estimated and allocated for implementation of the mental health policy/plan	No	The existence of a dedicated authority or independent body to assess compliance of mental		_	
Financial resources are estimated and allocated for implementation of the mental health policy/plan	No	health legislation with international human rights			
The mental health policy / plan contains specified indicators or targets against which its implementation can be monitored	Indicators not available				
Child and/or adolescent mental health policy/plan					
Stand-alone or integrated policy or plan for child mental health	No	Stand-alone or integrated policy or plan for adolescent mental health		No	
(Year of child mental health policy / plan):	-	(Year of adolescent mental health policy / plan):		-	
Suicide prevention strategy/policy/plan					
Stand-alone or integrated strategy/policy/plan for suicide prevention	No	(Year of strategy/policy/plan)		-	

# RESOURCES FOR MENTAL HEALTH Mental health financing The government's total expenditure on mental health as % of total government health expenditure The government's total expenditure on mental hospitals as % of total government mental health expenditure

## MENTAL HEALTH ATLAS 2020

#### **Member State Profile**

#### Insurance for mental health

How the majority of persons with mental health conditions pay for mental health services

Persons pay mostly or entirely out of pocket for services

How the majority of persons with mental health conditions pay for psychotropic medicines


Persons pay mostly or entirely out of pocket for medicines

The care and treatment of persons with mental health conditions (psychosis, bipolar disorder, depression) is included in national health insurance or reimbursement schemes in your country

No

#### Mental health workforce

	Total Number (gov. and non gov.)	No. per 100 000 population
Psychiatrists	35	0.20
Mental health nurses	-	-
Psychologists	275	1.56
Social workers	-	-
Other specialized mental health workers (e.g. Occupational Therapists)	-	-
Total mental health professionals	310	1.76





## Mental health workers in child and/or adolescent mental health services: Total mental health workers in child and/or adolescent psychiatrists - - child and adolescent mental - - health services

MENTAL HEALTH SERVICE AVAIL	ΔΒΙΙΙΤΎ ΔΝ	D LIPTAKE	Montal boolth co	micas includa cara f	or montal boolth		
neurological and substance use disorders)	ADILITI AN	D OI TAKE (	vientai neattii se	rvices include care i	or mental health,		
Integration of mental health into primary health	care						
Integration of mental health into primary care is considered functional (self-rated 5 points checklist score; ≥ 4 = functional				3			
integration) <sup>8</sup>			3				
Outpatient care (total facilities)		Outpatient care	(visits per 10	0 000 populatio	n)		
Mental health outpatient facilities attached to a		Number of visits m			,t		
hospital	-	year in mental hea	•	facilities	-		
		attached to a hosp Number of visits m					
"Community-based / non-hospital" mental health	_	year in "Communit	•		_		
outpatient facility		health outpatient					
Other cutuations for ility /o. a. Mantal health day one		Number of visits made by service users in the last					
Other outpatient facility (e.g. Mental health day care or treatment facility)	-	year in other outpa	atient facility (	e.g. Mental	-		
or treatment facility)		health day care or treatment facility)					
Total number of outpatient facilities specifically for			•	rvice users in the last			
children and adolescents	-	year in outpatient facility specifically for children			-		
Investigat core (total facilities)		and adolescents			nonviotion)		
Inpatient care (total facilities)							
Mental hospitals	1	Mental hospital beds / annual admissions General hospital psychiatric unit beds / annual admissions		2.20 / 1.33			
Psychiatric units in general hospitals	-			-/-			
Community residential facilities	-	Community residential beds / annual admissions			-/-		
Inpatient facilities specifically for children and	1	Child and adolescent specific inpatient beds /			-/-		
adolescents	-	annual admissions			/		
Mental hospitals		Mental hospitals (length of stay)					
Total number of admissions			•				
	233	Inpatients staying	•		94		
Admissions that are involuntary	233		ess than 1 yea		94 167		
Admissions that are involuntary Follow-up of people with mental health condition	233	Inpatients staying	ess than 1 yea 1-5 years	r			
Admissions that are involuntary Follow-up of people with mental health condition discharged from hospital in the last year (discharged	233 - More than 75%	Inpatients staying Inpatients staying	ess than 1 yea 1-5 years more than 5 ye	r ears	167 131		
Admissions that are involuntary Follow-up of people with mental health condition	-	Inpatients staying Inpatients staying Inpatients staying	ess than 1 yea 1-5 years more than 5 ye tients staying I	r ears	167		
Admissions that are involuntary Follow-up of people with mental health condition discharged from hospital in the last year (discharged	More than 75%	Inpatients staying Inpatients staying Inpatients staying Percentage of inpatient the total number	ess than 1 yea 1-5 years more than 5 ye tients staying I r of inpatients	ears less than 1 year	167 131		
Admissions that are involuntary Follow-up of people with mental health condition discharged from hospital in the last year (discharged persons seen within a month)	More than 75%	Inpatients staying Inpatients staying Inpatients staying Percentage of inpatient the total number	ess than 1 yea 1-5 years more than 5 ye tients staying I r of inpatients	ears less than 1 year	167 131 24.0%		
Admissions that are involuntary  Follow-up of people with mental health condition discharged from hospital in the last year (discharged persons seen within a month)  Inpatients receiving timely diagnosis, treatment and fol	More than 75%	Inpatients staying Inpatients staying Inpatients staying Percentage of inpatient the total number	ess than 1 yea 1-5 years more than 5 ye tients staying I r of inpatients e.g. cancer, dia	ears less than 1 year betes or TB)	167 131 24.0%		
Admissions that are involuntary Follow-up of people with mental health condition discharged from hospital in the last year (discharged persons seen within a month) Inpatients receiving timely diagnosis, treatment and fol	More than 75%	Inpatients staying Inpatients staying Inpatients staying Percentage of inpa in the total numbe I health conditions(	ess than 1 yea 1-5 years more than 5 ye tients staying I r of inpatients e.g. cancer, dia	ears less than 1 year betes or TB)	167 131 24.0%		
Admissions that are involuntary  Follow-up of people with mental health condition discharged from hospital in the last year (discharged persons seen within a month)  Inpatients receiving timely diagnosis, treatment and fol Community based mental health services  Total number of community based mental health	More than 75%	Inpatients staying Inpatients staying Inpatients staying Percentage of inpa in the total numbe health conditions(	ess than 1 yea 1-5 years more than 5 ye tients staying I r of inpatients e.g. cancer, dia	ears less than 1 year betes or TB)	167 131 24.0%		

### MENTAL HEALTH ATLAS 2020

#### Member State Profile





#### MENTAL HEALTH PROMOTION AND PREVENTION

Existence of at least two functioning programmes (self-rated 3 points checklist score; ≥ 2 = functioning programme)<sup>1</sup>

(self-rated 3 points checklist score; $\geq 2$ = functioning programme) <sup>10</sup>				
Category of mental health promotion & prevention programme	Programme examples	Scope of programme	Programme management	Functionality of programme
Suicide prevention programme	-	-	-	-
Mental Health Awareness /Anti- stigma	-	-	-	-
Early Child Development	-	-	-	-
School based mental health prevention and promotion	-	-	-	-
Parental / Maternal mental health promotion and prevention	-	-	-	-
Work-related mental health prevention and promotion	-	-	-	-
Mental health and psychosocial component of disaster preparedness, disaster risk reduction	-	-	-	-

#### Endnotes

<sup>7</sup> Law compliance with human rights instruments self-rated 5 points checklist items: 1) Law promotes transition towards community-based mental health services (including mental health integrated into general hospitals and primary care); 2) Law promotes the rights of people with mental health conditions and psychosocial disabilities to exercise their legal capacity; 3) Law promotes alternatives to coercive practice; 4) Law provides for procedures to enable people with mental health conditions and psychosocial disabilities to protect their rights and file appeals and complaints to an independent legal body; 5) Law provides for regular inspections of human rights conditions in mental health facilities by an independent body (79% of responding countries). (5 = fully in line)

Integration of mental health in primary care self-rated 5 points checklist items: 1) guidelines for mental health integration into primary health care are available and adopted at the national level; 2) pharmacological interventions for mental health conditions are available and provided at the primary care level; 3) psychosocial interventions for mental health conditions are available and provided at the primary care level; 4) health workers at primary care level receive training on the management of mental health conditions; 5) mental health specialists are involved in the training and supervision of primary care professionals. (≥ 4 = functional integration)

<sup>9</sup> **Community-based mental health services** are defined as services that are provided in the community, outside a hospital setting. Data for this indicator include countries' reported number of community-based outpatient facilities (e.g. community mental health centres), other outpatient services (e.g. day treatment facilities) and mental health community residential facilities for adults.

<sup>10</sup> Functional mental health promotion and prevention programmes self-rated 3 points checklist items: 1) Dedicated financial & human resources; 2) A defined plan of implementation; and 3) Documented evidence of progress and/or impact. (≥ 2 = functioning programme)

<sup>&</sup>lt;sup>1</sup> UN, 2019. World Population Prospects. https://population.un.org/wpp/

<sup>&</sup>lt;sup>2</sup> GBD, 2019. Global Health Estimates. https://www.who.int/data/gho/data/themes/mortality-and-global-health-estimates/global-health-estimates-leading-causes-of-dalys. Value represent DALY rate per 100,000 and for mental disorders only.

<sup>&</sup>lt;sup>3</sup> World Bank, 2019. Country classification. https://datahelpdesk.worldbank.org/knowledgebase/topics/19280-country-classification

<sup>&</sup>lt;sup>4</sup> WHO, 2019. Global Health Observatory. http://www.who.int/gho/en/. Suicide mortality rates are computed using standard categories, definitions and methods are reported to facilitate comparisons over time and between countries and may not be the same as official national estimates.

<sup>&</sup>lt;sup>5</sup> **Output of research on mental health:** The annual published research output in peer-reviewed and indexed journals is used as a proxy for the amount (and quality) of mental health research that is being conducted or is related to a given country.

<sup>&</sup>lt;sup>6</sup> Policy/plan compliance with human rights instruments self-rated 5 points checklist items: 1) Policy/plan promotes transition towards mental health services based in the community (including mental health care integrated into general hospitals and primary care); 2) Policy/plan pays explicit attention to respect of the rights of people with mental health conditions and psychosocial disabilities as well as at-risk populations; 3) Policy/plan promotes a full range of services and supports to enable people to live independently and be included in the community (including rehabilitation services, social services, educational, vocational and employment opportunities, housing services and supports, etc.); 4) Policy/plan promotes a recovery approach to mental health care, which emphasizes support for individuals to achieve their aspirations and goals, with mental health service users driving the development of their treatment and recovery plans; 5) Policy/plan promotes the participation of persons with mental health conditions and psychosocial disabilities in decision-making processes about issues affecting them (e.g. policies, laws, service reform, service delivery). (5 = fully in line)