

World Health Donated NTD medicines and health products by disease and donor commitment Organization (last updated November 2025)

NTDs	Manufacturer	Product Name	MOU Period	Current Donation Commitments				
Donations Managed by WHO								
Chagas disease	Bayer AG (Germany) Chemo Group (Mundo Sano)	Nifurtimox (120 mg tablets) Benznidazole (100 mg tablet; 12.5 mg tablet)	2007–2026 2026–2030 2020–2023	 Up to a total of 12,500,000 tablets Up to a total of 14,000,000 tablets 3,000 tablets (12.5mg)/105,000 tablets (100mg) 				
Foodborne trematode infections (fascioliasis and paragonimiasis)	Novartis (Switzerland)	Triclabendazole (250mg tablets)	2016–2025	Up to 600,000 tablets for the treatment of fascioliasis and paragonimiasis				
Foodborne trematode infections (clonorchiasis and opisthorchiasis)	Bayer AG (Germany)	Praziquantel (600 mg tablets)	2020–2030	Within the limits of the donation of praziquantel for taeniasis/cysticercosis				
Human African trypanosomiasis (HAT)	Bayer AG (Germany)	Nifurtimox (120 mg tablets)	2009–2026 2026–2030	 Up to 150,000 tablets for five years, adjustable to needs Up to 110,000 tablets for five years, adjustable to needs 				
		Suramin (1 g in vial)	2002–2026 2026–2030	 Up to 10,000 vials for five years, adjustable to needs Up to 1,000 vials for five years, adjustable to needs 				
	Sanofi (France)	 Eflornithine (200 mg per mL in 100 mL bottle); Melarsoprol (3.6% in 5 mL ampoule solution (180 mg of active compound); Pentamidine (200 mg powder for injection) Fexinidazole (600 mg tablets) 	2001–2026	Unlimited quantity for the treatment of human African trypanosomiasis				
	Cytiva (Sweden)	Diagnostics of HAT. DE52 Cellulose (10kg pack size) and Cytopore 2(1kg pack size)	2022-2024	230 kilograms of DE52 Cellulose, and 9 kilograms of Cytopore 2 enough to cover the need until 2025				

NTDs	Manufacturer	Product Name	MOU Period	Current Donation Commitments
Leprosy	Novartis (Switzerland)	Clofazimine (100mg capsule) Clofazimine (50mg capsule)	2000–2025	Up to 1,650,000 capsules for the treatment of severe erythema nodosum leprosum reactions
		MDT ¹ MB Adult & Child MDT PB Adult & Child		Up to 2,478,000 blisters annually for the treatment of leprosy and its complications
		Rifampicin (150mg, 300mg, syrup)	2024-2025	Funding procurement of single dose Rifampicin for Leprosy Chemoprophylaxis (SDR-LEP) for contacts with active leprosy patients
Lymphatic filariasis (LF)	Eisai (Japan)	Diethylcarbamazine citrate (100 mg tablets)	Since 2012 until elimination of LF	 Up to 2.2 billion tablets committed for first 7-year period for use in the preventive chemotherapy of lymphatic filariasis Extended in 2017 until elimination is achieved Current MOU runs till 2025
	GlaxoSmithKline (GSK) (United Kingdom)	Albendazole (400mg tablets)	Since 1997 until elimination of LF	Up to 600 million tablets annually for use in the preventive chemotherapy of lymphatic filariasis
Schistosomiasis	Merck KGaA (Germany)	Praziquantel (600 mg tablets)	Since 2007 for an unlimited period	 Up to 200 million tablets annually for the treatment of schistosomiasis in school-age children (notably in Africa) Since 2017, donation scaled up to 250 million tablets annually for the treatment of schistosomiasis in school-age children and adults (in specific epidemiological context)
Soil-transmitted helminthiasis (STH)	GlaxoSmithKline (GSK) (United Kingdom)	Albendazole (400mg tablets)	2012–2025	Up to 200 million tablets annually for use in the preventive chemotherapy of soil-transmitted helminthiases
	Janssen Pharmaceuticals, Inc. (United States of America)	Mebendazole (500 mg tablets)	Since 2012, and current MOU runs until 2025	Up to 200 million tablets annually for the treatment of soil-transmitted helminthiases in school-age children and women of reproductive age group.

_

 $^{^{1}}$ *MDT, multidrug therapy (rifampicin (150mg &300mg tablets), clofazimine (300 mg & 50mg tablets), dapsone (100mg tablets)) in blister packs depending on age and type of leprosy; loose clofazimine in capsules.

NTDs	Manufacturer	Product Name	MOU Period		Current Donation Commitments				
Visceral leishmaniasis (VL)	Gilead Sciences, Inc. (United States of America)	Liposomal Amphotericin B (lyophilized 50 mg formulation in vials) (AmBisome®)	2012–2016	•	Up to 445,000 vials for the treatment of visceral leishmaniasis in South-East Asia and East Africa				
			2016–2021	•	Up to 380,400 vials for the treatment of visceral leishmaniasis in South-East Asia and East Africa				
			2022-2025	•	Up to 304 700 vials for the treatment of visceral leishmaniasis in South-East Asia and East Africa				
Yaws	EMS SA Pharma (Brazil)	Azithromycin (500 mg tablets)	2019–2024	•	153 million tablets to support the global eradication of yaws.				
			2025-2030	•	143 million tablets to support the global eradication of yaws.				
	Bayer AG	Niclosamide	2020-2024	•	Up to a total of 2,800,000 tablets				
Taeniasis/	(Germany)	(400 mg tablets)	2025-2030	•	Up to a total of 4,500,000 tablets				
cysticercosis		Praziquantel (600 mg tablets)	2020–2024	•	Up to a total of 1,339,000 tablets				
Cystic	GlaxoSmithKline (GSK)	Albendazole (400mg tablets)	2022–2025	•	Up to 5 million as long as it is within the limit of the overall donation of ALB from GSK				
echinococcosis	(United Kingdom)	(400mg tablets)	2022-2023		overall dollation of ALB from GSK				
	Donations Managed Outside WHO								
	Merck, Sharpe and	Ivermectin	Since 1987	•	Unlimited supply for the treatment of onchocerciasis				
Onchocerciasis	Dome (MSD)	(3 mg tablets)	until						
Onenocciciasis	(United States of		elimination of						
	America)		onchocerciasis						
			Since 1997 until		Unlimited supply for the treatment of lymphatic				
Lymphatic filariasis (LF)			elimination of		filariasis				
			LF						
			2018–2025 for IDA strategy	•	Up to 250 million tablets for use in WHO- recommended triple-therapy (IDA) MDA regimen to eliminate LF in countries not co-endemic for onchocerciasis				
Trachoma	Pfizer Inc. (United States of America)	Azithromycin (250 mg tablets or 1200 mg in 30 mL (200 mg/5 mL) powder for oral suspension)	1998–2025	•	Unlimited quantity for the elimination of trachoma as a public health problem				