



Epidemiological Highlights

Week 27 (26 June - 2 July) 2022



**World Health
Organization**

Highlights: COVID-19




As of week 27, (4-10 July) 2022 there were **6,032 confirmed cases** of COVID-19 (SARS-CoV-2), out of 105,852 **samples** that had been submitted for testing. The **Total Positivity Rate (TPR)** now stands at **5.7%**

In the reporting week, again 57 new confirmed case was detected out of 685 total samples tested. This translated to an 8.3% TPR which is higher than that of the previous week.

As of this week (week 27)


- **Median age** of tested and confirmed cases were 11 (0-120) and 20 (0-100) years respectively
- **Proportion of females** among tested and confirmed cases were 54% and 55% respectively
- **All the 34 camps**, have so far reported confirmed cases since the outbreak began, while the five camps with the highest number of reported cases were; C24-418, C17-411, C2W-382, C4-366, and C3-338
- No new death was reported in this Epi week. Total confirmed COVID-19 deaths so far reported to date stands at 42 with the average **case fatality ratio** of 0.7%
- The **weekly incidence** was 66.6 cases/1 million population in this Epi week which is higher than that of the previous week.

Highlights: COVID-19



Highlights: COVID-19

Weekly observed TPR, FDMN/Rohingya Refugees, Cox's Bazar



EWARS Reporting Updates

- Currently, a total of 166 health facilities are registered in EWARS
 - Only 153/166 weekly reports were received on time in week 27
 - Timeliness of reporting for this week was 93%
 - One fifty-two (152) alerts were triggered
 - All alerts were reviewed and verified by the WHO EWARS team; this is the same as the previous week (152 alerts in week 26, 2022)


Highlights: Morbidities and Mortalities

- Acute Respiratory Infections (18.3%), Diarrheal Diseases (3.9%) & Injury, and wounds (1.9%) were the diseases and health conditions with the highest proportional morbidity in week 27.
- Monitoring of suspected SARI death under enhanced Community-based mortality surveillance has been continued since week 28, 2020.
- This Epi week, no new SARI death was reported as highlighted below:

| Year | Suspected SARI death reported | Reclassified as death due to probable COVID-19 |
|------|-------------------------------|--|
| 2022 | 61 | 6 |
| 2021 | 96 | 15 |
| 2020 | 49 | 2 |

Cholera/AWD Surveillance Updates

- In this week, there is one (1) new RDT-positive case was reported, among samples sent for testing.
- In 2022 total of eighty-two (82) RDT confirmed cholera cases were reported as of W27 2022. Of these 12 were positive for culture, and 70 were negative for culture.
- Cumulatively there are 739 RDT and culture-confirmed cholera cases of which 333 cases were culture-confirmed since transmission in 2018



| | 2018 | 2019 | 2020 | 2021 | 2022 W27 |
|--|------|------|------|------|----------|
| RDT positive/culture confirmed for Cholera | 49 | 258 | 28 | 357 | 82 |
| Culture confirmed for Cholera | 7 | 184 | 5 | 136 | 12 |


Diphtheria Surveillance Updates

- Three (3) confirmed and 4 suspected diphtheria cases were reported in go.data in this Epi week 27
- The last confirmed case was reported on 8 July 2022
- In total 53 deaths have so far been reported since 2017, the last death reported on 25 April 2022

| Classification | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 |
|----------------|------|------|------|------|------|------|
| Confirmed | 66 | 226 | 31 | 19 | 30 | 24 |
| Probable | 1154 | 1555 | 60 | 9 | 29 | 0 |
| Suspected | 1796 | 3549 | 523 | 198 | 118 | 117 |
| Death | 30 | 14 | 3 | 0 | 5 | 1 |


Trends of Diphtheria cases

Total number of diphtheria case reported in EWARS from week 1-27, 2022



Epi Curve of Suspected Measles Cases

Total number of Measles case reported in EWARS from 2021- 2022 (Epi week 27)




- > In week 27, 34 suspected measles cases were reported through weekly reporting. This brings the total number of suspected measles cases to 621 reported in 2022
- > About 54% (336/621) of the total suspected measles cases were reported through case-based reporting and samples collected for laboratory confirmation

Dengue Surveillance Updates

| Year | Month/Epi Week | Confirmed case | Death | Confirmed case (cumulative) | Death (cumulative) |
|------|---------------------|----------------|-------|--------------------------------|-----------------------|
| 2022 | Jan (Ew1-4) | 189 | 0 | 189 | 0 |
| | Feb (Ew5-8) | 9 | 0 | 198 | 0 |
| | March (Ew9-13) | 17 | 0 | 215 | 0 |
| | April (Ew14-17) | 57 | 0 | 277 | 0 |
| | May (Ew18-21) | 236 | 0 | 513 | 0 |
| | June (Ew22-26) | 4,046 | 2 | 4,577 | 2 |
| | Week 27 (4-10 July) | 1,152 | 0 | 5,730 | 2 |

Dengue Surveillance Updates

Yearly Trends of Dengue case trend from 2018 - Epi Week 27, 2022




Community-based Mortality surveillance updates Epi week 27

| Probable causes of death | Epi week 27 | Cumulative in 2022 |
|---|------------------|--------------------|
| Still Birth | 5 (25%) | 104 (11%) |
| Neonatal Death (<28 days old) | 2 (10%) | 94 (10%) |
| Infectious Disease | -- | 28 (3%) |
| Severe Acute Respiratory Infection (SARI) | -- | 21 (2%) |
| Injury | -- | 28 (3%) |
| Maternal Death | -- | 25 (3%) |
| Acute Malnutrition | -- | 1 (0%) |
| Other | 13 (65%) | 643 (68%) |
| Total | 20 (100%) | 944 (100%) |


Partners to report all mortalities into the EWARS platform using both case and event-based reporting as applicable

Community-based Mortality surveillance updates Epi week 27


Gender distribution




Place of death



Distribution of deceased Camp



Distribution of Probable cause of death



Bangladesh

Rohingya Emergency Response

Early Warning, Alert and
Response System (EWARS)

Epidemiological Bulletin W27 2022



Ministry of Health and Family
Welfare Bangladesh



World Health
Organization



HEALTH SECTOR
COX'S BAZAR



Printed: 05:45 Thursday, 11 August 2022 UTC

Contents

Highlights

| | |
|---------|--|
| Slide 1 | Table 1 Coverage |
| | Table 2 Early warning performance |
| | Table 3 Alert performance |

Early Warning

| | |
|---------|--|
| Slide 2 | Map 1a Ukhia completeness by site/zone |
| | Map 1b Teknaf completeness by site/zone |
| Slide 3 | Table 4 Ukhia (Northern group) performance by site/zone |
| | Map 2 Ukhia (Northern group) completeness by site/zone |
| Slide 4 | Table 5 Ukhia (Southern group) performance by site/zone |
| | Map 3 Ukhia (Southern group) completeness by site/zone |
| Slide 5 | Table 6 Teknaf performance by site/zone |
| | Map 4 Teknaf completeness by site/zone |
| Slide 6 | Table 7 Performance by partner |

Alert

| | |
|----------|---|
| Slide 7 | Table 8 Ukhia (Northern group) alerts by site/zone |
| | Map 5 Ukhia (Northern group) alerts site/zone |
| Slide 8 | Table 9 Ukhia (Southern group) alerts by site/zone |
| | Map 6 Ukhia (Southern group) alerts site/zone |
| Slide 9 | Table 10 Teknaf alerts by site/zone |
| | Map 7 Teknaf alerts site/zone |
| Slide 10 | Table 11 Performance by type of alert |
| | Table 12 Risk Assessment |

Sources of data

1. Weekly EWARS Reporting Form
2. Mortality Case Report Form
3. Event-based Surveillance Form

Highlights W27 2022

Table 1 | Coverage

| # | % | |
|----------------|------------|--|
| 918,841 | - | Estimated total Rohingya population ¹ |
| 902,066 | 98% | Total population under surveillance |
| 175 | - | Total number of health facilities |
| 167 | 95% | Number of EWARS reporting sites |

Table 2 | Early warning performance indicators



| W27 | Cumulative (2022) | |
|------------|-------------------|-----------------------------------|
| 153 | 5094 | Number of weekly reports received |
| 93% | 93% | Completeness |
| 93% | 91% | Timeliness |

Table 3 Alert performance indicators

| W27 | Cumulative (2022) | |
|-------------|-------------------|------------------------------|
| 151 | 2,716 | Total alerts raised |
| 100% | 100% | % verified |
| 0% | 0% | % auto-discarded |
| 0% | 0% | % undergoing risk assessment |
| 0% | 0% | % completed risk assessment |

¹ Source: UNHCR. Bangladesh: Joint Government of Bangladesh- UNHCR Population Factsheet. 31 December 2021.

Map 1a | Ukhia completeness by camp



Map 1b | Teknaf completeness by camp





Table 4 | Performance by camp (W27 2022)

| Northern group | Reporting | | Performance | |
|----------------------|---------------------|--------------------|--------------|------------|
| | # health facilities | # reports received | Completeness | Timeliness |
| Ukhia Northern Group | | | | |
| Camp 1E | 3 | 3 | 100% | 0% |
| Camp 1W | 5 | 4 | 80% | 0% |
| Camp 2E | 3 | 3 | 100% | 0% |
| Camp 2W | 3 | 4 | 100% | 0% |
| Camp 3 | 5 | 5 | 100% | 0% |
| Camp 4 | 5 | 5 | 100% | 0% |
| Camp 4 Ext | 1 | 1 | 100% | 0% |
| Camp 5 | 5 | 4 | 80% | 0% |
| Camp 6 | 3 | 2 | 100% | 0% |
| Camp 7 | 6 | 3 | 83% | 0% |
| Camp 8E | 8 | 7 | 88% | 0% |
| Camp 8W | 4 | 4 | 100% | 0% |
| Kutupalong RC | 2 | 2 | 100% | 0% |

Map 2 | Completeness by camp

- 1 Camp 1E
- 2 Camp 1W
- 3 Camp 2E
- 4 Camp 2W
- 5 Camp 3
- 6 Camp 4 Ext
- 7 Camp 4
- 8 Camp 5
- 9 Camp 6
- 10 Camp 7
- 11 Camp 8E
- 12 Camp 8W
- 13 Kutupalong RC





Table 5 | Performance by camp (W27 2022)

| Southern group | Reporting | | Performance | |
|----------------------|---------------------|--------------------|--------------|------------|
| | # health facilities | # reports received | Completeness | Timeliness |
| Ukhia Southern Group | | | | |
| Camp 10 | 4 | 4 | 100% | 0% |
| Camp 11 | 8 | 7 | 88% | 0% |
| Camp 12 | 6 | 6 | 100% | 0% |
| Camp 13 | 10 | 10 | 100% | 0% |
| Camp 14 | 7 | 7 | 100% | 0% |
| Camp 15 | 9 | 10 | 100% | 6% |
| Camp 16 | 6 | 6 | 100% | 0% |
| Camp 17 | 5 | 5 | 100% | 0% |
| Camp 18 | 5 | 5 | 100% | 0% |
| Camp 19 | 5 | 5 | 100% | 0% |
| Camp 20 | 4 | 3 | 100% | 13% |
| Camp 20 Ext | 3 | 3 | 100% | 0% |
| Camp 9 | 6 | 5 | 83% | 0% |

Map 3 | Completeness by camp

- 1 Camp 10
- 2 Camp 11
- 3 Camp 12
- 4 Camp 13
- 5 Camp 14
- 6 Camp 15
- 7 Camp 16
- 8 Camp 17
- 9 Camp 18
- 10 Camp 19
- 11 Camp 20 Ext
- 12 Camp 20
- 13 Camp 9





Table 6 | Performance by camp (W27 2022)

| Teknaf | Reporting | | Performance | |
|--------------------|---------------------|--------------------|--------------|------------|
| | # health facilities | # reports received | Completeness | Timeliness |
| Ukhia Teknaf | | | | |
| Camp 21 Chakmarkul | 4 | 4 | 100% | 0% |
| Camp 22 Unchiprang | 5 | 3 | 60% | 0% |
| Camp 23 Shamlapur | 3 | 2 | 67% | 0% |
| Camp 24 Leda | 2 | 1 | 50% | 0% |
| Camp 25 Ali Khali | 3 | 3 | 100% | 0% |
| Camp 26 Nayapara | 5 | 4 | 75% | 0% |
| Camp 27 Jadimura | 2 | 2 | 100% | 0% |
| Nayapara RC | 2 | 2 | 100% | 0% |

Map 4 | Completeness by camp

- 1 Camp 21 Chakmarkul
- 2 Camp 22 Unchiprang
- 3 Camp 23 Shamlapur
- 4 Camp 24 Leda
- 5 Camp 25 Ali Khali
- 6 Camp 26 Nayapara
- 7 Camp 27 Jadimura
- 8 Nayapara RC





Table 7 | Performance by partner (W27 2022)


| Partner | Performance | | Reporting | | Partner | Performance | | Reporting | |
|------------|-------------|--------------------|--------------|------------|--------------------|-------------|--------------------|--------------|------------|
| | # sites | # reports received | Completeness | Timeliness | | # sites | # reports received | Completeness | Timeliness |
| AKF | 1 | 0 | 0% | 0% | IRC | 4 | 2 | 0% | 0% |
| AWARD | 6 | 6 | 100% | 100% | MSF | 9 | 7 | 0% | 0% |
| BASHMAH | 1 | 0 | 0% | 0% | MoH | 12 | 11 | 0% | 0% |
| BDRCS | 11 | 11 | 100% | 100% | MHI | 0 | 0 | | |
| BRAC | 0 | 11 | 100% | 100% | Medair | 0 | 0 | | |
| CARE | 4 | 4 | 100% | 100% | FH/MTI | 4 | 3 | 0% | 0% |
| DAM | 0 | 0 | | | PRANTIC | 1 | 1 | 100% | 100% |
| DBC | 1 | 1 | 100% | 100% | PULSE | 1 | 1 | 100% | 100% |
| DSK | 1 | 1 | 0% | 0% | QC | 1 | 1 | 100% | 0% |
| DCHT-PWJ | 1 | 1 | 100% | 100% | PHD | 10 | 10 | 0% | 0% |
| FRNDS | 6 | 3 | 0% | 0% | RPN | 2 | 2 | 100% | 100% |
| GK | 10 | 10 | 0% | 0% | RHU | 3 | 3 | 100% | 0% |
| Global One | 1 | 1 | 100% | 100% | RI | 3 | 3 | 0% | 0% |
| GUSS | 1 | 1 | 100% | 100% | RTMI | 9 | 8 | 0% | 0% |
| HAEFA | 2 | 2 | 100% | 100% | SALT | 1 | 2 | 200% | 200% |
| HAIB | 8 | 8 | 100% | 100% | SCI | 7 | 7 | 0% | 0% |
| HMBDF | 2 | 2 | 0% | 0% | DCHT-MM | 1 | 1 | 100% | 100% |
| HOPE | 1 | 1 | 100% | 100% | Turkish Government | 1 | 1 | 100% | 100% |
| ICRC | 1 | 2 | 200% | 200% | TdH | 2 | 2 | 0% | 0% |
| IOM | 23 | 23 | 0% | 0% | | | | | |

Table 8 | Performance by camp

| Northern group | W27 | | Cumulative (2022) | |
|-----------------------|----------|----------|-------------------|----------|
| | # alerts | % verif. | # alerts | % verif. |
| Alerts Northern group | | | | |
| Camp 1E | 5 | 100% | 66 | 100% |
| Camp 1W | 9 | 100% | 152 | 100% |
| Camp 2E | 15 | 100% | 302 | 100% |
| Camp 2W | 5 | 100% | 86 | 100% |
| Camp 3 | 10 | 100% | 134 | 100% |
| Camp 4 | 8 | 100% | 115 | 100% |
| Camp 4 Ext | 1 | 100% | 39 | 100% |
| Camp 5 | 8 | 100% | 97 | 100% |
| Camp 6 | 4 | 100% | 75 | 100% |
| Camp 7 | 2 | 100% | 49 | 100% |
| Camp 8E | 3 | 100% | 51 | 100% |
| Camp 8W | 8 | 100% | 138 | 100% |
| Kutupalong RC | 6 | 100% | 57 | 100% |

Map 5 | Number of alerts by camp

- 1 Camp 1E
- 2 Camp 1W
- 3 Camp 2E
- 4 Camp 2W
- 5 Camp 3
- 6 Camp 4 Ext
- 7 Camp 4
- 8 Camp 5
- 9 Camp 6
- 10 Camp 7
- 11 Camp 8E
- 12 Camp 8W
- 13 Kutupalong RC



of alerts




Table 9 | Performance by camp

| Southern group | W27 | | Cumulative (2022) | |
|-----------------------|----------|----------|-------------------|----------|
| | # alerts | % verif. | # alerts | % verif. |
| Alerts Northern group | | | | |
| Camp 10 | 4 | 100% | 49 | 100% |
| Camp 11 | 3 | 100% | 69 | 100% |
| Camp 12 | 3 | 100% | 95 | 100% |
| Camp 13 | 6 | 100% | 105 | 100% |
| Camp 14 | 2 | 100% | 59 | 100% |
| Camp 15 | 2 | 100% | 99 | 100% |
| Camp 16 | 4 | 100% | 77 | 100% |
| Camp 17 | 8 | 100% | 73 | 100% |
| Camp 18 | 3 | 100% | 109 | 100% |
| Camp 19 | 2 | 100% | 39 | 100% |
| Camp 20 | 3 | 100% | 36 | 100% |
| Camp 20 Ext | 2 | 100% | 30 | 100% |
| Camp 9 | 5 | 100% | 122 | 100% |

Map 6 | Number of alerts by camp

- 1 Camp 10
- 2 Camp 11
- 3 Camp 12
- 4 Camp 13
- 5 Camp 14
- 6 Camp 15
- 7 Camp 16
- 8 Camp 17
- 9 Camp 18
- 10 Camp 19
- 11 Camp 20 Ext
- 12 Camp 20
- 13 Camp 9



of alerts



Table 10 | Performance by camp

| Teknaf | W27 | | Cumulative (2022) | |
|-----------------------|----------|----------|-------------------|----------|
| | # alerts | % verif. | # alerts | % verif. |
| Alerts Northern group | | | | |
| Camp 21 Chakmarkul | 1 | 100% | 35 | 100% |
| Camp 22 Unchiprang | 1 | 100% | 46 | 100% |
| Camp 23 Shamlapur | 0 | 0% | 15 | 100% |
| Camp 24 Leda | 4 | 100% | 62 | 100% |
| Camp 25 Ali Khali | 1 | 100% | 21 | 100% |
| Camp 26 Nayapara | 7 | 100% | 80 | 100% |
| Camp 27 Jadimura | 4 | 100% | 49 | 100% |
| Nayapara RC | 1 | 100% | 29 | 100% |

Map 7 | Number of alerts by camp

- 1

Camp 21 Chakmarkul
- 2

Camp 22 Unchiprang
- 3

Camp 23 Shamlapur
- 4

Camp 24 Leda
- 5

Camp 25 Ali Khali
- 6

Camp 26 Nayapara
- 7

Camp 27 Jadimura
- 8

Nayapara RC




Table 11 | Performance by type of alert

| Event | W27 | | Cumulative (2022) | |
|-------------------------------------|----------|----------|-------------------|----------|
| | # alerts | % verif. | # alerts | % verif. |
| Indicator-based surveillance | | | | |
| Malaria | 0 | 0% | 3 | 100% |
| Measles | 11 | 100% | 339 | 100% |
| Bloody Diarr. | 0 | 0% | 0 | 0% |
| AFP | 0 | 0% | 19 | 100% |
| Meningitis | 1 | 100% | 16 | 100% |
| Haem. fever (susp.) | 1 | 100% | 14 | 100% |
| NNT | 0 | 0% | 3 | 100% |
| Unexp. fever | 5 | 100% | 103 | 100% |
| AWD | 7 | 100% | 159 | 100% |
| ARI | 5 | 100% | 138 | 100% |
| AJS | 3 | 100% | 64 | 100% |
| Varicella (Susp.) | 0 | 0% | 107 | 100% |
| Suspected COVID-19 | 0 | 0% | 0 | 0% |
| Event-based surveillance | | | | |
| EBS total | 6 | 100% | 158 | 100% |

Table 12 | Risk assessment

| W27 | Cumulative (2022) | |
|-----|-------------------|----------------|
| 0 | 7 | Low risk |
| 0 | 1 | Moderate risk |
| 0 | 0 | High risk |
| 0 | 0 | Very high risk |

For more help and support, please contact:

Dr. Imrul Kayes
Medical Officer - Civil Surgeon Office (MO-CS)
Ministry of Health and Family Welfare
Cox's Bazar, Bangladesh
Telephone: +88 01726296025
Email: mailkayesk65@gmail.com

Dr. Feroz Hayat Khan
National Professional Officer (Disease Surveillance &
Epidemiology)
World Health Organization
Cox's Bazar, Bangladesh
Telephone: +88 017 0120 2994
Email: khan@who.int

Notes

WHO and the Ministry of Health and Family Welfare gratefully acknowledge all partners who have reported the data used in this bulletin.

The data been collected with support from the EWARS project. This is an initiative to strengthen early warning, alert and response in emergencies. It includes an online, desktop and mobile application that can be rapidly configured and deployed in the field. It is designed with frontline users in mind, and built to work in difficult and remote operating environments. This bulletin has been automatically published from the EWARS application.

More information can be found at <http://ewars-project.org>

Sign up for an account with EWARS Bangladesh at <http://bd.ewars.ws>



Ministry of
Health and
Family
Welfare
Bangladesh



World Health
Organization



HEALTH SECTOR
COX'S BAZAR



Global
EWARS

Bangladesh

Rohingya Emergency Response

Early Warning, Alert and
Response System (EWARS)

Annex W27 2022



Ministry of Health and Family
Welfare Bangladesh



World Health
Organization




HEALTH SECTOR
COX'S BAZAR



Printed: 10:50 Sunday, 03 July 2022 UTC

Proportional morbidity

Figure 1 | Proportional morbidity (W27 2022)



| Disease | W27 | | 2022 | |
|-----------------|---------------|-------------|------------------|-------------|
| | # cases | % morbidity | # cases | % morbidity |
| AWD | 1,185 | 3.0% | 67,107 | 2.6% |
| Bloody diarr. | 146 | 0.4% | 9,593 | 0.4% |
| Other diarr. | 196 | 0.5% | 26,565 | 1.0% |
| Susp. Varicella | 16 | 0.0% | 8,349 | 0.3% |
| ARI | 7,197 | 18.3% | 442,716 | 17.5% |
| Measles/Rub. | 5 | 0.0% | 569 | 0.0% |
| AFP | 0 | 0.0% | 40 | 0.0% |
| Susp. menin. | 0 | 0.0% | 70 | 0.0% |
| AJS | 5 | 0.0% | 547 | 0.0% |
| Susp. HF | 0 | 0.0% | 20 | 0.0% |
| Neo. tetanus | 0 | 0.0% | 8 | 0.0% |
| Adult tetanus | 0 | 0.0% | 12 | 0.0% |
| Malaria (conf.) | 3 | 0.0% | 289 | 0.0% |
| Malaria (susp.) | 0 | 0.0% | 38,450 | 1.5% |
| Dengue (conf.) | 354 | 0.9% | 3,873 | 0.2% |
| Dengue (susp.) | 130 | 0.3% | 1,187 | 0.0% |
| Unexpl. fever | 752 | 1.9% | 30,249 | 1.2% |
| Sev. Malnut. | 1 | 0.0% | 1,019 | 0.0% |
| Inj./Wounds | 740 | 1.9% | 56,517 | 2.2% |
| Other | 28,561 | 72.7% | 1,841,335 | 72.6% |
| Total | 38,558 | 100% | 2,534,692 | 100% |

Trend in consultations and key diseases

Figure 2 | Trend in proportional morbidity for key diseases (W27)






Figure 3 | Trend in number of cases over time (W38 2017 - W27 2022)



Map 1 | Map of cases by camp (W27 2022)


a. Ukhia | Number of cases




b. Ukhia | Number of alerts




c. Teknaf | Number of cases



d. Teknaf | Number of alerts



Map legend



Alert threshold

Twice the average number of cases over the past 3 weeks. Source: IEDCR

Alert management (W27 2022)




Figure | % sex




Figure | % age






Figure 4 | Trend in number of suspected cases over time (W38 2017 - W27 2022)




Map 2 | Map of cases by camp (W27 2022)


a. Ukhia | Number of cases




b. Ukhia | Number of alerts




c. Teknaf | Number of cases



d. Teknaf | Number of alerts



Map legend



Alert threshold

1 case. Source: IEDCR

Alert management (W27 2022)




Figure | % sex




Figure | % age






Figure 5 | Trend in number of cases over time (W38 2017 - W27 2022)



Map 3 | Map of cases by camp (W37 2017 - W27 2022)


a. Ukhia | Number of cases




b. Ukhia | Number of alerts




c. Teknaf | Number of cases



d. Teknaf | Number of alerts



Map legend



Alert threshold

A cluster of 3 or more cases seen in a health facility. Source: IEDCR

Alert management (W27 2022)




Figure | % sex




Figure | % age




Figure 6 | Trend in number of cases over time (W38 2017 - W27 2022)






Figure 7 | Trend in number of cases over time (W38 2017 - W27 2022)




Map 4 | Map of cases by camp (W37 2017 - W27 2022)


a. Ukhia | Number of cases




b. Ukhia | Number of alerts




c. Teknaf | Number of cases



d. Teknaf | Number of alerts



Map legend



Alert threshold

Twice the average number of cases over the past 3 weeks. Source: IEDCR

Alert management (W27 2022)




Figure | % sex




Figure | % age






Figure 7 | Trend in number of cases over time (W38 2017 - W27 2022)




Map 4 | Map of cases by camp (W37 2017 - W27 2022)

a. Ukhia | Number of cases



c. Teknaf | Number of cases



Map legend




Figure | % sex





Figure | % age



For more help and support, please contact:

Dr. SImrul Kayes
Medical Officer - Civil Surgeon Office (MO-CS)
Ministry of Health and Family Welfare
Cox's Bazar, Bangladesh

Telephone: +88 017826296025

Email: mailkayesk65@gmail.com

Dr. Feroz Hayat Khan
National Professional Officer (Disease Surveillance &
Epidemiology)
World Health Organization
Cox's Bazar, Bangladesh

Telephone: +88 017 0120 2994

Email: khan@who.int

Notes

WHO and the Ministry of Health and Family Welfare gratefully acknowledge all partners who have reported the data used in this bulletin.

The data been collected with support from the EWARS project. This is an initiative to strengthen early warning, alert and response in emergencies. It includes an online, desktop and mobile application that can be rapidly configured and deployed in the field. It is designed with frontline users in mind, and built to work in difficult and remote operating environments. This bulletin has been automatically published from the EWARS application.

More information can be found at <http://ewars-project.org>

Sign up for an account with EWARS Bangladesh at <http://bd.ewars.ws>



Ministry of
Health and
Family
Welfare
Bangladesh



World Health
Organization



HEALTH SECTOR
COX'S BAZAR



Global

EWARS