Global Influenza Surveillance and Response System (GISRS)

Situation update on integrated sentinel surveillance of influenza and SARS-CoV-2 in SEAR MS


(Till Monday, January 30, 2023)

Infectious Hazard Management (IHM) WHO Health Emergency Programme SeFlu@who.int






Number and the proportion of Influenza like Illness (ILI) cases per 1,000 outpatients, SEAR








Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, SEAR








Number of ILI/SARI* specimens processed for testing by week and year, SEAR












Number and Percentage of ILI/SARI samples positive* for SARS COV-2, SEAR




*Includes ILI/SARI samples tested for SARS-COV2 by Bangladesh, Bhutan, Indonesia Nepal and Timor-Leste as a part of integrated sentinel surveillance of influenza and COVID-19






Number of ILI/SARI specimens processed for testing by week and year, Bangladesh








Number and the proportion of ILI cases per 1,000 outpatients, <u>Bangladesh</u>








Number and the proportion of SARI cases per 100 inpatients, <u>Bangladesh</u>








Number of specimens positive for influenza by subtypes and Percentage positive, <u>Bangladesh</u>







Number and Percentage of ILI/SARI samples positive for SARS COV-2, <u>Bangladesh</u>




*Includes ILI/SARI samples tested for SARS-COV2
as a part of integrated sentinel surveillance of influenza and COVID-19






Number and proportion of ILI cases per 1,000 outpatients, Bhutan








Number and proportion of SARI cases per 100 inpatients, Bhutan








Number of ILI/SARI * specimens processed for testing by week and year, Bhutan

















Number and Percentage of ILI/SARI samples positive for SARS COV-2*, Bhutan








Number and proportion of ILI cases per 1,000 outpatients, <u>DPR Korea</u>








Number and proportion of SARI cases per 100 inpatients, DPR Korea








Number of ILI/SARI* specimens processed for testing by week and year, DPR Korea








Number of specimens positive for influenza by subtypes and the Percentage positive, <u>DPR Korea</u>








Number of ILI/SARI * specimens processed for testing by week and year, India








Number of specimens positive for influenza by subtypes and the Percentage positive, <u>India</u>








Number and proportion of ILI cases per 1,000 outpatients, Indonesia






Number and proportion of SARI cases per 100 inpatients, Indonesia








Number of ILI/SARI * specimens processed for testing by week and year, Indonesia








Number of specimens positive for influenza by subtypes and the Percentage positive, <u>Indonesia</u>








Number of ILI/SARI * specimens processed for testing by week and year, Maldives













Number of ILI/SARI * specimens processed for testing by week and year, Myanmar








Number of specimens positive for influenza by subtypes and the Percentage positive, Myanmar








Number and proportion of ILI cases per 1,000 outpatients, Nepal








Number and proportion of SARI cases per 100 inpatients, Nepal








Number of ILI/SARI * specimens processed for testing by week and year, Nepal








Number of specimens positive for influenza by subtypes and the Percentage positive, Nepal







Number and Percentage of ILI/SARI samples positive for SARS COV-2, Nepal




*Includes ILI/SARI samples tested for SARS-COV2

as a part of integrated sentinel surveillance of influenza and COVID-19






Number and proportion of ILI cases per 1,000 outpatients, Sri Lanka








Number and proportion of SARI cases per 100 inpatients, Sri Lanka








Number of ILI/SARI * specimens processed for testing by week and year, Sri Lanka








Number of specimens positive for influenza by subtypes and the Percentage positive, Sri Lanka








Number of ILI/SARI * specimens processed for testing by week and year, Thailand








Number of specimens positive for influenza by subtypes and the Percentage positive, <u>Thailand</u>








Number and proportion of ILI cases per 1,000 outpatients, <u>Timor-Leste</u>








Number and proportion of SARI cases per 100 inpatients, <u>Timor-Leste</u>








Number of ILI/SARI * specimens processed for testing by week and year, Timor-Leste








Number of specimens positive for influenza by subtypes and the Percentage positive, , <u>Timor-Leste</u>







Number and Percentage of ILI/SARI samples positive for SARS COV-2*, <u>Timor-Leste</u>



SARS COV 2 Positive — Percent SARS COV 2 Positive





If you have any comment or suggestion Please write to SeFlu@who.int



