



Influenza Situation Update in SEAR

Monday, January 09, 2023

Infectious Hazard Management (IHM)

WHO Health Emergency Programme

SeFlu@who.int



REGIONAL OFFICE FOR


World Health
Organization

South-East Asia

HEALTH
EMERGENCIES
programme




Number of specimens processed for influenza by week and year, SEAR






Number of specimens positive for influenza by subtype and % positive, SEAR






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, SEAR






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, SEAR






Number of specimens SARS COV-2 positive*, SEAR




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance: Bangladesh, Bhutan, Nepal and Timor-Leste



Number of specimens processed for influenza by week and year, Bangladesh




Number of specimens positive for influenza by subtype and % positive, Bangladesh






Number of specimens SARS COV-2 positive, Bangladesh






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Bangladesh






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Bangladesh






Number of specimens processed for influenza by week and year, Bhutan



Number of specimens positive for influenza by subtype and % positive, Bhutan






HEALTH
EMERGENCIES
programme




Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Bhutan






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Bhutan






Number of specimens processed for influenza by week and year, DPR Korea






Number of specimens positive for influenza by subtype and % positive, DPR Korea






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, DPR Korea






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, DPR Korea






Number of specimens processed for influenza by week and year, India




Number of specimens positive for influenza by subtype and % positive, India






Number of specimens processed for influenza by week and year, Indonesia




Number of specimens positive for influenza by subtype and % positive, Indonesia






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Indonesia






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Indonesia






Number of specimens processed for influenza by week and year, Maldives




Number of specimens positive for influenza by subtype and % positive, Maldives






Number of specimens processed for influenza by week and year, Myanmar






Number of specimens positive for influenza by subtype and % positive, Myanmar






Number of specimens processed for influenza by week and year, Nepal






Number of specimens positive for influenza by subtype and % positive, Nepal






Number of specimens SARS COV-2 positive, Nepal






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Nepal






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Nepal






Number of specimens processed for influenza by week and year, Sri Lanka






Number of specimens positive for influenza by subtype and % positive, Sri Lanka






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Sri Lanka






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Sri Lanka






Number of specimens processed for influenza by week and year, Thailand




Number of specimens positive for influenza by subtype and % positive, Thailand






Number of specimens processed for influenza by week and year, Timor-Leste




Number of specimens positive for influenza by subtype and % positive, Timor-Leste






Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients, Timor-Leste






Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients, Timor-Leste





Number of specimens SARS COV-2 positive, Timor-Leste





If you have any comment or suggestion
Please write to SeFlu@who.int