

Global Influenza Surveillance and Response System (GISRS)

Situation update on integrated sentinel surveillance of influenza and SARS-CoV-2 in SEAR Member States


(As of Monday, January 27, 2025 reported to FluMart of GISRS)

Infectious Hazard Management (IHM)


WHO Health Emergency Programme

SeFlu@who.int


Number of influenza-like illness (ILI) cases and proportion of ILI cases per 1,000 outpatients




Number of severe acute respiratory infection (SARI) cases and proportion of SARI cases per 100 inpatients




Number of specimens processed for influenza by week and year



Number of specimens positive for influenza by subtype and % positive




Number of specimens SARS COV-2 positive*




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance: Bangladesh, Bhutan, Nepal and Timor-Leste


Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Bangladesh




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Bangladesh](#)




Number of ILI/SARI specimens processed for testing by week and year, Bangladesh



Number of specimens positive for influenza by subtypes and the percentage positive, Bangladesh




Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Bangladesh




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.


Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Bhutan




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Bhutan




Number of specimens positive for influenza by subtypes and the percentage positive, Bhutan




Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [DPR Korea](#)




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [DPR Korea](#)




Number of specimens positive for influenza by subtypes and the percentage positive, DPR Korea




Number of ILI/SARI specimens processed for testing by week and year, India




Number of specimens positive for influenza by subtypes and the percentage positive, [India](#)




Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Indonesia




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Indonesia




Number of specimens positive for influenza by subtypes and the percentage positive, Indonesia




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Maldives




Number of ILI/SARI specimens processed for testing by week and year, Maldives




Number of specimens positive for influenza by subtypes and the percentage positive, Maldives




Number of ILI/SARI specimens processed for testing by week and year, Myanmar




Number of specimens positive for influenza by subtypes and the percentage positive, Myanmar




Number of influenza-like illness (ILI) cases, [Nepal](#)




Number of severe acute respiratory infection (SARI) cases , [Nepal](#)




Number of ILI/SARI specimens processed for testing by week and year, Nepal



Number of specimens positive for influenza by subtypes and the percentage positive, Nepal




Number and the percentage of I I/SARI specimens positive for SARS COV-2. Nepal




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.


Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Sri Lanka




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Sri Lanka




Number of ILI/SARI specimens processed for testing by week and year, Sri Lanka




Number of specimens positive for influenza by subtypes and the percentage positive, [Sri Lanka](#)




Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Thailand




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Thailand



Number of specimens positive for influenza by subtypes and the percentage positive, Thailand




Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Timor-Leste




● ILI_Total_Cases_Calc_Num — ILI_Proportion


Number of severe acute respiratory infection (SARI) cases, [Timor-Leste](#)




Number of ILI/SARI specimens processed for testing by week and year, Timor-Leste



Number of specimens positive for influenza by subtypes and the percentage positive, Timor-Leste



Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Timor-Leste



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

If you have any comment or suggestion
Please write to SeFlu@who.int