

Global Influenza Surveillance and Response System (GISRS)

Situation update on integrated sentinel surveillance of influenza and SARS-CoV-2 in SEAR Member States


(As of April, 2025 reported to FluMart of GISRS)

Infectious Hazard Management (IHM)

WHO Health Emergency Programme

SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [SEAR](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [SEAR](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [SEAR](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [28/04/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [SEAR](#)



Number and the percentage of ILI/SARI specimens positive for SARS COV-2, [SEAR](#)



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [28/04/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Bangladesh](#)



Sub-types

Specimen test

ILI


SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025

WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Bangladesh](#)



Sub-types


Specimen test

ILI

SARI

SARS COV2

Number of ILI/SARI specimens processed for testing by week and year, [Bangladesh](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [Bangladesh](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Bangladesh*



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Bhutan](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Bhutan](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int


Number of ILI/SARI specimens processed for testing by week and year, Bhutan



Number of specimens positive for influenza by subtypes and the percentage positive, Bhutan



Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Bhutan *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [DPR Korea](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int


Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, DPR Korea



Number of specimens positive for influenza by subtypes and the percentage positive, [DPR Korea](#)



Number of ILI/SARI specimens processed for testing by week and year, [DPR Korea](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [24/02/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS COV-2, DPR Korea *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [India](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [India](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [India](#)



Sub-types

Specimen test

ILI


SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025

WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, India



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS COV-2, India *




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.


Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Indonesia




Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Indonesia](#)



Number of specimens positive for influenza by subtypes and the percentage positive, Indonesia



Number of ILI/SARI specimens processed for testing by week and year, Indonesia



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Indonesia *




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Maldives](#)



Number of ILI/SARI specimens processed for testing by week and year, [Maldives](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [28/04/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Maldives




Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Maldives *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Myanmar](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Myanmar](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, Myanmar



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 14/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Myanmar




Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Myanmar *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Nepal](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Nepal](#)



Number of ILI/SARI specimens processed for testing by week and year, [Nepal](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Nepal



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS COV-2, Nepal *




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.


Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Sri Lanka](#)



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Sri Lanka](#)



Number of ILI/SARI specimens processed for testing by week and year, [Sri Lanka](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 03/03/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [Sri Lanka](#)



Number and the percentage of ILI/SARI specimens positive for SARS COV-2, [Sri Lanka](#) *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [28/04/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Thailand



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Thailand](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, Thailand



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Thailand



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 28/04/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, Thailand *




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Timor-Leste



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Timor-Leste](#)



Sub-types


Specimen test

ILI

SARI

SARS COV2

Number of ILI/SARI specimens processed for testing by week and year, Timor-Leste



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 24/03/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Timor-Lest



Number of ILI/SARI specimens processed for testing by week and year, Timor-Leste *



*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

If you have any comment or suggestion
Please write to SeFlu@who.int