

Global Influenza Surveillance and Response System (GISRS)

Situation update on integrated sentinel surveillance of influenza and SARS-CoV-2 in SEAR Member States


(As of May 2025, reported to FluMart of GISRS)

Infectious Hazard Management (IHM)

WHO Health Emergency Programme

SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [SEAR](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [SEAR](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [SEAR](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, SEAR



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the percentage of ILI/SARI specimens positive for SARS- COV-2, [SEAR](#)




*Includes Member states doing SARS-COV2 testing part of Influenza sentinel surveillance.

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Bangladesh](#)



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Bangladesh](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [Bangladesh](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Bangladesh



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Bhutan](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, Bhutan



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, Bhutan



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Bhutan



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [DPR Korea](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [DPR Korea](#)



Number of specimens positive for influenza by subtypes and the percentage positive, [DPR Korea](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [DPR Korea](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [India](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [India](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [India](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [India](#)



Sub-types

Specimen test

ILI


SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025

WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of acute respiratory infection (SARI) cases per 100 inpatients, Maldives



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [Maldives](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Maldives



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Myanmar](#)



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Myanmar](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, Myanmar



Sub-types

Specimen test


ILI

SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 26/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Myanmar



Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 26/05/2025

Number of influenza-like illness (ILI) cases per 1 000 outpatients, [Nepal](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of severe acute respiratory infection (SARI) cases per 100 inpatients, [Nepal](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [Nepal](#)



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [Nepal](#)



Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Sri Lanka](#)



Sub-types


Specimen test

ILI

SARI

SARS COV2

Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Sri Lanka](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [Sri Lanka](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtype and % positive, Sri_Lanka



Sub-types

Specimen test

ILI


SARI

SARS COV2


Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025

WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, Thailand



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Thailand](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of ILI/SARI specimens processed for testing by week and year, [Thailand](#)



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of [30/05/2025](#)
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, Thailand



Sub-types

Specimen test


ILI

SARI


SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number and the proportion of influenza-like illness (ILI) cases per 1 000 outpatients, [Timor-Leste](#)



Number and the proportion of severe acute respiratory infection (SARI) cases per 100 inpatients, [Timor-Leste](#)



Sub-types


Specimen test

ILI

SARI

SARS COV2

Number of ILI/SARI specimens processed for testing by week and year, Timor-Leste



Sub-types

Specimen test


ILI

SARI

SARS COV2

Data Source: Global Influenza Surveillance and Response System (GISRS): FluMart as of 30/05/2025
WHO/SEARO/WHE/Infectious Hazard Management | For feedback/inquiry please write to: SeFlu@who.int

Number of specimens positive for influenza by subtypes and the percentage positive, [Timor-Leste](#)



If you have any comment or suggestion
Please write to SeFlu@who.int