

---

# References

- Abiodun OA (1996) Alcohol-related problems in primary care patients in Nigeria. *Acta psychiatrica Scandinavica*, 93:235-239.
- Acuda SW, Eide AH (1994) Epidemiological study of drug use in urban and rural secondary schools in Zimbabwe. *Central African journal of medicine*, 40:207-212.
- Adelekan L, et al. (1993) Psychosocial correlates of alcohol, tobacco and cannabis use: findings from a Nigerian university. *Drug and alcohol dependence*, 33:247-256.
- Adlaf EM, et al. (1995) *The Ontario student drug use survey: 1977-1995*. Addiction Research Foundation, Toronto.
- Alcohol and Drug Information Centre (1993) *Substance abuse among school children in six districts of Sri Lanka*. Summary of a research study carried out by Alcohol and Drug Information Centre. Colombo.
- Anderson P (1995) *Alcohol and risk of physical harm*. In: Holder HD, Edwards G, eds. *Alcohol: evidence and issues*. Oxford, England: Oxford University Press, 82-113.
- Andreasson S, Allbeck P, Römelsjö A (1988) Alcohol and mortality among young men: longitudinal study of Swedish conscripts. *British medical journal*, 296, 1021-1025, 1988.
- Barry K. (1998) Global wine market undergoes a major international evolution. *Impact international* 13(2):1-12, 15 January 1998.
- Beck A, et al. (1993) *Survey of state prison inmates, 1991*. Washington DC, US Bureau of Justice Statistics (US Government Printing Office).
- Beegom R, et al. (1995) Diet, central obesity and prevalence of hypertension in the urban population of South India. *International journal of cardiology*, 51:183-191.
- Bejarano J, et al. (1996) *Consumo de drogas en Costa Rica. Resultados de la encuesta nacional de 1995*. Instituto Sobre Alcoholismo Y Farmacodependencia. Departamento de Investigación.
- Bejarano J, Alvarado R (1997) *Consumo de tabaco, alcohol y otras drogas en Costa Rica. Distribución geográfica 1995*. Instituto Sobre Alcoholismo y Farmacodependencia. San José, Costa Rica.
- Blackwelder WC, et al. (1980) Alcohol and mortality: the Honolulu Heart Study. *American journal of medicine*, 68: 164-9.
- Bloomberg News (1997) *Indians toast prohibition's end*. International Herald Tribune, 5 June 1997:17.
- Boedhi-Dermojo R, et al. (1990) A study of baseline risk factors for coronary heart disease: results of population screening in a developing country. *Rev. Epidemiology-Sante-Publique*, 38:487-491.

- Boffetta P, Garfinkel L (1990) Alcohol drinking and mortality among men enrolled in an American Cancer Society prospective study. *Epidemiology*, 1:342-8.
- Bogousslavsky J, et al. (1990) Alcohol consumption and carotid atherosclerosis in the Lausanne Stroke Registry. *Stroke*, 21:715-720.
- Bower CD (1992) Physical effects of alcohol. *Psychiatry in Practice* 6-7.
- Boyd J (1998) Memorandum to World Health Organization, Geneva, 20 March 1998.
- Brazeau R, Burr N (1993) *Alcoholic beverage taxation and control policies*. Eighth Edition. Ottawa, Ontario, Brewers Association of Canada.
- Bruun K et al. (1975) *Alcohol control policies in public health perspective*, Helsinki: Finnish Foundation for Alcohol Studies, Volume 25, 1975.
- Buda B (1987) *Research and action programmes going on in Hungary concerning the epidemiology, prevention and treatment of alcoholism and alcohol-related problems*. Paper presented at the second meeting of principal investigators in the World Health Organization Collaborative Study on Community Response to Alcohol-Related Problems, Lisbon, June 1987 (unpublished document ICP/ADA 107/9).
- Butau T (1992) *An investigation of practices, knowledge and learning needs of workers at the Parirenyatwa Hospital with special reference to substance abuse* [Dissertation]. Harare, Zimbabwe, University of Zimbabwe.
- Camacho TC, Kaplan GA, Cohen RD (1987) Alcohol consumption and mortality in Alameda County. *Journal of chronic diseases*, 40:229-36.
- Casswell S (1997) Reply to a questionnaire on the alcohol situation in New Zealand from the World Health Organization Regional Office for Europe, Copenhagen, 1997.
- Cavanagh J, Clairmonte F. (1985) *Alcoholic Beverages: Dimensions of Corporate Power*. New York, St Martin's Press.
- CDC (1995) [Centers for Disease Control and Prevention] Update: alcohol-related traffic crashes and fatalities among youth and young adults – United States, 1982-1994; Morbidity and mortality weekly report, 44:869-74.
- CSAP (1997) [Center for Substance Abuse Prevention] *Descriptions of substance abuse problems, available Problem Indicator, Problem Indicator Data and Cost Estimation*. Rockville, MD. Substance Abuse and Mental Health Services Administration.
- Cesabek-Travnik Z (1995) Reply to a questionnaire on the alcohol situation in Slovenia from the World Health Organization Regional Office for Europe, Copenhagen, October 1994 with an update in 1995.
- Cheng AT (1995) Mental illness and suicide. A case-control study in East Taiwan. *Archives of general psychiatry*, 52(7):594-603.
- Chinyadza E et al. (1993) *Alcohol problems among patients attending five primary health care clinics in Harare city*. *Central African journal of medicine*, 39:26-32.
- Collins DJ, Lapsley HM (1991) *Estimating the economic costs of drug abuse in Australia*, Commonwealth Department of Community Services and Health, Canberra.

- Collins J, Schlenger W (1988) Acute and chronic effects of alcohol use on violence. *Journal of studies on alcohol* 49:516-521.
- Colson E, Scudder T (1988) *For Prayer and Profit*. Stanford, Stanford University Press.
- Commission of the European Community [Europe Against Cancer Programme] (1990) Europe Against Cancer Programme, Young Europeans, Tobacco and Alcohol. Brussels.
- Conseil Nacional de Drogas CND (1997) [National Council on Addictions] National Household Survey 1996, Preliminary Report. Caracas, Conseil Nacional de Drogas.
- Cook, P (1981) *Effect of liquor taxes on drinking, cirrhosis, and auto accidents*. pp. 225-285 in MH Morre and DR Gerstein eds., *Alcohol and public policy: beyond the shadow of prohibition*. Washington DC: National Academy Press, 1981.
- Cook P, Moore M (1993) Violence reduction through restrictions on alcohol availability. *Alcohol health and research world* 17:151-156.
- Corrarao G, et al. (1997) Trends of liver cirrhosis mortality in Europe, 1970-1989: Age-period-cohort analysis and changing alcohol consumption. *International journal of epidemiology*. 25:100-109.
- Cotrim B (1997) Paper presented at the Alcohol Policies in Developing Societies editorial group meeting, Mexico City, 26-20 April 1997.
- Deev A, et al. (1998) Association of alcohol consumption to morality in middle-aged U.S. and Russian men and women. *Annals of epidemiology*. 8(3):147-53.
- de Labry LO, et al. (1992) Alcohol consumption and mortality in an American male population: recovering the U-shaped curve-findings from the Normative Ageing Study. *Journal of studies on alcohol*, 53:25-32.
- de Lint J (1981) Alcohol consumption and liver cirrhosis mortality. The Netherlands. *Journal of studies on alcohol* 42:48-56.
- Del Castillo FA, Salinas NF (undated) *El uso indebido de drogas en Bolivia estudio comparativo (población urbana 1992-1996)*. Centro Latinoamericano de Investigación Científica. Celin, Bolivia.
- Development Associates, Inc. (1990) *Drug awareness needs assessment for Guatemala: final report*. Narcotics Awareness and Education Project. Submitted to: Office of Programs, Office of Human Resource Development, Guatemala. 29 November 1990.
- Development Associates, Inc. (1991) *National study of drug prevalence and attitudes toward drug use in Haiti: revised final report*. Narcotics Awareness and Education Project. Submitted to: the Association for the Prevention of Alcoholism and Other Chemical Dependencies. Port-au-Prince. 14 June 1991.
- Doll R, et al. (1994) Mortality in relation to consumption of alcohol: 13 years' observations on male British doctors. *British medical journal*, 309:9011-8.
- Donahue RP, et al. (1986) Alcohol and hemorrhagic stroke: the Honolulu Heart Program. *JAMA – Journal of the American medical association*; 2311-4.
- Drugs of Dependence Branch (1996) Commonwealth Department of Human Services and Health (Canberra, Australia). *National drug strategy household survey: survey report 1995*. Australian Government Publishing Service, Canberra.

- Duflou JALC, Lamont DL, Knobel GJ (1988) Homicide in Cape Town, South Africa. *American journal of forensic medicine and pathology*, 9(4):290-294.
- Dufour M, Caces F (1993) Epidemiology of the medical consequences of alcohol. *Alcohol health and research world* 17:265-271.
- Dunn J, Laranjeira R (1996) Memorandum to World Health Organization, Geneva, 15 November 1996.
- Edwards G, et al. (1994) *Alcohol policy and the public good*. Oxford medical publication. Oxford university press.
- Egorov V (1995) Reply to a questionnaire on the alcohol situation in the Russian Federation from the World Health Organization Regional Office for Europe, Copenhagen, 1994, with an update by Dr. Egorov and Dr. V.E. Pelipas in September 1995.
- Eide AH, Acuda SW (1996) Cultural orientation and adolescents' alcohol use in Zimbabwe. *Addiction*, 91(6), 807-14.
- English DR, et al. (1995) *The quantification of drug caused morbidity and mortality in Australia, 1995 edition*. Commonwealth Department of Human Services and Health, Canberra. Produced by the Australian Government Publishing Service.
- ESPAD (1997) [Europe School Survey Project on Alcohol and Other Drugs] Copenhagen World Health Organization Office for Europe. Unpublished data.
- Farchi G, et al. (1992) Alcohol and mortality in the Italian rural cohorts of the Seven Countries Study. *International journal of epidemiology*, 21:74-81.
- Farrell S. (1985) *Review of national policy measures to prevent alcohol-related problems*. World Health Organization, Geneva.
- Fekete J (1995) *Trends and consequences of alcohol consumption in Hungary, 1995, special issue of József Nép, (in collaboration with the National Institutes of Alcoholology and of Health Promotion, and the Chamber of Society in Hungary)* Sober Life National Association for Health and Family Protection, Budapest.
- Fergusson DM, Lynskey MT, Horwood LJ (1994) Alcohol consumption and associated problems in a birth cohort of 15 year olds. *New Zealand medical journal*, 107(977):167-70.
- Ferrer X, et al. (1995) *Phare multi-country programme on drugs; European commission. Drug demand reduction in the Central and Eastern European countries - second regional report*. Intersalus & ABS, Barcelona.
- Fillmore KM, et al. (1998a) Alcohol consumption and mortality. III. Studies of female populations. *Addiction*, 93(2):219-29.
- Fillmore KM, et al. (1998b) Alcohol consumption and mortality. I. Characteristics of drinking groups. *Addiction*, 93(2):183-203.
- Fleming D (1998) World's leading drinks companies weigh options on future alliances. *Impact International* 13(20&21): 1-20, 15 October & 1 November 1998.
- FAO (1998) [Food and Agriculture Organization of the United Nations] FAOSTAT Statistics Database. Website <http://apps.fao.org>

- Friedman LA, Kimball AW (1986) Coronary heart disease mortality and alcohol consumption in Framingham. *American journal of epidemiology*, 124:481-9.
- Fuchs CS, et al. (1995) Alcohol consumption and mortality among women. *New England journal of medicine*, 332:1245-1250.
- Garrison C, et al. (1993) Aggression, substance use and suicidal behaviours in high school students. *American journal of public health*, 83:179-184.
- Gaziano JM, et al. (1993) Moderate alcohol intake, increased levels of high-density lipoprotein and its subfractions, and decreased risk of myocardial infarction. *New England journal of medicine*, 329:1829-1834.
- Gefou-Madianou D (1994) Reply to a questionnaire on the alcohol situation in Greece from the World Health Organization Regional Office for Europe, Copenhagen, October 1994.
- Giesbrecht N, et al. (1989) eds. *Drinking and casualties, accidents, poisonings and violence in an international perspective*. London and New York, Tavistock/Routledge.
- Gili Miner M, Giner Ubago J (1987) *Community response to alcohol-related problems: results of the general population survey, Seville, Spain*. Paper presented at the Second Meeting of Principal Investigators in the World Health Organization Collaborative Study on Community Response to Alcohol-Related Problems, Lisbon, June 1987 (unpublished document ICP/ADA 017/14b).
- Gleser J (1994) Reply to a questionnaire on the alcohol situation in Israel from the World Health Organization Regional Office for Europe, Copenhagen, October 1994.
- Gordon T, Doyle JT (1987) Drinking and mortality: the Albany Study. *American journal of epidemiology*, 125:263-70.
- Grant B, Dufour M, Harford, T (1988) Epidemiology of alcoholic liver disease. *Seminars in liver disease*, 8:12-25.
- Greenfield T (1995) *Who drinks most of the alcohol in the U.S.? The policy implication*. Alcohol Research Group. Berkeley, Ca. Source: Presented at the 39<sup>th</sup> International Institute on the Prevention and Treatment of Alcoholism, International Council on Alcohol and Addiction, Trieste, Italy, 11-16 June 1995.
- Greenfield TK (1997) Warning labels: Evidence on harm reduction from long-term American surveys. In: Plant M, Single E, Stockwell T, eds. *Alcohol: Minimising the Harm. What Works?* New York, Free Association Books Ltd, 1997 (pp. 105-125).
- Gruenewald P, Ponicki W (1995) The relationship of alcohol sales to cirrhosis mortality. *Journal of studies on alcohol*. 56:635-641.
- Gruenewald P, Ponicki W, Mitchell P (1995) Suicide rates and alcohol consumption in the United States, 1970-1989. *Addiction* 90:1063-1075.
- Gunasekera RGGO, Perera MRC (1997) *Assessing the impact of drug use on programmes for alleviating poverty: survey report*. Sober Sri Lanka, Colombo.
- Hao W, Young D (1997) *Alcohol drinking and drinking related problems in five cities in China*. Hunan Medical University, China.

- Harkin AM (1995) *Profiles of alcohol consumption in the Member States of the European Region of the World Health Organization*, World Health Organization Regional Office for Europe, Copenhagen, ICP/ALDT 94 03 CN01/BD4. Presented at the European Conference on Health, Society and Alcohol, Paris, 12-14 December 1995.
- Harkin AM, et al. (1997) *Smoking, drinking and drug taking in the European region*. World Health Organization Regional Office, Copenhagen.
- Harwood H, et al. (1998) *The economic costs of alcohol and drug abuse in the United States, 1992*. Washington, D.C., National Institute on Drug Abuse Office of Science Policy and Communications and the National Institute on Alcohol Abuse and Alcoholism Office of Policy Analysis.
- Hauge R (1988) The effects of changes in availability of alcoholic beverages. In Laurence M, Snortum J, Zimring F, eds. *Social control of the drinking driver*. (pp. 169-187), Chicago, University of Chicago Press.
- Haworth A (undated) *Medical and social consequences of alcohol consumption in Zambia*. University of Zambia. Lusaka.
- Herman A (1987) Personal communication. Cited in: Medina-Mora ME, et al. Epidemiologic status of drug abuse in Mexico. *Bulletin of PAHO*, 1990; 24(1).
- Hettige ST (1991) *Alcoholism, Poverty and Health in Rural Sri Lanka: Some Empirical Evidence*. Paper presented at the International Congress on Alcoholism and the Addictions, Stockholm, 2-7 June 1991.
- Hibell B, et al (1997) The 1995 ESPAD Report. Alcohol and Other Drug Use Among Students in 26 European Countries. The Swedish Council for Information on Alcohol and Other Drugs, CAN. Council of Europe. Co-operation Group to Combat Drug Abuse and Illicit Trafficking in Drug (Pompidou Group). Stockholm.
- Hill D, et al. (1993) Tobacco and alcohol use among Australian secondary school students in 1990. *The medical journal of Australia*, 158:228-233.
- Hill TW (1984) "Ethnohistory and alcohol studies" pp. 313-337 in Galanter, MM, ed. *1984 Recent Developments in Alcoholism*, v.2. New York: Plenum Press.
- Hoo SK, Navaratnam V (1988) *Kajian Tentang Ilmu Pengetahuan kesihatan dan Sikap Terhadap Penggunaan Dadah Pelajar Sekolah menengah*, Pusat Penyelidikan Dadah dan Ubat-Ubat, Universiti Sains Malaysia.
- Huby G (1994) *Drinking and the management of problem drinking among the Bari, Southern Sudan*. In: McDonald M (Ed.). *Gender, Drink and Drugs*, Oxford, UK. Berg Publishers.
- Hughes K et al. (1990) Alcohol consumption in Chinese, Malays and Indians in Singapore. *Annals academy of medicine* 19:330-332.
- Hurst W, Gregory E, Gussman T (1997) *Alcoholic beverage taxation and control policies*. Ninth Edition. Ottawa, Ontario, Brewers Association of Canada, August 1997.
- Impact Databank (1995) *Worldwide Spirits Report*. New York, 1995, Shanken Communications.
- Impact International (1997) *Russia's brewing industry gets an exemption on new tax rules*. Impact International, 12(2): 17, 15 January 1997. New York.

- Indran SK (1993) Pattern of alcoholism in the general hospital, Kuala Lumpur. *Medical journal of Malaysia*, 48:129-134.
- Inge MB, et al. (1997) Alcohol use and problem drinking: prevalences in the general Rotterdam population. *Substance use and misuse*, 32(11):1491-1512.
- IARC (1988) [International Agency for Research on Cancer] IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 44. Alcohol drinking. Lyon, IARC, 1988.
- ISPA (1993) [Institut Suisse de Prévention de l'Alcoolisme et autres toxicomanies] *Chiffres et donnée sur l'alcool et les autres drogues* (Data Statistics on alcohol and other drugs), Lausanne.
- Jackson R, Scragg R, Beaglehole R (1991) Alcohol consumption and the risk of coronary heart disease. *British medical journal*, 303, 211-216.
- Jernigan D (1997) *Thirsting for markets: the global impact of corporate alcohol*. San Rafael, California, The Marin Institute, 1997.
- Johnson DM, Walz MC (1994) Preliminary assessment of the impact of lowering the illegal *per se* limit to 0.08 in five states. Washington DC, National Highway Traffic Safety Administration, 1994.
- Jovev J (1993) *Current situation of Alcoholism, Drug addiction and Nicotinism in the Republic of Macedonia*. Paper delivered at a World Health Organization Consultation Meeting in Bulgaria, December 1993.
- Jutkovitz JM, et al. (1992a) *Survey on drug prevalence and attitudes in the Dominican Republic*, Arlington, Narcotics awareness and education project.
- Jutkovitz JM, et al. (1992b) *Survey on drug prevalence and attitudes in urban Panama*. Narcotics awareness and education project.
- Jutkovitz JM, Hongsook E (1994) Drug prevalence in Latin America and Caribbean countries: a cross-national analysis. *Drugs: education, prevention and policy*, 1(3):199-251.
- Kauhanen J, et al. (1997) Beer bingeing and mortality: results from the Kuopio ischaemic heart disease risk factors study, a prospective population-based study. *British medical journal* 315:846-851.
- Kebede D, Ketsela T (1993) Suicide attempts in Ethiopian adolescents in Addis Ababa high schools. *Ethiopian medical journal*, 31:83-90.
- Kiechl S, et al. (1996) Insulin sensitivity and regular alcohol consumption: large prospective, cross sectional population study (Bruneck study). *British medical journal*, 313:1040-4.
- Klatsky AL, Armstrong MA, Friedman GD (1989) Alcohol use and subsequent cerebrovascular disease hospitalizations. *Stroke*, 20:741-6
- Klatsky AL, Armstrong MA, Friedman GD (1990) Risk of cardiovascular mortality in alcohol drinkers, ex-drinkers and non drinkers. *American journal of cardiology*, 66:1237-42.
- Klatsky AL, Armstrong MA, Friedman GD (1997) Red wine, white wine, liquor, beer, and risk for coronary artery disease hospitalization. *American journal of cardiology*, 80:416-20.
- Kono S, et al (1986) Alcohol and mortality a cohort study of male Japanese physicians. *International journal of epidemiology*, 15:527-32

Kortteinen, T (1986) Utilization of agricultural produce in the production of alcohol – world trends 1961-1983. *Contemporary drug problems*. 13:679-706. Winter 1986.

Krasovsky C, Viyeviskiy A (1994) Reply to a questionnaire on the alcohol situation in Ukraine from the World Health Organization Regional Office for Europe, Copenhagen.

Leifman H, Römelsjö A (1997) A time series analysis of the association between alcohol consumption and admissions and mortality in alcoholism, alcohol intoxication, alcohol psychosis and liver cirrhosis. *Addiction*, 92:1515-1528.

Leino EV, Römelsjö A (1998) Alcohol consumption and mortality. II. Studies of male populations. *Addiction*, 93(2):205-18.

Lenke L (1990) *Alcohol and criminal violence: Time series analysis in a comparative perspective*. Stockholm, Almqvist and Wiksell International.

Leon DA, et al. (1997) Huge variation in Russian mortality rates 1984-1994: artefact, alcohol, or what? *Lancet*, 350:383-388.

Lerer LB (1992) Women, homicide and alcohol in Cape Town, South Africa. *Forensic sciences international*, 55:93-99.

Lesotho Highlands Water Project (1996a) LHDA Contract 1010 Baseline Epidemiology and Medical Services Survey Phase 1B.

Lesotho Highlands Water Project (1996b) LHDA Contract 74 Baseline Epidemiological Survey Phase 1A.

Loftus I, Dada M (1992) A retrospective analysis of alcohol in medicolegal postmortems over a period of five years. *The American journal of forensic medicine and pathology*. 13(3):248-252.

Madianou D, et al. (1987) *Drinking patterns and alcohol-related problems in three age groups: preliminary results*. Paper presented to the World Psychiatric Association Regional Symposium, Warsaw, November 1987.

Maniam T (1994) Drinking habits of Malaysians in general practice. *Medical journal of Malaysia*, 49:369-374.

Marmot M, Brunner E (1991) Alcohol and cardiovascular disease: the status of the U-shaped curve. *British medical journal*, 303:565-8.

Marshall M (1987) *A survey of alcohol use in Truk, Federated States of Micronesia*. A paper prepared for the International Council on Alcohol and Addictions Epidemiology Section Annual Meeting, 7-12 June, 1987. Aix-en Provence, France.

Marshall M (1997) *Country profile of alcoholic beverages in Papua New Guinea*. Unpublished paper. World Health Organization, Geneva.

Matos E, et al. (1996) *Epidemiological studies of chronic diseases in developing countries*. Study funded by Clinical Trial Service Unit (CTSU), Oxford, U.K. April 1996.

Maula J (1997) *Small-scale production of food and traditional alcoholic beverages in Benin and Tanzania: Implications for the promotion of female entrepreneurship*. Helsinki: Finnish Foundation for Alcohol Studies, Vol 43.



- McKee, M, Britton A (1998) The positive relationship between alcohol and heart disease in Eastern Europe: potential physiological mechanisms. *Journal of the royal society of medicine*, 91:402-407.
- McKenzie D, Williams B, Single E (1997) *Canadian profile: alcohol, tobacco & other drugs*. Toronto, Ontario: Canadian Centre on Substance Abuse, Addiction Research Foundation.
- Medina-Mora ME, et al. (1990) Epidemiologic status of drug abuse in Mexico. *Bulletin of PAHO*, 24(1).
- Medina-Mora ME (1997) *Alcohol policies in developing countries. Mexican report*. Paper prepared for the Alcohol Policies in Developing Countries Project Meeting, Mexico City, April 1997.
- Mendoza OM, Ponce EC (1991) *Prevalence of drug and substance abuse among Filipino secondary and college students*. Report of a USAID-sponsored project. Quezon City.
- Meursing K, Morojele N (1989) Use of alcohol among high school students in Lesotho. *British journal of addiction*, 84:1337-1342.
- Miguez HA, Pecci MC (1997) *The epidemiology of drug and alcohol abuse in Paraguay*. Comite Paraguay-Kansas. Agency for International Development. Development Associates, Inc. November 1997.
- Miller GJ, et al. (1990) Alcohol consumption: protection against coronary heart disease and risks to health. *International journal of epidemiology*, 19:923-30.
- Miller TR, Lestina DC, Spicer RS (1998) Highway crash costs in the United States by driver age, blood alcohol level, victim age, and restraint use. *Accident analysis and prevention*, 30(2):137-150.
- Minghao H, et al. (unpublished) Privatizing alcohol sales and alcohol consumption: evidence and implications, *Addiction*, (Forthcoming).
- Ministry of Health and Welfare (1998) Memorandum to World Health Organization, Geneva, 20 February 1998. Republic of Korea.
- Ministry of Public Health (1997) Health in Thailand 1995-1996. Bureau of Health Policy and Plan, Ministry of Public Health, Thailand.
- Mohan D, et al. (1992) *Integrating alcohol, tobacco and other drugs in survey research*. Department of Psychiatry and Drug Dependence Treatment Centre, New Delhi, 1992.
- Moreira LB, et al. (1996) Alcoholic beverage consumption and associated factors in Porto Alegre, a southern Brazilian city: a population-based survey. *Journal of studies on alcohol*, 57:253-59.
- Moser J (1980) *Prevention of alcohol-related problems: an international review of preventive measures, policies and programmes*. Toronto, Alcoholism and Drug Addiction Research Foundation.
- Moser J, ed. (1985) *Alcohol policies in national health and development planning: Review based on the 1982 technical discussions*. WHO Offset Publication No. 89. Geneva, Switzerland: World Health Organization 1985.
- Moser J (1992) *Alcohol problems, policies and programmes in Europe: A report of a study*. World Health Organization Regional Office for Europe, Copenhagen, EUR/ICP/ADA 011.
- Moses PF (1989) The use and abuse of alcohol in Zimbabwe. *Contemporary drug problems*, 16:71-80.

- Murphy G, Wetzel R (1990) The lifetime risk of suicide in alcoholism. *Archives of general psychiatry*, 47:383-392.
- Murray C, Lopez A (1996) *The global burden of disease*. London, Oxford University Press.
- Myers ML, et al. (1981) *Staff report on the cigarette advertising investigation*. Washington DC, Federal Trade Commission.
- Nadim AA, Rahim SIA (1984) Clinical aspects of alcohol addiction in the Sudan: 1 January 1979-31 December 1979. *British journal of addiction*, 79(4):449-450.
- Nakamura K, Tanaka A, Takano T (1993) The social cost of alcohol abuse in Japan. *Journal of studies on alcohol*, 54(5):618-25.
- Narusk A (1991) Transmission of Drinking Problems within the Family. *Contemporary drug problems*, 18(4): 645-671.
- National Food and Nutrition Committee (1995) *1993 National Nutrition Survey: Main Report*, prepared by shoko Saito, Suva, 1995.
- Navarro LC (1997) *Estudio nacional del consumo de drogas en la poblacion escolar de chile - estimaciones poblacionales: informe final marzo 1997*. Ministerio de Educacion, Ministerio de Salud.
- Nordic Alcohol Statistics (1995) *Nordisk Alkoholtidskrift*, Vol. 12.
- Norström T (1987) The impact of per capita consumption on Swedish cirrhosis mortality. *British journal of addiction*, 82:67-75.
- Norström T (1988) Alcohol and suicide in Scandinavia. *British journal of addiction*, 83:553-559.
- O'Connor J, Daly M (1983) *The smoking habit*. Dublin, Health Education Bureau.
- Obot IS (1993) *Drinking behavior and attitudes in Nigeria: a general population survey (in the Middlebelt Region)*. Jos: C.D.S. Monograph Series No., 1/93, University of Jos, Nigeria.
- Orjes J (ed) (1997) *Hudiksvalls Tidning*.
- Ortega J (1993) *Drunk driving in Peru, a statistical and sociological analysis*. Paper presented to the 19th Annual Alcohol Epidemiology Symposium of the Kettil Bruun Society for Social and Epidemiological Research on Alcohol, Krakow, Poland, 7-11 June 1993.
- Ospina ER (1997) *Use of Psychoactive Drugs in Colombia, 1996*. CEIS (Centro de Estudios e Informacion en Salud). Santa Fe de Bogota, April 1997.
- Paglia A, Room R (1998) *Preventing substance use problems among youth: a literature review and recommendations*. Toronto, Addiction Research Foundation.
- Palomaki H, Kaste M (1993) Regular light-to-moderate intake of alcohol and the risk of ischemic stroke: is there a beneficial effect? *Stroke*, 23:1828-1832.
- PAHO (1990) [Pan American Health Organization] Special report. Epidemiological report on the use and abuse of psychoactive substances in 16 countries of Latin America and the Caribbean. *Bulletin of PAHO*, 24(1) 97-139.
- Pálsson H (1995) Reply to a questionnaire on the alcohol situation in Iceland from the World Health Organization Regional Office for Europe, Copenhagen, September 1994 with an update in 1995.

- Parker R, Rebhun L (1995) *Alcohol and homicide: a deadly combination of two American traditions*. Albany, NY, State University of New York Press.
- Parry C (1997) Memorandum to World Health Organization, Geneva, 21 November 1997.
- Parry C, Bennetts AL (1998) *Alcohol policy and public health in South Africa*. Cape Town, Oxford University Press.
- Partanen J (1993) Failures in alcohol policy: lessons from Russia, Kenya, Truk and history. *Addiction*, 88:129S-134S.
- Pihl R (1983) *Alcohol and aggression: a psychological perspective*. In Gottheil E, Druley K, Skoloda T, Waxman H. eds. *Alcohol, drug abuse and aggression* (pp. 292-313). Springfield, IL, Charles C Thomas, 1983.
- Pinn G, Bovet P (1991) Alcohol-related cardiomyopathy in the Seychelles. *Medical journal of Australia*, 155:529-532.
- Poikolainen K (1995) Alcohol and mortality: a review. *Journal of clinical epidemiology*, 48:445-65.
- Porter L, Argandóna M, Curran W (in press) Drug and alcohol dependence policies, legislation and programmes for treatment and rehabilitation. (in press) World Health Organization, Geneva.
- Pride Belize Survey Project Team (1993) *Survey of Drug Prevalence and Attitudes in Belize City*. August 1993, Belize, Central America.
- Produktschap voor Gedistilleerde Dranken (1997) *World Drink Trends 1996*. Henley-on-Thames, NTC Publications Ltd.
- Rijken T, et al. (1998) Alcohol consumption in the rural population of Misungwi Subdistrict in Mwanza Region, Tanzania. *Journal of studies on alcohol*, 59:146-151.
- Rimm EB, et al (1991) Prospective study of alcohol consumption and risk of coronary disease in men. *Lancet*, 338:464-8.
- Rimm EB, et al (1995) Prospective study of cigarette smoking, alcohol use, and the risk of diabetes in men. *British medical journal*, 310:555-9.
- Robledo de Dios T (1996) Alcohol Service, Ministry of Health (Spain), response to inquiry from World Health Organization, Geneva.
- Roche Silva L (1990) *Alcohol related research at the Institute for Sociological Research*. Pretoria. Quoted in Louw W, Social consequences of alcohol abuse in South Africa: challenges for a post-apartheid South Africa. Bellville, Cape, South Africa. University of the Western Cape, May 1990.
- Rodgers H, et al. (1993) Alcohol and stroke: a case-control study of drinking habits past and present. *Stroke*, 24:1473-1477.
- Room R, et al. (in press) *Alcohol in a changing world: drinking patterns and problems in developing societies*. Cambridge, UK. Cambridge University Press.
- Rootman, Moser (1984) *Community response to alcohol-related problems: a World Health Organization monograph*. Washington DC: US Government Printing Office. Cited in: Moser J. Memorandum to World Health Organization, Geneva, February 1996.

- Ross HL (1982) *Deterring the drinking driver: Legal policy and social control*. Lexington, MA, Lexington Books.
- Rossow I (1993) Suicide, alcohol and divorce: aspects of gender and family integration. *Addiction*, 88:1659-1665.
- Rossow I, Amundsen A (1995) Alcohol abuse and suicide: a 40-year prospective study of Norwegian conscripts. *Addiction*, 90:685-691.
- Roy A (1993) Risk factors for suicide among adult alcoholics. *Alcohol health and research world*, 17:133-136.
- Saffer H (1997) Alcohol advertising and motor vehicle fatalities. *Review of Economics and Statistics*. August 1997:431-442.
- Salonen JT, Puska P, Nissinen A (1983) Intake of spirits and beer and risk of myocardial infarction and death: a longitudinal study in Eastern Finland. *Journal of chronic diseases*, 36:533-43.
- Saxena S (1997) Memorandum to World Health Organization, Geneva, 14 January 1997.
- Schultz J, et al. (1991) Quantifying the disease impact of alcohol with ARDI software. *Public health reports* 106, 443-450.
- Scribner R, MacKinnon D, Dwyer J (1995) The risk of assaultive violence and alcohol availability in Los Angeles County. *American journal of public health*, 85:335-340.
- Secretaría de Salud (1995) Mexico, Encuesta nacional de adicciones, 1993. *Salud pública Mexico* 1995, 37: 83-87.
- Shaper AG, Wannamethee G, Walker M. (1988) Alcohol and mortality in British men: explaining the U-shaped curve. *Lancet*, 2:1267-1273.
- Shrestha NM (1992) Alcohol and drug abuse in Nepal. *British journal of addiction*, 87:1241-48.
- Sieroslawski J, Moskalewicz J (1994) *Alcohol consumption in Poland in 1993*. Paper presented at the twentieth Alcohol Epidemiology Symposium of the Kettil Bruun Society, Switzerland, June 1994.
- Simpura J, Paakkanen P, Mustonen H (1995) New beverages, new drinking contexts? Signs of modernization in Finnish drinking habits from 1984 to 1992 compared with trends in the European Community. *Addiction*, 90:673-683.
- Singh G (1984) *Alcoholism in India*. In: De Sousa A, and De Sousa DA, *Psychiatry in India*. Bombay, Medical Publishers.
- Singh M, Simsek H (1990) Ethanol and the pancreas: current status. *Gastroenterology*. 98:1051-1062.
- Single E, et al. (1998) The economic costs of alcohol, tobacco and illicit drugs in Canada in 1992. *Addiction* 93, 983-998.
- Sistema Nacional de Informacion Sobre Drogas, Chile (1996) *Estudio Nacional de Consumo de Drogas: Informe Final 1996*. CONACE, Ministerio del Interior. Santiago, Chile, Mayo de 1996.

- Skog OJ (1980) Liver cirrhosis epidemiology: some methodological problems. *British journal of addiction*, 75:227-243.
- Skog OJ (1984) The risk function for liver cirrhosis from lifetime alcohol consumption. *Journal of studies on alcohol*, 45:199-208.
- Skog OJ (1986) *Trends in alcohol consumption and deaths from diseases*. SIFA-mimeograph no. 2/86.
- Skog OJ (1993) Alcohol and suicide in Denmark 1911-24 - experiences from a 'natural experiment'. *Addiction*, 88: 1189-1193.
- Skog OJ, Elekes Z (1993) Alcohol and the 1950-1990 Hungarian suicide trend: is there a causal connection? *Acta sociologica*, 36:33-46.
- Smith-Warner SA, et al. (1998) Alcohol and breast cancer in women A pooled analysis of cohort studies. *JAMA – Journal of the American medical association*, 279(7):535-540.
- Stampfer MJ, et al. (1988) A prospective study of moderate alcohol consumption and the risk of coronary disease and stroke in women. *New England journal of medicine*, 319:267-73.
- Statistical Office of Estonia (1996) Statistical Yearbook of Estonia 1996.
- Sundaram KR, et al. (1984) Alcohol abuse in a rural community in India, part 1: epidemiological study. *Drug and alcohol dependence*, 14:27-36.
- Suzuki K, et al. (1991) Problem drinkers among high school students in Japan. *Japanese journal of alcohol and drug dependence*, 26(3):142-52.
- Terroba G, Saltijeral MT, del Corral R (1986) El consumo de alcohol y su relacion con la conducta suicida. *Salud Publicacion Mexico*, 5(28):489-494.
- Thornton J, Heaton K, Syme S (1986) Moderate alcohol intake reduces bile cholesterol saturation and raises HDL cholesterol. *Lancet*, ii:819-21.
- Thun MJ, et al. (1997) Alcohol consumption and mortality in middle-aged and elderly US adults. *New England journal of medicine*, 337:1705-14.
- Touhami M, Bouktib M (1990) *A study on attitudes among Moroccan medical students towards the use of alcohol: preliminary results*. In: Maula J., Lindblad M., Tigerstedt C., eds. Proceedings from a meeting in Oslo, Norway, August 7-9, 1988. Helsinki, Nordic Council for Alcohol and Drug Research, 1990: 162-167.
- Ueda MM (1998) Memorandum to World Health Organization, Geneva, 27 February, 1998.
- Uhl A, Springer A (1994) *Der Konsum von Alkohol und psychoaktiven Stoffen in Österreich-Repräsentativerhebung 1993/94*. originalarbeiten, Studien, Forschungsberichte, Bundesministerium für Gesundheit, Sport und Konsumentenschutz, 1994.
- Uhl A, Springer A (1994) *Schüler und Drogen: Wissen, Erfahrungen, Einstellungen*, Wien, Ludwig Boltzmann- Institut für Suchtforschung.
- United Kingdom [UK] Department of Health (1992) *The Health of the Nation*. July 1992. London.
- United Nations Population Division (1994) *United Nations World Populations Prospects 1994* Revision.

United Nations Population Division (1997) United Nations World Populations Prospects 1997 Revision.

United Nations Statistical Office (1997) *Industrial commodity statistics yearbook*. New York, United Nations Statistical Office, annual.

United States (US) Department of Health and Human Services (1995) *National Survey Results on Drug Use from The Monitoring the Future Study, 1975-1994, Vol 1, 1995*. Rockville, MD.

United States (US) Department of Health and Human Services (1995) *Surveillance Report #36 - Trends in alcohol-related morbidity among short-stay community hospital discharges, United States, 1979-93*. National Institute on Alcohol Abuse and Alcoholism, December 1995. Rockville, MD.

United States (US) Department of Health and Human Services (1995) *Vital and Health Statistics: Russian Federation and United States, Selected Years 1980-93*. Series 5, International Vital and Health Statistics Reports, No. 9. Rockville, MD.

United States (US) Department of Health and Human Services (1995) *Surveillance Report #34 - Trends in alcohol-related traffic crashes 1977-1993*, National Institute on Alcohol Abuse and Alcoholism, December 1995. Rockville, MD.

United States (US) Department of Health and Human Services (1996) *National survey results on Drug Use from The Monitoring the Future Study, 1975-1995, Vol 1, Secondary school student*. Washington DC.

Urzua RF (1993) Risk factors and youth: the role of family and community. *Journal of adolescent health*, 14:619-625.

Van der Geldermalsen A, Van der Stuyft P (1993) Interpersonal violence: patterns in a Basotho community. *Journal of tropical medicine and hygiene*, 96:93-99.

Vasiliev FG (1994) Reply to a questionnaire on the alcohol situation in Moldova from the World Health Organization Regional Office for Europe, Copenhagen, Autumn 1994.

Wagenaar AC, Wolfson M (1995) Deterring sales and provision of alcohol to minors: A study of enforcement in 295 counties in four states. *Public health reports*, 1104(4):419-427.

Wannamethee SG, Shaper AG (1997) Lifelong teetotalers, ex-drinkers and drinkers: mortality and the incidence of major coronary heart disease events in middle-aged British men. *International journal of epidemiology*, 26(3):523-31.

Whitaker L, Ward H (1996) Alcohol consumption and risk of coronary heart disease: Association cannot be assumed to be causal. *British medical journal*, 313:365-366.

WHO (1995) [World Health Organization] Alcohol and Health – Implications for Public Health Policy. Report of WHO Working Group, Oslo 9-13 October 1995. World Health Organization, Geneva.

WHO (1997) [World Health Organization] *Global status report on tobacco*. Substance Abuse Department, World Health Organization, Geneva.

World Health Organization (in press) WHO Guidelines for Monitoring Alcohol Consumption and Harm. Substance Abuse Department, World Health Organization, Geneva.

World Health Organization Regional Office for Europe (1996) *Health Behaviour in School Children Study 1993/1994*. Preliminary data supplied by Dr. Bente Wold, World Health Organization

Collaborating Centre, University of Bergen, Norway. Cited in: Moser J. Memorandum to World Health Organization, Geneva.

World Health Organization Regional Office for Europe (1997) Smoking, Drinking and Drugs – the European Region. World Health Organization, Geneva.

Wyllie A, Millard M, Zhang JF (1996) *Drinking in New Zealand: a national survey 1995*. Auckland, University of Auckland, Alcohol and Public Health Research Unit. Auckland.

Wyllie A, Zhang JF, Casswell S (1998a) Positive responses to televised beer advertisements associated with drinking and problems reported by 18-29-year-olds. *Addiction*, 93:749-760.

Wyllie A, Zhang JF, Casswell S (1998b) Responses to televised advertisement associated with drinking behaviour of 10-17-year-olds. *Addiction*, 93:361-371.

Yamamuro B (1993) *Combatting alcohol and drugs in Japan*. Daito Bunka University, Tokyo. Condensed by the National Clearing House for Alcohol Information, Rockville, Maryland. Quoted in: Brazeau R, Burr N. Alcoholic beverage taxation and control policies, eighth edition. Ontario, Brewers Association of Canada.

Yang B (1992) The economy and suicide: a time-series study of the USA. *American journal of economics and sociology*, 51:87-99.

Yguel J, et al. (1990) *Consumption of alcoholic drinks in three different parts of Cameroon*. In: Maula J, et al., ed. Alcohol in developing countries, proceedings from a meeting in Oslo, Norway, 7-9 August, 1988. Oslo, Norway. Nordic Council for Alcohol and Drug Research 1990.

Zador T (1989) *Alcohol-related risk of fatal driver injuries in relation to driver age and sex*. Washington DC, Insurance Institute for Highway Safety.

Zweibach P (1998) Global brewers look eastward, but with a more cautious view. *Impact International*. 13(6):1-12, 1 September 1998.