COVID-19 Infection Prevention and Control Sameeksha

WHO Country Office for India | 15 April 2020 | Volume 2

A compilation of recent publications on COVID-19 relevant for antimicrobial resistance containment in India

Publications from scientific journals

How to protect the protectors:

10 lessons to learn for doctors fighting the COVID-19 Coronavirus

- Proposes interventions to ensure physicians do not end up becoming patients themselves
 - o Establish triage areas and source control
 - o Reinforce standard precautions and hygiene
 - o Follow safety measures whilst dealing with OPD patients
 - o Ensure safety measures whilst caring for hospitalised patients
 - o Casually exposed HCWs should not be self-quarantined
 - o Special precautions must be followed for aerosol generating procedures (AGP)
 - o Environmental and engineering controls involve adequate ventilation of all healthcare facilities and proper environmental disinfection
 - o Ensure access to personal protective equipment (PPE) for health workers

Med J Armed Forces Ind | Editorial | 31 March 2020 | Online link

Universal Screening for SARS-CoV-2 in Women Admitted for Delivery

- Between 22 March and 4 April 2020, a total of 215 pregnant women delivered infants at the New York – Presbyterian Allen Hospital and Columbia University Irving Medical Center.
- All women were screened on admission for Covid-19 and 29 of the 33 patients who were positive for SARS-CoV-2 at admission (87.9%) had no symptoms of Covid-19 at presentation

New Eng J Med | Correspondence | 13 April 2020 | Online link

Evolving epidemiology and transmission dynamics of coronavirus disease 2019 outside Hubei province, China: a descriptive and modelling study

- ... the estimates of the incubation period and serial interval were similar, suggesting an early peak
 of infectiousness, with possible transmission before the onset of symptoms
- The results also indicate that, as the epidemic progressed, infectious individuals were isolated more quickly, thus shortening the window of transmission in the community.
- Overall, the findings indicate that strict containment measures, movement restrictions, and increased awareness of the population might have contributed to interrupt local transmission of SARS-CoV-2 outside Hubei province.

The Lancet Infectious Diseases | Article, Online First | 2 April 2020 | Online link

Face masks for the public during the covid-19 crisis

- The authors argue that it is time to apply the precautionary principle
- Key messages the precautionary principle states we should sometimes act without definitive evidence, just in case; whether masks will reduce transmission of covid-19 in the general public is contested; even limited protection could prevent some transmission of covid-19 and save lives; and because covid-19 is such a serious threat, wearing masks in public should be advised

BMJ | Analysis | 9 April 2020 | Online link

Barrier Enclosure during Endotracheal Intubation

Clinicians with inadequate access to standard PPE can protect themselves during endotracheal intubation through an "aerosol box," which consists of a transparent plastic cube designed to cover a patient's head and that incorporates two circular ports through which the clinician's hands are passed to perform the airway procedure...

New Eng J Med | Correspondence | 3 April 2020 | Online link

WHO guidelines

Rational use of personal protective equipment for coronavirus disease (COVID-19) and considerations during severe shortages

- Summarizes WHO's recommendations for rational use of PPE in health care and home care settings, as well as during the handling of cargo; it also assesses the current disruption of the global supply chain and considerations for decision making during severe shortages of PPE
- This updated version includes a section on considerations for decision making processes and a summary of temporary measures in the context of severe PPE shortage

WHO | Interim guidance | 6 April 2020 | Online link

Advice on the use of masks in the context of COVID-19

Provides advice on the use of masks in communities, during home care, and in health care settings in areas that have reported cases of COVID-19. It is intended for individuals in the community, public health and IPC professionals, health care managers, health care workers (HCWs), and community health workers. This updated version includes a section on advice to decision makers on the use of masks for healthy people in community settings.

WHO | Interim guidance | 6 April 2020 | Online link

Recommendations to Member States to improve hand hygiene practices to help prevent the transmission of the COVID-19 virus

 Universal access to public hand hygiene stations and making their use obligatory on entering and leaving any public or private commercial building and any public transport facility; healthcare facilities should improve access to and practice of hand hygiene

WHO | Interim guidance | 1 April 2020 | Online link

Q&A on infection prevention and control for health care workers caring for patients with suspected or confirmed 2019-nCoV

Provides answers to frequently asked questions on IPC for health care workers

WHO | Q&A | 31 March 2020 | Online link

MoHFW/Gol guidelines

Guidelines for Quarantine facilities COVID-19

Interim guidance for setting up quarantine facilities; includes an assessment checklist

NCDC | Guideline | 5 April 2020 | Online link

Revised Guidelines for Dialysis of COVID-19 patients

 Revised guidance for maintenance hemodialysis (MHD) and continuous ambulatory peritoneal dialysis (CAPD), who are more prone to acquire infections

MoHFW | Guideline | 7 April 2020 | Online link

Advisory on use of Homemade Protective Cover for Face & Mouth

 A manual which provides a simple outline of best practices to make, use and reuse face covers to enable NGOs and individuals to make face protection themselves

Office of the Principal Scientific Advisor to the Gol & MoHFW | 3 April 2020 | Online link

Trainings / IEC resources

Infection Prevention and Control (IPC) for Novel Coronavirus (COVID-19)

- Self-paced free online training intended for healthcare workers and public health professionals,
 with a certificate (Confirmation of Participation)
- Provides information on what facilities should be doing to be prepared to respond to a case of an emerging respiratory virus such as the novel coronavirus, how to identify a case once it occurs, and how to properly implement IPC measures to ensure there is no further transmission to HCW or to other patients and others in the healthcare facility

WHO | Open WHO training course | 6 April 2020 | Online link

iGOT courses on DIKSHA platform on COVID-19 pandemic

 Online trainings for doctors, nurses, hygiene workers, technicians, ANMs, State Govt Officers, Civil Defence Officials, various police organizations, NCC, NYKS, IRCS, BSG and other volunteers

MoHFW and MoPPGP | Online learning platform | 7 April 2020 | Online link

COVID-19: How to put on and remove personal protective equipment

 Guide for healthcare workers involved in patient care activities in a healthcare setting, it aims to show the type of personal protective equipment or PPE needed to correctly protect oneself

WHO | Open WHO training video | 15 April 2020 | Online link

Updated List of Training Resources for COVID - 19 Management

Resource material for capacity building of healthcare professionals for Covid-19 containment

MoHFW | Compilation of training resources | 6 April 2020 | Online link

Infection prevention and control

Presentation on IPC

NCDC | presentation | 8 April 2020 | Online link

Appropriate PPE use in Different Areas of the Hospital

Video demonstrating PPE use in different segments of the hospitals

AllMS | Telemedicine video on YouTube | 8 April 2020 | Online link

Know how to use your own Homemade Reusable Face Cover

Video on how to use your own homemade reusable face cover

MoHFW | YouTube video | 7 April 2020 | Online link

Infection control – including basic personal protective equipment

 Learn how to don and doff basic PPE as well as the principles of other important infection control measures in a hospital environment

BMJ Learning | Online learning for doctors, medical students | 7 April 2020 | Online link

Antimicrobial Resistance and COVID-19

COVID-19 and why tackling the silent crisis of drug-resistant infections matters more than ever

- Link between COVID-19 and drug-resistant infections is more troubling than many realize.
 Antibiotics, while not effective against viruses, are being used frequently in people with COVID-19 to prevent or treat suspected or confirmed secondary bacterial infections
- According to an early study from China, secondary infections causing bacterial pneumonia, bloodstream infections, sepsis and hospital-acquired infections were present in half of all deceased COVID-19 patients

GARDP | AMR Insights | 3 April 2020 | Online link

COVID-19 and AMR – what do we know so far?

Provides an overview of what is known so far about how AMR and COVID-19

ReAct | News and opinions | 2 April 2020 | Online link

Understanding Hygiene promotion in the context of Risk Communication & Community Engagement (RCCE) and Infection Control and Prevention (IPC) for the COVID-19 outbreak

Hygiene Programming Guidance Note

UNICEF | Draft guidance | 1 April 2020 | Online link